Form 3160-3 (September 2001)

# N.M. Oil Cons. DIV-Dist. 2

1301 W. Grand Avenue

UNITED STATES
DEPARTMENT OF THE INTERIOR Artesia, NM 8821 05. Lease Serial No.

BUREAU OF LAND MANAC	INIVILLOZOTOGO COZO (0 4 C					
APPLICATION FOR PERMIT TO DE	RILL OR F	EENTER		6. If Indian, Allotte	e or Tribe	Name
la. Type of Work: DRILL REENTE	R			7. If Unit or CA Agr	eement, N	lame and No.
1b. Type of Well:	<b>☑</b> s	ingle Zone 🔲 Multi	ple Zone	8. Lease Name and W Burch Keely Unit #		
2. Name of Operator				9. API Well No.		
Marbob Energy Corporation				30-015- 337	96	
3a. Address	3b. Phone N	o. (include area code)		10. Field and Pool, or	Explorato	ory
PO Box 227, Artesia, NM 88211-0227	505-748-3303 505-746-2523 Fax			Grayburg Jackson SR Q Grbg SA		
4. Location of Well (Report location clearly and in accordance with a	iny State requ	irement RECEIVE	D	11. Sec., T., R., M., o	r Blk. and	Survey or Area
At surface 1895' North and 660' West		.,				
At proposed prod. zone		SEP 2 0 200	)4	C 40 T 470 D0	o-	
14. Distance in miles and direction from nearest town or post office*	OCD-ARTESIA			Sec. 13, T.17S, R29E     12. County or Parish   13. State		
14. Distance in filles and direction from hearest town of post office		(45 CD (10 C)	.017	12. County of 1 arisir		NM
15. Distance from proposed* location to nearest property or lease line, ft.	16. No. of a	Acres in lease	17. Spacin	g Unit dedicated to this	well	INM
(Also to nearest drig. unit line, if any)			40			
<ol> <li>Distance from proposed location*         to nearest well, drilling, completed,         applied for, on this lease, ft.</li> </ol>	19. Proposed Depth 20. BLM,		20. BLM/F	/BIA Bond No. on file		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)		imate date work will st	iart*	23. Estimated duration	on	
3629' CI	09/09/04			14 days		
	24. Atta	chments	R	OSWELL CONTRO	LLED V	VATER BASIN
The following, completed in accordance with the requirements of Onshor	re Oil and Gas	Order No.1, shall be att				
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office).</li> </ol>	Lands, the	Item 20 above). 5. Operator certifica	ation. pecific info	s unless covered by an		,
25. Signature M1		(Printed Typed) am Miller			Date 08/09/0	14
Title	<u> </u>			*** <u>-</u>		
_and Departmen						
Approved by (Signature) /S/ Joe G. Lara	Name	(Printed Typed)	/s/ Joe	G. Lara	Da <b>⊈</b> 5	SEF 2004
FIELD MANAGER	Offic	CARLSB	AD FI	ELD OFFICE	!	
Application approval does not warrant or certify that the applicant holds I	egal or equita	hle title to those rights in	the subject	lease which would entit	le the anni	icant to conduct

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on reverse)

Conditions of approval, if any, are attached

operations thereon.

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS **ATTACHED** 

Witness Surface Casing

APPROVAL FOR 1 YEAR

If earthen pits are used it association with the drilling of this well, an OCD pit permit must be obtained prior to pit construction.

#### State of New Mexico

DISTRICT I P.O. Box 1980, Hobbs, NM 88241-1980

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Submit to Appropriate District Office State Lease - 4 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88211-0719

## OIL CONSERVATION DIVISION P.O. Box 2088

Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, New Mexico 87504-2088

DISTRICT IV P.O. BOX 2088, SANTA FE, N.M. 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT

□ AMENDED REPORT

API Number	Pool Code	Pool Name	Pool Name		
	28509	gRBG JACKSON SR Q	R Q GRBG SA		
Property Code	Property	Name	Well Number		
006497	BURCH KE	950			
OGRID No.	Operator		Elevation		
14049	MARBOB ENERGY	CORPORATION	3629'		


#### Surface Location

Γ	UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	E	13	17-S	29-E		1895'	NORTH	660'	WEST	EDDY

#### Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres   Joint or Infill   Consolidation Code   Order No.									
40									

### NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



## DRILLING PROGRAM

Burch Keely Unit No. 950 1895' FNL and 660' FWL Section 13-175-29E Eddy County, New Mexico

## 10. Anticipated Starting Date and Duration of Operations


Starting date will be scheduled upon approval.

Duration of Operations: Once commenced, the drilling operations should be completed in approximately 21 days. If the well is productive, an additional 30 to 60 days will be required for completion and testing of the well.


## SURFACE USE AND OPERATING PLAN

Burch Keely Unit No. 950 1895' FNL and 660' FWL Section 13-175-29E Eddy County, New Mexico

- 1.(c) Directions to Locations: From the intersection of U.S. Hwy 82 and Co. Rd #215 turn orth on Co. Rd #215 and go north 1.0 miles. Turn right on caliche road and go 700' east. This location is 100' north.
- 2. No new access road will be necessary.
- 4.(a) If productive, this well will use Satellite "C".



ONSHORE OIL AND GAS ORDER NO. 2



2M
Double Rams

BRADEN
HEAD

TOTAL

2M system:

- —Annular preventer, or, double ram, or two rams with one being blind and one being a pipe ram \*
  - -Kill line (2 inch minimum)
  - -1 kill line valve (2 inch minimum)
  - -1 choke line valve
- -2 chokes (refer to diagram in

Attachment 1)

- -Upper kelly cock valve with handle available
- -Safety valve and subs to fit all drill strings in use
  - -Pressure gauge on choke manifold
  - -2 inch minimum choke line
- -Fill-up line above the uppermost preventer.

Violation: Minor (all items unless marked by asterisk).

Corrective Action: Install the equipment as specified.

Normal Abatement Period: 24 hours.

## CARRATOR'S COPY

Form 3160 (June 1990	DEPARTMEN	ED STATES JUN 2 1 1999 TOF THE INTERIOR AND MANAGEMENT		FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993  5. Lease Designation and Serial No.		
				5. Lease Designation and Senal No.		
Do not	use this form for proposals to dri	AND REPORTS ON WELLS il or to deepen or reentry to DR PERMIT-" for such prop	a different reservoir.	6. If Indian, Allottee or Tribe Name		
		IN TRIPLICATE		7. If Unit or CA, Agreement Designation		
1. Type of O	il Gas /ell Well Other			8. Well Name and No.		
2. Name of MARB	f Operator OB ENERGY CORPORATION			9. API Well No.		
3. Address	and Telephone No. SOX 227, ARTESIA, NM 88210 505-1	748-3303		10. Field and Pool, or Exploratory Area		
4. Location	of Well (Footage, Sec., T., R., M., or Survey Des			to. Field and Fool, of Exploratory Area		
T17S-I	R30E			11. County or Parish, State		
T17S-I	K31E		:	EDDY CO., NM		
12.	CHECK APPROPRIATE BOX(s	TO INDICATE NATURE OF	NOTICE, REPORT, C	PR OTHER DATA		
	TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ Notice of Intent ☐ Subsequent Report ☐ Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other TEST	BOPS	Change of Plans  New Construction  Non-Routine Fracturing  Water Shut-Off  Conversion to Injection  Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
DUE T FOR W	THE LOW BOTTOM HOLE PRESS VELLS IN THE ABOVE LOCATIONS THIS SUNDRY IS APPROVED	FOR MARBOB TO HAVE A	CASING TO 1000#  BLANKET APPROVAL	FOR TESTING BOPS.		
	HOWEVER, THE OPERATOR W	ILL STATE ON EACH APD	THIS APPLIES TO	IN ORDER TO		
	REMIND AND/OR BRING NOT	ICE TO THE BLM OFFICE	AND ENGINEER RE	VIEWING THE APD		
	THAT THE WELL'S BOPE TE	STING IS COVERED BY	A BLANKET APPROVA	L FOR THESE LOCATIONS		
14 I bouch	by certify that the foregoing is true and correct					
Signed _	Addin Corrum	Title PRODUCTION A	NALYST	Date 05/25/99		
Approved	by but but by sof approval, if any:	TitleFTROLE	UM ENGINEER	JUN 1 6 1999		



IN REPLY REFER TO: NMNM-88525X 3180 (06200)

## United States Department of the Interior

#### **BUREAU OF LAND MANAGEMENT**

Roswell Field Office 2909 West Second St. Roswell, New Mexico 88201 www.nm.blm.gov



Marbob Energy Corporation Attention: Johnny Gray P. O. Box 227 Artesia, NM 88210

SEP 07 1999

#### Gentlemen:

With regard to our telephone conversation of September 2, 1999, a review of our records has found discrepancies in the casing requirements section of the conditions of approval for your APD's. As per our meeting on July 7, 1999, our office had agreed with your recommended casing procedures for shallow wells of 6000 ft. or less in T. 17 S, Rgs. 29, 30 and 31 E., NMPM. In order to correct the discrepancies, this letter states the language to be used for the conditions of approval casing requirements for all your existing APD's

Conditions of Approval-Drilling amended as follows:

- II. Casing requirements in T. 17 S., Rgs. 29, 30 and 31 E. for shallow wells less than 6,000 ft.
- 1. 8-5/8 inch surface casing should be set at approximately \_\_\_\_ ft. in the Rustler Anhydrite or in the case the salt occurs at a shallower depth above the top of the salt. The surface casing shoe shall be set in the anhydrite to ensure adequate sealing. The operator is required to use an excess of 100% cement volume to fill annulus. If cement does not circulate to surface the operator may then use ready mix cement to fill the remaining annulus.
- 2. The minimum required fill of cement behind the 5½ inch production casing is to place the top of the cement 200 ft. above the top of the uppermost hydrocarbon bearing interval or to the base of the salt.

These requirements supercede those issued in your existing, approved APD's for the shallow wells located in T. 17 S., Rgs. 29, 30 and 31 E., NMPM. If you have any question regarding this matter please call John S. Simitz at (505) 627-0288 or Armando A. Lopez at (505) 627-0248.

Sincerely,


Larry D. Bray

Acting Assistant Field Office Manager,

Lands and Minerals

Lamy D. Bray

## LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

SEC.\_ 13 TWP. 17-S RGE. 29-E

SURVEY N.M.P.M.

COUNTY\_\_\_\_EDDY

DESCRIPTION 1895' FNL & 660' FWL

ELEVATION 3629

MARBOB ENERGY
OPERATOR CORPORATION

LEASE\_\_\_\_\_BURCH KEELY UNIT

U.S.G.S. TOPOGRAPHIC MAP RED LAKE SE, N.M. CONTOUR INTERVAL: RED LAKE SE, N.M. - 10'

Flow Line

Access Road



PROVIDING SURVEYING SERVICES SINCE 1946 JOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (505) 393-3117



