Form 3160-3 (September 2001)

N.M. Oil Cons. DIV-Dist. 2 1301 W. Grand Avenue

UNITED STATES Artesia, NM 88210 **BUREAU OF LAND MANAGEMENT**

APPLICATION FOR PERMIT TO DRILL OR REENTER

FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004

NMLC028793C	028784	ے
HAIM FOREST SOC.	000101	۰.

6. If Indian, Allottee or Tribe Name

la. Type of Work: DRILL REENTE	ER			7. If Unit or CA Agree	ement, Name and No.
_				8. Lease Name and We	II No.
1b. Type of Well: 🛛 Oil Well 🔲 Gas Well 🔲 Other	☑ Single Zone	e 🔲 Multi	iple Zone	Burch Keely Unit #9	52
2. Name of Operator				9. API Well No.	
Marbob Energy Corporation				30-015- 3374	ר
3a. Address	3b. Phone No. (include	area code)		10. Field and Pool, or E	xploratory
PO Box 227, Artesia, NM 88211-0227	505-748-3303 505-746-2523 Fax			Grayburg Jackson SR Q Grbg SA	
4. Location of Well (Report location clearly and in accordance with	any State requiremen	CEIVE	D	11. Sec., T., R., M., or	Blk. and Survey or Area
At surface 2010' North and 1980' East	Ci	-n a a ann			
At proposed prod. zone	21	EP 2 0 200	4	Sec. 13, T17s, R29e	
14. Distance in miles and direction from nearest town or post office*		PARTE	SIA	12. County or Parish	13. State
2.00 Z.10 Z.10 Z.10 Z.10 Z.10 Z.10 Z.10 Z				Eddy	NM
15. Distance from proposed*	16. No. of Acres in le	ase	17. Spacii	ng Unit dedicated to this w	
location to nearest property or lease line, ft.			•		
(Also to nearest drig. unit line, if any)	1440		40		
18. Distance from proposed location*	19. Proposed Depth		20. BLM/	BlA Bond No. on file	
to nearest well, drilling, completed, applied for, on this lease, ft.					
	4800'			Tan File Lite	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will start*			23. Estimated duration	l
3637' GL	09/09/04			14 days	
	24. Attachments		ROSW	ELL CONTROLLED	WATER BASIN
The following, completed in accordance with the requirements of Onsho	ore Oil and Gas Order No	.1, shall be at	tached to th	is form:	
1. Well plat certified by a registered surveyor.	l 4 Bor	nd to cover th	ne operation	is unless covered by an e	xisting bond on file (see
2. A Drilling Plan.	Ite	m 20 above).	•		
3. A Surface Use Plan (if the location is on National Forest System	Lands, the	rator certific		ormation and/or plans as	may be required by the
SUPO shall be filed with the appropriate Forest Service Office).		horized office		ormation and/or praits as	may be required by the
25. Signature	Name (Printed:	Typed)			Date
	William Miller			08/09/04	
Title					
Land Departmen					
Approved by (Signature) /S/ Joe G. Lara	Name (Printed		s/ Joe (G. Lara	Dat 1 5 SEP 2004
Title FIELD MANAGER	Office				CE
Application approval does not warrant or certify that the applicant holds	legal or equitable title to	those rights i	n the subjec	t lease which would entitle	the applicant to conduct
operations thereon. Conditions of approval, if any, are attached.		AP	PROV	AL FOR 1 YE.	AR
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make States any false, fictitious or fraudulent statements or representations as	it a crime for any person to any matter within its in	knowingly a	nd willfully	to make to any departmen	nt or agency of the United

*(Instructions on reverse)

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS **ATTACHED**

Witness Surface Casing

If earthen pits are used is association with the drilling of this well, an OCD pit permit must be obtained prior to pit construction.

State of New Mexico

DISTRICT I P.O. Box 1980, Hobbs, NM 88241-1980

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Submit to Appropriate District Office

DISTRICT II P.O. Drawer DD, Artesia, NM 88211-0719

OIL CONSERVATION DIVISION P.O. Box 2088

State Lease - 4 Copies Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, New Mexico 87504-2088

DISTRICT IV

WELL COMMITTE MAD MONEYAR DEDICATION I MAI	WELL	LOCATION	AND	ACREAGE	DEDICATION	PLAT
--------------------------------------------	------	----------	-----	---------	------------	------

☐ AMENDED REPORT

API Number	Pool Code	Pool Name	
	28509	GRBG JACKSON SR Q GRE	BG SA
Property Code	Proper	ty Name	Well Number
006497	BURCH K	EELY UNIT	952
OGRID No.	Operat	or Name	Elevation
14049	MARBOB ENERG	Y CORPORATION	3637'


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	13	17-S	29-E		2010'	NORTH	1980'	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	nsolidation (Code Ore	der No.	<u> </u>			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



DRILLING PROGRAM

Burch Keely Unit No. 952 2010' FNL and 1980' FEL Section 13-175-29E Eddy County, New Mexico

10. Anticipated Starting Date and Duration of Operations


Starting date will be scheduled upon approval.

Duration of Operations: Once commenced, the drilling operations should be completed in approximately 21 days. If the well is productive, an additional 30 to 60 days will be required for completion and testing of the well.


SURFACE USE AND OPERATING PLAN

Burch Keely Unit No. 952 2010' FNL and 1980' FEL Section 13-175-29E Eddy County, New Mexico

- 1.(c) Directions to Locations: From the intersection of U.S. hwy 82 and Co. Rd #215 go north on Co. Rd #215 approx. 1 mile turn right onto caliche road and go 0.6 miles east. Location is on the southside of the road..
- 2. No new access road will be necessary.
- 4.(a) If productive, this well will use Satellite "C".



ONSHORE OIL AND GAS ORDER NO. 2



Double Rams

BRADEN
HEAD

2M system:

—Annular preventer, or. double ram, or two rams with one being blind and one being a pipe ram *

-Kill line (2 inch minimum)

-1 kill line valve (2 inch minimum)

-1 choke line valve

-2 chokes (refer to diagram in

Attachment 1)

-Upper kelly cock valve with handle available

—Safety valve and subs to fit all drill

strings in use

-Pressure gauge on choke manifold

—2 inch minimum choke line —Fill-up line above the uppermost

preventer.
Violation: Minor (all items unless

marked by asterisk).
Corrective Action: Install the

Corrective Action: Install equipment as specified.

Normal Abatement Period: 24 hours.

CHERATOR'S COPY

Form 3160 (June 1990	DEPARTME	TED STATES NT OF THE INTERIOR LAND MANAGEMENT	JUN 21 1999	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993
	DONEAO OI	ENIAD IMMIANGEIMEIAI		5. Lease Designation and Serial No.
Do not u	use this form for proposals to dr	AND REPORTS ON WELLS ill or to deepen or reentry to DR PERMIT-" for such propo	a different reservoir. sals	6. If Indian, Allottee or Tribe Name
		IN TRIPLICATE		7. If Unit or CA, Agreement Designation
1. Type of \Oi	I Gas ell ☐ Well ☐ Other		·	8. Well Name and No.
	Operator OB ENERGY CORPORATION and Telephone No.			9. API Well No.
	OX 227, ARTESIA, NM 88210 505-			10. Field and Pool, or Exploratory Area
4. Location T17S-F T17S-F T17S-F	R30E	scription)		11. County or Parish, State
1170-1	WIE .	:		EDDY CO., NM
12.	CHECK APPROPRIATE BOX(s	TO INDICATE NATURE OF	NOTICE, REPORT, O	R OTHER DATA
	TYPE OF SUBMISSION		TYPE OF ACTION	
	Notice of Intent Subsequent Report	☐ Abandonment☐ Recompletion☐ Plugging Back		Change of Plans New Construction
		Casing Repair		Non-Routine Fracturing Water Shut-Off
	Final Abandonment Notice	☐ Altering Casing ☐ Other TEST E	OPS	Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
direction	one Proposed or Completed Operations (Clearly stonally drilled, give subsurface locations and meason of the LOW BOTTOM HOLE PRESS/ELLS IN THE ABOVE LOCATIONS	ured and true vertical depths for all markde SURE OF FORMATIONS ABOVE	ers and zones pertinent to this w 6000', WE ARE REQU	ork.)*
	THIS SUNDRY IS APPROVED HOWEVER, THE OPERATOR W	ILL STATE ON EACH APD	THIS APPLIES TO 1	N ORDER TO
	THAT THE WELL'S BOPE TE			
14. I hereb	y certify that the foregoing is true and correct			
Signed _	Gobin Collegen	Title PRODUCTION AN	ALYST	Date 05/25/99
Approved	by Day but by s of approval, if any:	Title	JM ENGINEER	JUN 1 6 1999



IN REPLY REFER TO: NMNM-88525X 3180 (06200)

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Roswell Field Office 2909 West Second St. Roswell, New Mexico 88201 www.nm.blm.gov



Marbob Energy Corporation Attention: Johnny Gray P. O. Box 227 Artesia, NM 88210

SEP 07 1999

Gentlemen:

With regard to our telephone conversation of September 2, 1999, a review of our records has found discrepancies in the casing requirements section of the conditions of approval for your APD's. As per our meeting on July 7, 1999, our office had agreed with your recommended casing procedures for shallow wells of 6000 ft. or less in T. 17 S, Rgs. 29, 30 and 31 E., NMPM. In order to correct the discrepancies, this letter states the language to be used for the conditions of approval casing requirements for all your existing APD's

Conditions of Approval-Drilling amended as follows:

- II. Casing requirements in T. 17 S., Rgs. 29, 30 and 31 E. for shallow wells less than 6,000 ft.
- 1. 8-5/8 inch surface casing should be set at approximately ____ ft. in the Rustler Anhydrite or in the case the salt occurs at a shallower depth above the top of the salt. The surface casing shoe shall be set in the anhydrite to ensure adequate sealing. The operator is required to use an excess of 100% cement volume to fill annulus. If cement does not circulate to surface the operator may then use ready mix cement to fill the remaining annulus.
- 2. The minimum required fill of cement behind the 5½ inch production casing is to place the top of the cement 200 ft. above the top of the uppermost hydrocarbon bearing interval or to the base of the salt.

These requirements supercede those issued in your existing, approved APD's for the shallow wells located in T. 17 S., Rgs. 29, 30 and 31 E., NMPM. If you have any question regarding this matter please call John S. Simitz at (505) 627-0288 or Armando A. Lopez at (505) 627-0248.

Sincerely,


Larry D. Bray

Acting Assistant Field Office Manager,

Lands and Minerals

Lamy D. Bray

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

SEC. <u>13</u> TWP. <u>17-S</u> RGE. <u>29-E</u>

SURVEY N.M.P.M.

COUNTY____EDDY

DESCRIPTION 2010' FNL & 1980' FEL

ELEVATION 3637'

MARBOB ENERGY
OPERATOR CORPORATION

LEASE BURCH KEELY UNIT

U.S.G.S. TOPOGRAPHIC MAP RED LAKE SE, N.M. CONTOUR INTERVAL: RED LAKE SE, N.M. - 10'

Access Road

Flow Line



PROVIDING SURVEYING SERVICES SINCE 1946 JOHN WEST SURVEYING COMPANY 412 N. DAL PASO HOBBS, N.M. 88240 (505) 383-3117



