Form 3160-3 (September 2001)

N.M. Oil Cons. DIV-Dist. 2

UNITED STATES W. Grand Avenue DEPARTMENT OF THE LAUTESIA, NM 88210 **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004

5. Lease Serial No.

NMLC028793C 028784C 6. If Indian, Allottee or Tribe Name

APPLICATION FOR PERMI	TO DRILL OR REENTER
------------------------------	---------------------

la. Type of Work: DRILL REENTER				7. If Unit or CA Agre	ement, Name and No.	
,,				NMNM88525X		
1b. Type of Well:	[7] s	ingle Zone 🔲 Multip	da 7ana	8. Lease Name and We		
	Y 3	ingle Zone iii Multip	ne Zone	Burch Keely Unit #9	954	
2. Name of Operator				9. API Well No.	c.	
Marbob Energy Corporation 3a Address	2h Dhone N	o. (include area code)		30-015- 3379	· · · · · · · · · · · · · · · · · · ·	
• • • • • • • • • • • • • • • • • • • •		,		10. Field and Pool, or	, ,	
PO Box 227, Artesia, NM 88211-0227		303 505-746-2523 F	ax	Grayburg Jackson S	Blk. and Survey or Area	
4. Location of Well (Report location clearly and in accordance with a	ny State requ		D	11. Sec., 1., K., W., O	bik. and survey of Area	
At surface 2615' North and 2615' West		RECEIVE	שׁ			
At proposed prod. zone		SEP 2 0 200	M	Sec. 13,T.17S,R.29	E	
14. Distance in miles and direction from nearest town or post office*		QC , 2 0 100		12. County or Parish	13. State	
		OOD:ARTE	<u> </u>	Eddy	NM	
15. Distance from proposed* location to nearest	16. No. of	Acres in lease	17. Spacin	g Unit dedicated to this	well	
property or lease line, ft.						
(Also to nearest drig. unit line, if any)	1440		40			
18. Distance from proposed location* to nearest well, drilling, completed,	19. Proposed Depth 20. BL1			M/BIA Bond No. on file		
applied for, on this lease, ft.	4800'		}			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)		ximate date work will st	tart*	23. Estimated duration	un .	
3627' GL	09/09/04			14 days		
0021 02		achments	DOCUE		WATED DACIN	
The following, completed in accordance with the requirements of Onshor				LL CONTROLLED	WAIER DASIN	
The following, completed in accordance with the requirements of Olisho.	ie Oli and Ga	s Order No.1, shan be att	ached to th	is torm.		
1. Well plat certified by a registered surveyor.			e operation	is unless covered by an	existing bond on file (see	
2. A Drilling Plan.		Item 20 above). 5. Operator certification	ation			
3. A Surface Use Plan (if the location is on National Forest System SUPO shall be filed with the appropriate Forest Service Office).	Lands, the			ormation and/or plans a	as may be required by the	
301 0 shar be fred with the appropriate 1 of 6st 561 vice of free).		authorized office		•	, ,	
25. Signature	Nam	e (Printed Typed)			Date	
	Will	iam Miller			08/09/04	
Title					<u> </u>	
Land Departmen						
Approved by (Signature) /s/ Joe G. Lara	Nam	ne (Printed Typed)	s/ Joe (G. Lara	15 SEP 2004	
Title FIELD MANAGER	Offi	Office CARLSBAD FIELD OFFICE				
Application approval does not warrant or certify that the applicant holds	legal or equit	able title to those rights i	n the subjec	t lease which would entit	le the applicant to conduct	
operations thereon. Conditions of approval, if any, are attached.		AP	PROV	AL FOR 1 YE	C A TD	
Conditions of approval, if any, are attached.			· ICO V.	VE LOVI I I	AK	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United

*(Instructions on reverse)

APPROVAL SUBJECT TO **GENERAL REQUIREMENTS** AND SPECIAL STIPULATIONS **ATTACHED**

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Witness Surface Casing.

If earthen pits are used is association with the drilling of this well, an OCD pit permit must be obtained prior to pit construction.

State of New Mexico

DISTRICT I P.O. Box 1980, Hobbs, NM 88241-1980

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994

Submit to Appropriate District Office State Lease - 4 Copies

DISTRICT II P.O. Drawer DD, Artesia, NM 88211-0719

OIL CONSERVATION DIVISION

Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088 Santa Fe, New Mexico 87504-2088

DISTRICT IV P.O. BOX 2088, SANTA FE, N.M. 87504-2088	WELL	LOCATION	AND	ACREAGE	DEDICATION	PLAT	
API Number		Pool Code				Pool Name	

AMENDED REPORT

API Number	Pool Code	Pool Name					
	28509	GRBG JACKSON SR Q GRBG S	SA				
Property Code	Proper	ty Name	Well Number				
006497	BURCH KEELY UNIT						
OGRID No.		or Name	Elevation				
14049	MARBOB ENERG	3627'					


Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	13	17-S	29-E		2615'	NORTH	2615'	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint o	r Infill Co	nsolidation (Code Or	der No.				
40									

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



DRILLING PROGRAM

Burch Keely Unit No. 954 2615' FNL and 2615' FWL Section 13-175-29E Eddy County, New Mexico

10. Anticipated Starting Date and Duration of Operations


Starting date will be scheduled upon approval.

Duration of Operations: Once commenced, the drilling operations should be completed in approximately 21 days. If the well is productive, an additional 30 to 60 days will be required for completion and testing of the well.


SURFACE USE AND OPERATING PLAN


Burch Keely Unit No. 954 2615' FNL and 2615' FWL Section 13-175-29E Eddy County, New Mexico

- 1.(c) Directions to Locations: From the intersection of U.S. Hwy 82 and Co. Rd #215 go East on Co. Rd #215 0.5 miles. Turn right onto caliche road and go 600' south. Location is 600' East.
- 2. A new access road of 612' will be necessary.
- 4.(a) If productive, this well will use Satellite "C".



ONSHORE OIL AND GAS ORDER NO. 2





2M system:

-Annular preventer, or, double ram, or two rams with one being blind and one being a pipe ram *

-Kill line (2 inch minimum)

-1 kill line valve (2 inch minimum)

-1 choke line valve

-2 chokes (refer to diagram in

Attachment 1)

-Upper kelly cock valve with handle

available

-Safety valve and subs to fit all drill

-Pressure gauge on choke manifold

-2 inch minimum choke line

-Fill-up line above the uppermost

Corrective Action: Install the

Normal Abatement Period: 24 hours.

CARRATOR'S COPY

JUN 21 1999 Form 3160-5 UNITED STATES FORM APPROVED Budget Bureau No. 1004-0135 (June 1990) DEPARTMENT OF THE INTERIOR Expires: March 31, 1993 BUREAU OF LAND MANAGEMENT 5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Oil Well Gas 8. Well Name and No. U Other 2. Name of Operator MARBOB ENERGY CORPORATION 9. API Well No. 3. Address and Telephone No. P.O. BOX 227, ARTESIA, NM 88210 505-748-3303 10. Field and Pool, or Exploratory Area 4. Location of Weil (Footage, Sec., T., R., M., or Survey Description) T17S-R29E T17S-R30E 11. County or Parish, State T17S-R31E EDDY CO., NM CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment ☐ Change of Plans Recompletion New Construction ☐ Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Other _TEST BOPS Dispose Water (Note: Report results of mutilple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinet details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markders and zones pertinent to this work.)* DUE TO THE LOW BOTTOM HOLE PRESSURE OF FORMATIONS ABOVE 6000', WE ARE REQUESTING BLANKET APPROVAL FOR WELLS IN THE ABOVE LOCATIONS TO TEST BOPS ON SURFACE CASING TO 1000# THIS SUNDRY IS APPROVED FOR MARBOB TO HAVE A BLANKET APPROVAL FOR TESTING BOPS. HOWEVER, THE OPERATOR WILL STATE ON EACH APD THIS APPLIES TO IN ORDER TO REMIND AND/OR BRING NOTICE TO THE BLM OFFICE AND ENGINEER REVIEWING THE APD THAT THE WELL'S BOPE TESTING IS COVERED BY A BLANKET APPROVAL FOR THESE LOCATIONS 14. I hereby certify that the foregoing is true and correct PRODUCTION ANALYST 05/25/99 Signed Title (This space PETROLEUM ENGINEER JUN 16 1999 Approved by Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Date



in reply refer to: NMNM-88525X 3180 (06200)

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Roswell Field Office 2909 West Second St. Roswell, New Mexico 88201 www.nm.blm.gov



Marbob Energy Corporation Attention: Johnny Gray P. O. Box 227 Artesia, NM 88210

SEP 07 1999

Gentlemen:

With regard to our telephone conversation of September 2, 1999, a review of our records has found discrepancies in the casing requirements section of the conditions of approval for your APD's. As per our meeting on July 7, 1999, our office had agreed with your recommended casing procedures for shallow wells of 6000 ft. or less in T. 17 S, Rgs. 29, 30 and 31 E., NMPM. In order to correct the discrepancies, this letter states the language to be used for the conditions of approval casing requirements for all your existing APD's

Conditions of Approval-Drilling amended as follows:

- II. Casing requirements in T. 17 S., Rgs. 29, 30 and 31 E. for shallow wells less than 6,000 ft.
- 1. 8-5/8 inch surface casing should be set at approximately _____ ft. in the Rustler Anhydrite or in the case the salt occurs at a shallower depth above the top of the salt. The surface casing shoe shall be set in the anhydrite to ensure adequate sealing. The operator is required to use an excess of 100% cement volume to fill annulus. If cement does not circulate to surface the operator may then use ready mix cement to fill the remaining annulus.
- 2. The minimum required fill of cement behind the 5½ inch production casing is to place the top of the cement 200 ft. above the top of the uppermost hydrocarbon bearing interval or to the base of the salt.

These requirements supercede those issued in your existing, approved APD's for the shallow wells located in T. 17 S., Rgs. 29, 30 and 31 E., NMPM. If you have any question regarding this matter please call John S. Simitz at (505) 627-0288 or Armando A. Lopez at (505) 627-0248.

Sincerely,


Larry D. Bray

Acting Assistant Field Office Manager,

Lands and Minerals

Lamy D. Bray

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

COUNTY_

SEC. 13 TWP. 17-S RGE. 29-E

SURVEY N.M.P.M.

DESCRIPTION 2615' FNL & 2615' FWL

EDDY

3627' ELEVATION ___

MARBOB ENERGY CORPORATION OPERATOR_

LEASE____BURCH KEELY UNIT

U.S.G.S. TOPOGRAPHIC MAP RED LAKE SE, N.M.

CONTOUR INTERVAL:

RED LAKE SE, N.M. - 10'

Access Road

Flow Line



PROVIDING SURVEYING SERVICES SINCE 1946 JOHN WEST SURVEYING COMPANY 412 N. DAL PASO

HOBBS, N.M. 88240 (505) 393-3117



