

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-38469
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name D STATE
8. Well Number 056
9. OGRID Number 873
10. Pool name or Wildcat ARTESIA;GLORIETA-YESO (O) 96830
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3673' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: ☒ Oil Well ☐ Gas Well ☐ Other:

2. Name of Operator
APACHE CORPORATION

3. Address of Operator
303 VETERANS AIRPARK LANE, STE 3000; MIDLAND, TX 79705

4. Well Location
Unit Letter P : 990 feet from the SOUTH line and 990 feet from the EAST line
Section 25 Township 17S Range 28E NMPM County EDDY

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: COMPLETION ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

05-19-2011: RIH W/GR/CCL/CBL; RIH W/3 1/8" SLICK GUN & PERF PADDOCK @ 4000, 16, 32, 43, 52, 64, 78, 87, 95, 4106, 15, 26, 38, 49, 69, 76, 83, 91, 4203, 13, 27, 40, 50, 64, 88, 4301, 15, 29, 39, 60, 70, 80, 92, 4418, 59, & 70', W/ 1 JSPF & 120 DEGREE PHASING (36 HOLES).

05-23-2011: ACIDIZE PADDOCK W/4000 GALS 15% HCL NEFE ACID.

06-11-2011: FRAC PADDOCK: W/140,928g 20# W/162.900# 16/30 WHT SD, 37,600# 16/30 SIBERPROP; 3582g 10# LINEAR GEL FLUSH.

06-23-2011: WASH SAND TO PBTD 4577; CIRC CLEAN. RIH W/ 2-7/8" TBG & RODS; ETD 4555; SN 4468.38; TAC 3920.83'.

06-29-2011: PUT ON PUMP, PRODUCING THE PADDOCK.

Spud Date:


05/09/2011

Rig Release Date:

05/16/2011

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE SR. STAFF ENGR TECH

DATE 07/06/2011


Type or print name BEV HATFIELD

E-mail address: beverly.hatfield@apachecorp.com

PHONE: 432-818-1906

For State Use Only

APPROVED BY:



TITLE

Field Supervisor

DATE

AUG 03 2011

Conditions of Approval (if any):