District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	INK covered by a "general plan"? Yes X Not or below-grade tank Closure of a pit or below-					
Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail a Address: 105 South 4 th Street, Artesia, N.M. 88210 Facility or well name: Ruby Jo ATY #1 API #: 30-005-00158 U/L or Qtr/Qtr County: Chaves Latitude 33.61428 Longitude 10	oddress: mikes@ypc.com O Sec 14 T 8S R 26E	RECEIVED				
Surface Owner: Federal State X Private Indian		MAR 2 3 2005				
Pit Type: Drilling X Production □ Disposal □ Work over □ Emergency □ Lined X Unlined □ Liner type: Synthetic □ Thickness 12 mil Clay □ Pit Volume 12,000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes ☐ If n	t, explain why not.				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) XXXX				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX				
	Ranking Score (Total Points)	0 POINTS				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite If offsite, name of facility NA (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Registration for encapsulation trench. The drilling pit contents will be mixed to stiffen the pit contents. Encapsulation trench will be excavated and lined with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the pit contents with a min. of a 3' over lap of the underlying trench areas. The encapsulation trenches will then be backfilled back to grade using a min. of 3' of clean soil and like material. A one call & 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin. Pit Closure actions to begin by NA. Ending date NA						
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines, a general construction and NMOCD approval of this application/closure does not referend anger public health or the environment. Nor does it relieve the operator of its approval:	Signature Sieve the operator of liability should the contents of	the pit or tank contaminate ground water or otherwise				

New Mexico Office of the State Engineer Well Reports and Downloads Paka Go OTY #/								
Township 8S	Range: 26E	Sections:						
NAD27 X:	Y :	Zone:	Search	Radius:				
County:	Basin:	ا ا	Number:	Suffix:				
Owner Name: (First)	(La	est) ② All	○ Non-	-Domestic O Domestic				
Well / St	urface Data Report Wate	er Column Repo		Report				

AVERAGE DEPTH OF WATER REPORT 03/18/2005

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
RA	08\$	26E	06				1	12	12	12
RA	085	26E	23				1	150	150	150

Record Count: 2

