Form 3160-5 (June 2015)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

# SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No. NMNM01165

abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well					8. Well Name and No. GLOCK 17/16 WOMP FED COM 1H		
☐ Oil Well ☑ Gas Well ☐ Other							
2. Name of Operator Contact: JACKIE LATHAN MEWBOURNE OIL COMPANY E-Mail: jlathan@mewbourne.com					9. API Well No. 30-015-46733-00-X1		
3a. Address       3b. Phone No         P O BOX 5270       Ph: 575-39         HOBBS, NM 88241       Fx: 575-393					10. Field and Pool or Exploratory Area WILDCAT-WOLFCAMP		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State			
Sec 17 T20S R29E SWSW 1270FSL 230FWL 32.569733 N Lat, 104.105042 W Lon				EDDY COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	ΓE NATURE OI	F NOTICE,	REPORT, OR OTH	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
S Nation of Lateur	☐ Acidize	☐ Deep	en	☐ Production (Start/Resume)		☐ Water Shut-Off	
☑ Notice of Intent	☐ Alter Casing	☐ Hydi	raulic Fracturing	☐ Reclama	ution	■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	□ New	Construction	struction		Other	
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	☐ Temporarily Abandon		Well Spud	
	☐ Convert to Injection	☐ Plug	Back	☐ Water Disposal			
testing has been completed. Final Abdetermined that the site is ready for final Abdetermined that the site is ready for final 22/27/2020  Spud 26" hole @ 385'. Ran 38 Mixed @ 12.5#/g w/2.12 yd. Disks of cmt to the pits. Drilled of 02/29/2020  TD?ed 17 1/2" hole @ 1350'. Wadditives. Mixed @ 13.5#/g 03/01/2020. Circ 180 sks of cr 03/02/20, tested csg to 1500# bit.	inal inspection.  35' of 20" 94# J55 BT&C obsplaced w/127 bbls of BN out with 17 1/2" bit.  Ran 1335' of 13 3/8" 54.5 w/1.77 yd. Displaced w/1 to the pits. Test BOPE for 30 mins, held OK. FIT	esg. Cemente N. Plug down # J55 ST&C o 99 bbls of FW to 5000# & A to 9.5 PPG B	d w/675 sks Clas @ 3:30 A.M. 02 csg. Cemented w /. Plug down @ ! nnular to 3500#. EMW. Drilled out	ss C w/addit /28/2020. C //825 sks Cl 5:00 A.M. At 12:45 A. with 12 1/4	ives. irc 296 ass C M.	and the operator has	
14. I hereby certify that the foregoing is	Electronic Submission #5	RNE OIL COM	PAŃY, sent to the	Carlsbad	•		
Name(Printed/Typed) RUBY CABALLERO			Title CLERK				
Signature (Electronic S	Submission)		Date 03/16/20	020			
	THIS SPACE FO	R FEDERA	L OR STATE	OFFICE U	SE		
Approved By ACCEPTED			JONATHO <sub>Title</sub> PETROLE	JONATHON SHEPARD  Sittle PETROLEUM ENGINEER  Date 03/18/2		Date 03/18/2020	
Conditions of approval, if any, are attache ertify that the applicant holds legal or equalish would entitle the applicant to condu	iitable title to those rights in the	not warrant or subject lease	Office Carlsbac	İ			

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## Additional data for EC transaction #507233 that would not fit on the form

#### 32. Additional remarks, continued

TD'ed 12 1/4" hole @ 3105'. Ran 3090' of 9 5/8" 36# J55 & 40# HCL80 LT&C Csg. Cemented 1st stage with 675 sks Class C w/additives. Mixed @ 13.5#/g w/1.77 yd. Tail w/200 sks Class C Neat. Mixed @ 14.8#/g w/1.33 yd. Displaced w/234 bbl FW. Plug down @ 1:30 A.M. 03/04/20. Set ECP w/2000#. Circ 282 sks of cmt to the pits. Set Cameron mandrel hanger through BOP w/75k#. Drop cancellation bomb & shift DV tool sleeve 2/1810#. At 1:30 P.M. 03/04/20, tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 10 PPG. Drilled out with 8 3/4" bit.

Charts & Schematic attached.

Bond on file: NM1693 nationwide & NMB000919

## Revisions to Operator-Submitted EC Data for Sundry Notice #507233

**Operator Submitted BLM Revised (AFMSS)** 

SPUD NOI Sundry Type: **SPUD** NOI

NMNM01165 Lease: NMNM01165

Agreement:

Operator: MEWBOURNE OIL COMPANY MEWBOURNE OIL COMPANY

PO BOX 5270 HOBBS, NM 88241 P O BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905 Ph: 575.393.5905

Admin Contact:

JACKIE LATHAN AUTHORIZED REPRESENTATIVE JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com E-Mail: jlathan@mewbourne.com

Ph: 575-393-5905 Ph: 575-393-5905 Fx: 575-393-5905

RUBY CABALLERO REGULATORY RUBY CABALLERO CLERK Tech Contact:

E-Mail: rcaballero@mewbourne.com E-Mail: rojeda@mewbourne.com

Ph: 575-393-5905 Ext: 5032 Ph: 575-393-5905

Location:

NM LEAD State: County: NM EDDY

Field/Pool: WILDCAT WOLFCAMP WILDCAT-WOLFCAMP

GLOCK 17/16 W0MP FED COM 1H Sec 17 T20S R29E Mer NMP SWSW 1270FSL 230FWL Well/Facility:

GLOCK 17/16 W0MP FED COM 1H Sec 17 T20S R29E SWSW 1270FSL 230FWL 32.569733 N Lat, 104.105042 W Lon