

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

**SUNDRY NOTICES AND REPORTS ON WELLS**  
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*

FORM APPROVED  
OMB NO. 1004-0137  
Expires: January 31, 2018

5. Lease Serial No.  
NMNM13413A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.  
OXBOW 23/24 B2MP FED COM 1H

9. API Well No.  
30-015-46458-00-X1

10. Field and Pool or Exploratory Area  
SAN LORENZO

11. County or Parish, State  
EDDY COUNTY, NM

**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well  
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator  
MEWBOURNE OIL COMPANY  
Contact: JACKIE LATHAN  
E-Mail: jlathan@mewbourne.com

3a. Address  
P O BOX 5270  
HOBBS, NM 88241

3b. Phone No. (include area code)  
Ph: 575-393-5905  
Fx: 575-393-5905

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  
Sec 26 T25S R28E NWNW 210FNL 365FWL  
32.107340 N Lat, 104.065317 W Lon

**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Well Spud
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

02/21/2020

Spud 17 1/2" hole @ 520'. Ran 502' of 13 3/8" 54.5# J55 ST&C csg. Cemented w/450 sks Class C w/additives. Mixed @ 12.5#/g w/2.20 yd. Displaced w/72 bbls of FW. Plug down @ 9:30 P.M.

02/22/2020. Did not circ cmt. Slow rate lift pressure 112# @ 4 BPM. Ran temp surv indicating TOC @ 208?. TIH with 1? pipe. Tag @ 208?. Ran 1? pipe in 7 stages with 323 sks Class C w/6% CaCl2. Mixed @ 12.5#/g w/2.20 yd. Circ 80 sks of cmt to the cellar. Test BOPE to 5000# & Annular to 3500#. At 8:30 P.M. 02/24/20, tested csg to 1500# for 30 mins, held OK. FIT to 10.0 PPG EMW. Drilled out with 12 1/4" bit.

Charts & Schematic attached.

02/27/2020

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #506060 verified by the BLM Well Information System  
For MEWBOURNE OIL COMPANY, sent to the Carlsbad  
Committed to AFMSS for processing by PRISCILLA PEREZ on 03/09/2020 (20PP1509SE)**

Name (Printed/Typed) RUBY CABALLERO

Title CLERK

Signature (Electronic Submission)

Date 03/06/2020

**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved By **ACCEPTED**

JONATHON SHEPARD  
Title PETROLEUM ENGINEER

Date 03/12/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\***

Accepted for Record 03/27/2020 - Kurt Simmons NMOCD

## **Additional data for EC transaction #506060 that would not fit on the form**

### **32. Additional remarks, continued**

TD'ed 12 1/4" hole @ 3934'. Ran 2615' of 9 5/8" 40# HCL80 LT&C Csg. Cemented with 550 sks Class C (35:65:6) w/additives. Mixed @ 12.9#/g w/1.83 yd. Tail w/200 sks Class C Neat. Mixed @ 14.8#/g w/1.32 yd. Displaced w/195 bbl FW. Plug down @ 2:15 P.M. 02/26/20. Circ 92 sks of cmt to the pits. Set Cameron mandrel hanger through BOP w/110k#. At 10:30 P.M. 02/26/20, tested csg to 1500# for 30 mins, held OK. FIT test to EMW of 9.7 PPG. Drilled out with 8 3/4" bit.

03/02/2020

TD'ed 8 3/4" hole @ 8610'. Ran 8595' of 7" 29# HCP110 LT&C csg. Cemented lead w/325 sks PVL w/additives. Mixed @ 10.3#/g w/4.04 yd. Tail w/400 sks Class H w/additives. Mixed @ 15.6#/g w/1.18 yd. Displaced w/318 bbls OBM. Set Cameron mandrel hanger through BOP w/165K#. Plug down @ 3:15 P.M. 03/02/20. Circ 122 sks to pits. Set ECP w/2000#. At 7:30 A.M. 03/03/20, tested csg to 1500# 30 mins, held OK. FIT test to 10.5 PPG EMW. Drilled out with 6 1/8" bit.

Bond on file: NM1693 nationwide & NMB000919

## Revisions to Operator-Submitted EC Data for Sundry Notice #506060

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	SPUD NOI	SPUD SR
Lease:	NMNM13413A	NMNM13413A
Agreement:		
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com  Ph: 575-393-5905	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com  Ph: 575-393-5905 Fx: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com  Ph: 575-393-5905 Ext: 5032	RUBY CABALLERO CLERK E-Mail: rojeda@mewbourne.com  Ph: 575-393-5905
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	SAN LORENZO/BONE SPRING	SAN LORENZO
Well/Facility:	OXBOW 23/24 B2MP FED COM 1H Sec 26 T25S R28E Mer NMP NWNW 290FNL 365FWL	OXBOW 23/24 B2MP FED COM 1H Sec 26 T25S R28E NWNW 210FNL 365FWL 32.107340 N Lat, 104.065317 W Lon