		R	eceived 04/09/	2020			
Form 3160-5 (June 2015)	UNITED STATES	MOCD District 2		FORM APPROVED OMB NO. 1004-0137			
DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT					Expires: January 31, 2018 5. Lease Serial No.		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an					NMNM004825		
abandoned well. Use form 3160-3 (APD) for such proposals.					6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2					 If Unit or CA/Agreement, Name and/or No. NMNM109705 		
 Type of Well ☑ Oil Well ☐ Gas Well ☐ Other 			8. Well Name and No. NORMANDY 31/32 W0LI FED COM 1H				
2. Name of Operator MEWBOURNE OIL COMPAN	HAN า		9. API Well No. 30-015-46692-00-X1				
3a. Address P O BOX 5270 HOBBS, NM 88241	3b. Phone No. (include area code) Ph: 575-393-5905 Fx: 575-393-5905			10. Field and Pool or RED HILLS	Exploratory Area		
4. Location of Well (Footage, Sec., T	11. County or Parish, State		, State				
Sec 31 T20S R29E 2579FSL 32.529766 N Lat, 104.121658			EDDY COUNT	Y, NM			
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION	TYPE OF ACTION						
□ Notice of Intent	□ Acidize	🗖 Dee	epen	Product	ion (Start/Resume)	□ Water Shut-Off	
Subsequent Report	□ Alter Casing		Iraulic Fracturing	🗖 Reclam		U Well Integrity	
	Casing Repair	—	v Construction	□ Recomp		☑ Other Drilling Operations	
☐ Final Abandonment Notice	 Change Plans Convert to Injection 	-		□ Tempor □ Water D	rariiy Adandon		
If the proposal is to deepen directionally or recomplete horizontally, give substrate locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BLA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 03/14/2020 TD'ed 8 3/4" hole @ 9558'. Ran 9497' of 7" 29# HCP110 LT&C csg. Cemented lead w/525 sks 50:50 Poz w/additives. Mixed @ 11.5#/g w/2.44 yd. Tail w/400 sks Class H w/additives. Mixed @ 14.5#/g w/1.11 yd. Displaced w/347 bbls OBM. Set Cameron mandrel hanger through BOP w/195K#. Plug down @ 9:30 P.M. 03/14/20. Did not circ cmt. Slow rate lift pressure 1200# @ 3 BPM. Est TOC @ 2753?. At 7:30 P.M. 03/15/20, tested csg to 1500# 30 mins, held OK. FIT test to 11.5 PPG EMW. Drilled out with 6 1/8" bit. 03/25/2020 TD'ed 6 1/8" hole @ 19575' MD. Ran 19570' of 4 ?" 13.5# HCP110 CDC-HTQ csg. Cement w/1200 sks Class H w/additives. Mixed @ 14.5#/g w/1.11 yd. Followed w/5 bbls FW. Released dart. Displaced w/40 bbls sugar FW & 215 bbls sugar BW. Plug down @ 11:30 A.M. 03/31/20. Bump plug w/2800#. Set packer G d/17/2020 14. I hereby certify that the foregoing is true and correct. Electronic Submission #509766 verified by the BLM Well Information System For MEWBOURNE OIL COMPANY, sent to the Carlsbad Committed to AFMSS for processing by PRISCILA PEREZ on 04/06/2020 (20PP1947SE) Title CLERK							
Signature (Electronic S	Date 04/06/2020						
	THIS SPACE FO	DR FEDER	1				
Approved By ACCEPTED			JONATHON SHEPARD TitlePETROLEUM ENGINEER Date 04/08/2020				
Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	Office Carlsbad						
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							
(Instructions on page 2) ** BLM REVISED **							

Additional data for EC transaction #509766 that would not fit on the form

32. Additional remarks, continued

w/50k#. Sting out of PBR w/1600# on DP. Displaced 7" csg w/150 bbls FW. Circ 404 sks of cmt off of liner top to the pit. Circ 250 bbls BW w/polymer sweep. At 1:00 P.M., 03/31/20, tested csg 2500# for 30 mins, held OK. Top of liner @ 8766'.

Rig released on 04/01/2020 @ 4:00 A.M.

Bond on file: NM1693 nationwide & NMB000919

Revisions to Operator-Submitted EC Data for Sundry Notice #509766

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG NOI	DRG SR
Lease:	NMNM004825	NMNM004825
Agreement:		NMNM109705 (NMNM109705)
Operator:	MEWBOURNE OIL COMPANY PO BOX 5270 HOBBS, NM 88241 Ph: 575-393-5905	MEWBOURNE OIL COMPANY P O BOX 5270 HOBBS, NM 88241 Ph: 575.393.5905
Admin Contact:	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com	JACKIE LATHAN AUTHORIZED REPRESENTATIVE E-Mail: jlathan@mewbourne.com
	Ph: 575-393-5905	Ph: 575-393-5905 Fx: 575-393-5905
Tech Contact:	RUBY CABALLERO REGULATORY E-Mail: rcaballero@mewbourne.com	RUBY CABALLERO CLERK E-Mail: rojeda@mewbourne.com
	Ph: 575-393-5905 Ext: 5032	Ph: 575-393-5905
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	RED HILLS BONE SPRING	RED HILLS
Well/Facility:	NORMANDY 31/32 W0LI FED COM 1H Sec 31 T20S R29E Mer NMP SWSW 2579FSL 355FWL	NORMANDY 31/32 W0LI FED COM 11 Sec 31 T20S R29E 2579FSL 355FWL

1 1H Sec 31 T20S R29E 2579FSL 355FWL 32.529766 N Lat, 104.121658 W Lon