

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Rec'd 05/15/2020 - NMOC

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**SUBMIT IN TRIPLICATE - Other instructions on page 2**

| | | |
|---|---|--|
| 1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other | | 8. Well Name and No. JACKSON A 63 |
| 2. Name of Operator BURNETT OIL COMPANY INC | | 9. API Well No. 30-015-45766-00-S1 |
| 3a. Address 801 CHERRY STREET UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881 | 3b. Phone No. (include area code) Ph: 817-583-8730 Fx: 817-332-8438 | 10. Field and Pool or Exploratory Area CEDAR LAKE |
| 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 24 T17S R30E NWNE 990FNL 2310FEL 32.824505 N Lat, 103.924332 W Lon | | 11. County or Parish, State EDDY COUNTY, NM |

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | | |
|---|---|---|--|---|
| <input type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other |
| | <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | Drilling Operations |
| | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

2/8/20 - HOLE SIZE: 12.25". CEMENT W/ 30 SKS / 7 BBLS CLASS C W/ 2% CACL. (1ST) WOC. PU/MU 1" PIPE, TAGGED @ 245', CEMENT W/ 30 SKS / 7 BBLS CLASS C W/ 2% CACL. (2ND) WOC. PU/MU 1" PIPE, TAGGED @ 241', CEMENT W/ 30 SKS / 7 BBLS CLASS C W/ 2% CACL. (3RD) WOC. PU/MU 1" PIPE, TAGGED @ 241', CEMENT W/ 30 SKS / 7 BBLS CLASS C W/ 2% CACL. (4TH) WOC. PU/MU 1" PIPE, TAGGED @ 207', CEMENT W/ 30 SKS / 7 BBLS CLASS C W/ 2% CACL. (5TH) WOC. PU/MU 1" PIPE, TAGGED @ 201', CEMENT W/ 30 SKS / 7 BBLS CLASS C W/ 2% CACL. (6TH) WOC. PU/MU 1" PIPE, TAGGED @ 188', CEMENT W/ 129 SKS / 30 BBLS CLASS C W/ 2% CACL. (7TH) CIRCULATED 5 BBLS / 21 SKS OF CEMENT TO SURFACE. WOC

2/9/20 - HOLE SIZE: 7 7/8". NU BOP. TEST BOP W/ BATTLE ENERGY-CHOKE, ANNULAR & HCR 250 LOW/2000 HIGH.

2/12/20 - LAST SURVEY TVD: 6147". RUN 76-JT'S 5.5" 17# HCL-80 LT&C BARE CSG, 4-JT'S 5.5" 17# HCL-80

| | |
|--|---------------------------------|
| 14. I hereby certify that the foregoing is true and correct. Electronic Submission #507376 verified by the BLM Well Information System For BURNETT OIL COMPANY INC, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 03/17/2020 (20PP1675SE) | |
| Name (Printed/Typed) LESLIE GARVIS | Title REGULATORY MANAGER |
| Signature (Electronic Submission) | Date 03/17/2020 |

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

| | | |
|---|---|------------------------|
| Approved By ACCEPTED | JONATHON SHEPARD Title PETROLEUM ENGINEER | Date 05/14/2020 |
| Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. | | Office Carlsbad |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Entered 05/15/2020 - KMS NMOC

Additional data for EC transaction #507376 that would not fit on the form

32. Additional remarks, continued

RYT WRAP, DV TOOL, 60-JT'S RYT WRAP, 1-JT 5.5" 17# HCL-80 BARE TO SET SLIPS ON. TOTAL JTS RAN 140, T. PIPE-6203.28, FS-1.47, FC-1.23, DV TOOL-2.21, LD JT-22.14. FC-1.23, DV TOOL-2.21, LD JT-22.14. SET @ 6200'.

2/13/20 - RU PAR 5 CMT FIRST STAGE W/ 580 SKS 13#, 1.5 YLD. BUMP PLUG @ 13:49 CST, 2/13/20 DROP DV TOOL OPENING DEVICE & OPEN DV TOOL. 14:13 CST. CIRCULATE DV TOOL W/ RIG PUMP. (CIRCULATED 93 SKS / 25 BBLS OF CMT OFF TOP OF DV TOOL) CEMENT 2ND STAGE W/ LEAD: 800 SKS 13.2#, 1.83 YLD. TAIL: 200 SKS, 13.0#, 1.5 YLD. PLUG DN @ 01:18 CST, 2/13/20. CIRCULATED 15 SKS / 5 BBLS OF CEMENT TO SURFACE PITS. FLOATS HELD. PLACE 500 PSI ON 5.5" CASING AND PUMP 50 SKS / 12 BBLS CLASS C W/ 2% CACL. CONTACT BLM ON 2/13/2020 @ 12:30, REF 5.5" CSG / CMT. NO ONE RESPONDED TO WITNESS CMT JOB.

2/14/20 - RELEASE RIG AT 15:00 CST

Revisions to Operator-Submitted EC Data for Sundry Notice #507376

| | Operator Submitted | BLM Revised (AFMSS) |
|----------------|--|---|
| Sundry Type: | DRG SR | DRG SR |
| Lease: | NMLC029339A | NMLC029339A |
| Agreement: | | |
| Operator: | BURNETT OIL CO.INC. BURNETT PLAZA - UNIT 9 801 CHERRY STREET - SUITE 1500 FORT WORTH, TX 76102 Ph: 817-583-8730 | BURNETT OIL COMPANY INC BURNETT PLAZA - UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881 Ph: 817.332.5108 |
| Admin Contact: | LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730 | LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730 Fx: 817-332-8438 |
| Tech Contact: | LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730 | LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730 Fx: 817-332-8438 |
| Location: | | |
| State: | NM | NM |
| County: | EDDY | EDDY |
| Field/Pool: | LOCO HILLS GLORIETTA YESO | CEDAR LAKE |
| Well/Facility: | JACKSON A 63 Sec 24 T17S R30E Mer NMP NWNE 990FNL 2310FEL | JACKSON A 63 Sec 24 T17S R30E NWNE 990FNL 2310FEL 32.824505 N Lat, 103.924332 W Lon |