

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC064894

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
891000303X8. Well Name and No.
POKER LAKE UNIT 20 BD 102H9. API Well No.
30-015-45468-00-X110. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

XTO PERMIAN OPERATING LLC

Contact: KELLY KARDOS

E-Mail: kelly_kardos@xtoenergy.com

3a. Address

6401 HOLIDAY HILL ROAD BLDG 5
MIDLAND, TX 79707

3b. Phone No. (include area code)

Ph: 432-620-4374

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 20 T25S R30E SWSW 330FSL 570FWL

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	PD

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

****RECORD CLEAN-UP****

XTO Permian Operating, LLC respectfully submits an updated C102 reflecting the well was drilled from the original permitted SHL location at 330FSL & 570FWL & BHL location at 200FSL & 990FWL rather than the previously approved sundried SHL & BHL. No additional surface disturbance occurred by drilling the well from the original location.

Original Permitted Location
SHL: 330FSL & 570FWL
BHL: 200FSL & 990FWL

Approved Sundry Location:

Entered 05/26/2020 - KMS NMOCD

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #514969 verified by the BLM Well Information System
For XTO PERMIAN OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 05/12/2020 (20PP2770SE)

Name (Printed/Typed) KELLY KARDOS

Title REGULATORY COORDINATOR

Signature (Electronic Submission)

Date 05/12/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJENNIFER SANCHEZ
Title PETROLEUM ENGINEER

Date 05/21/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #514969 that would not fit on the form

32. Additional remarks, continued

SHL: 330FSL & 510FWL
BHL: 200FSL & 660FWL

Current As-Drilled Location:
SHL: 330FSL & 570WL
BHL: 210FSL & 987FWL

Attachments:
As-Drilled Pre-Perf C102
C102 Supplement

Revisions to Operator-Submitted EC Data for Sundry Notice #514969

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMLC064894	NMLC064894
Agreement:	NMNM71016X	891000303X (NMNM71016X)
Operator:	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL RD BLDG 5 MIDLAND, TX 79707 Ph: 432-620-4374	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277
Admin Contact:	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com Ph: 432-620-4374	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com Ph: 432-620-4374
Tech Contact:	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com Ph: 432-620-4374	KELLY KARDOS REGULATORY COORDINATOR E-Mail: kelly_kardos@xtoenergy.com Ph: 432-620-4374
Location: State: County:	NM EDDY	NM EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP GAS	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	POKER LAKE UNIT 20 BD 102H Sec 20 T25S R30E Mer NMP SWSW 330FSL 570FWL	POKER LAKE UNIT 20 BD 102H Sec 20 T25S R30E SWSW 330FSL 570FWL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT PRE-PERF PLAT

¹ API Number 30-015-45468	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP
⁴ Property Code	⁵ Property Name POKER LAKE UNIT 20 BD	⁶ Well Number 102H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,156'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	20	25 S	30 E		330	SOUTH	570	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	32	25 S	30 E		210	SOUTH	987	WEST	EDDY

¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p>¹⁶</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>GEODETTIC COORDINATES NAD 27 NME SURFACE LOCATION Y= 403,646.1 X= 631,155.3 LAT.= 32.109031°N LONG.= 103.909744°W</p> <p>FIRST TAKE POINT NAD 27 NME Y= 403,220.6 X= 631,541.3 LAT.= 32.107857°N LONG.= 103.908503°W</p> <p>CORNER COORDINATES TABLE NAD 27 NME</p> <table border="1"> <tr><td>A</td><td>Y= 403,309.4 N, X= 630,586.8 E</td></tr> <tr><td>B</td><td>Y= 403,325.1 N, X= 631,923.1 E</td></tr> <tr><td>C</td><td>Y= 400,654.5 N, X= 630,604.6 E</td></tr> <tr><td>D</td><td>Y= 400,669.1 N, X= 631,940.0 E</td></tr> <tr><td>E</td><td>Y= 397,997.0 N, X= 630,622.4 E</td></tr> <tr><td>F</td><td>Y= 398,011.2 N, X= 631,958.0 E</td></tr> <tr><td>G</td><td>Y= 395,341.8 N, X= 630,625.3 E</td></tr> <tr><td>H</td><td>Y= 395,354.2 N, X= 631,958.0 E</td></tr> <tr><td>I</td><td>Y= 392,687.0 N, X= 630,628.7 E</td></tr> <tr><td>J</td><td>Y= 392,697.7 N, X= 631,958.4 E</td></tr> </table> <p>CORNER COORDINATES TABLE NAD 83 NME</p> <table border="1"> <tr><td>A</td><td>Y= 403,367.5 N, X= 671,771.7 E</td></tr> <tr><td>B</td><td>Y= 403,383.2 N, X= 673,108.1 E</td></tr> <tr><td>C</td><td>Y= 400,712.5 N, X= 671,789.6 E</td></tr> <tr><td>D</td><td>Y= 400,727.1 N, X= 673,125.0 E</td></tr> <tr><td>E</td><td>Y= 398,055.0 N, X= 671,807.5 E</td></tr> <tr><td>F</td><td>Y= 398,069.2 N, X= 673,143.1 E</td></tr> <tr><td>G</td><td>Y= 395,399.7 N, X= 671,810.5 E</td></tr> <tr><td>H</td><td>Y= 395,412.1 N, X= 673,143.2 E</td></tr> <tr><td>I</td><td>Y= 392,744.9 N, X= 671,814.0 E</td></tr> <tr><td>J</td><td>Y= 392,755.6 N, X= 673,143.7 E</td></tr> </table> <p>LAST TAKE POINT NAD 27 NME Y= 392,955.1 X= 631,615.1 LAT.= 32.079637°N LONG.= 103.908395°W</p> <p>BOTTOM HOLE LOCATION NAD 27 NME Y= 392,905.1 X= 631,615.7 LAT.= 32.079499°N LONG.= 103.908394°W</p> </div> <div style="width: 45%;"> <p>GEODETTIC COORDINATES NAD 83 NME SURFACE LOCATION Y= 403,704.2 X= 672,340.2 LAT.= 32.109155°N LONG.= 103.910227°W</p> <p>FIRST TAKE POINT NAD 83 NME Y= 403,278.7 X= 672,726.3 LAT.= 32.107981°N LONG.= 103.908986°W</p> </div> </div> <div style="width: 50%;"> </div>	A	Y= 403,309.4 N, X= 630,586.8 E	B	Y= 403,325.1 N, X= 631,923.1 E	C	Y= 400,654.5 N, X= 630,604.6 E	D	Y= 400,669.1 N, X= 631,940.0 E	E	Y= 397,997.0 N, X= 630,622.4 E	F	Y= 398,011.2 N, X= 631,958.0 E	G	Y= 395,341.8 N, X= 630,625.3 E	H	Y= 395,354.2 N, X= 631,958.0 E	I	Y= 392,687.0 N, X= 630,628.7 E	J	Y= 392,697.7 N, X= 631,958.4 E	A	Y= 403,367.5 N, X= 671,771.7 E	B	Y= 403,383.2 N, X= 673,108.1 E	C	Y= 400,712.5 N, X= 671,789.6 E	D	Y= 400,727.1 N, X= 673,125.0 E	E	Y= 398,055.0 N, X= 671,807.5 E	F	Y= 398,069.2 N, X= 673,143.1 E	G	Y= 395,399.7 N, X= 671,810.5 E	H	Y= 395,412.1 N, X= 673,143.2 E	I	Y= 392,744.9 N, X= 671,814.0 E	J	Y= 392,755.6 N, X= 673,143.7 E	<p>¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><i>Kelly Kardos</i> 5-12-20 Signature Date</p> <p>Kelly Kardos Printed Name</p> <p>kelly_kardos@xtoenergy.com E-mail Address</p> <p>¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>5-11-2020 Date of Survey</p> <p>Signature and Seal of Professional Surveyor:</p> <div style="text-align: center;"> </div> <p>MARK DILLON HARP 23786 Certificate Number JC 2017071043</p>
A	Y= 403,309.4 N, X= 630,586.8 E																																								
B	Y= 403,325.1 N, X= 631,923.1 E																																								
C	Y= 400,654.5 N, X= 630,604.6 E																																								
D	Y= 400,669.1 N, X= 631,940.0 E																																								
E	Y= 397,997.0 N, X= 630,622.4 E																																								
F	Y= 398,011.2 N, X= 631,958.0 E																																								
G	Y= 395,341.8 N, X= 630,625.3 E																																								
H	Y= 395,354.2 N, X= 631,958.0 E																																								
I	Y= 392,687.0 N, X= 630,628.7 E																																								
J	Y= 392,697.7 N, X= 631,958.4 E																																								
A	Y= 403,367.5 N, X= 671,771.7 E																																								
B	Y= 403,383.2 N, X= 673,108.1 E																																								
C	Y= 400,712.5 N, X= 671,789.6 E																																								
D	Y= 400,727.1 N, X= 673,125.0 E																																								
E	Y= 398,055.0 N, X= 671,807.5 E																																								
F	Y= 398,069.2 N, X= 673,143.1 E																																								
G	Y= 395,399.7 N, X= 671,810.5 E																																								
H	Y= 395,412.1 N, X= 673,143.2 E																																								
I	Y= 392,744.9 N, X= 671,814.0 E																																								
J	Y= 392,755.6 N, X= 673,143.7 E																																								

Intent ☒ As Drilled ☐

API # 30-015-45468			
Operator Name: XTO Permian Operating, LLC		Property Name: Poker Lake Unit 20 BD	Well Number 102H

Kick Off Point (KOP)

UL M	Section 20	Township 25S	Range 30E	Lot	Feet 330	From N/S South	Feet 570	From E/W West	County Eddy
Latitude 32.109155					Longitude -103.910227				NAD NAD83

First Take Point (FTP)

UL D	Section 29	Township 25S	Range 30E	Lot	Feet 330	From N/S North	Feet 954	From E/W West	County Eddy
Latitude 32.107981					Longitude -103.908966				NAD NAD83

Last Take Point (LTP)

UL M	Section 32	Township 25S	Range 30E	Lot	Feet 260	From N/S South	Feet 987	From E/W West	County Eddy
Latitude 32.079761					Longitude -103.908877				NAD NAD83

Is this well the defining well for the Horizontal Spacing Unit? ☐ N

Is this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-45492			
Operator Name: XTO Permian Operating, LLC		Property Name: Poker Lake Unit 20 BD	Well Number 701H

KZ 06/29/2018