Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM05039A 6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. 891000303X		
Type of Well					8. Well Name and No. POKER LAKE UNIT 21 BD 123H		
Name of Operator Contact: CHERYL ROWELL					9. API Well No. 30-015-45514-00	. V1	
XTO PERMIAN OPERATING LLC E-Mail: Cheryl_rowell@xtoenergy.com 3a. Address 3b. Phone No. (include area code)					10. Field and Pool or Exploratory Area		
6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Sb. Phone No. (include area code) Ph: 432.218-3754					PURPLE SAGE-WOLFCAMP (GAS)		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 21 T25S R30E SESW 395FSL 1719FWL 32.109467 N Lat, 103.889252 W Lon					EDDY COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	O INDICA	ΓE NATURE O	F NOTICE,	REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
☐ Notice of Intent	☐ Acidize	Acidize Deepen Produ		☐ Producti	on (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Hyd:	raulic Fracturing	☐ Reclamation		☐ Well Integrity	
Subsequent Report	☐ Casing Repair	_	Construction	☐ Recomplete			
☐ Final Abandonment Notice	☐ Change Plans☐ Convert to Injection	☐ Plug ☐ Plug	and Abandon	· · ·		Dining operations	
testing has been completed. Final Abdetermined that the site is ready for fit XTO PERMIAN OPERATING, subject well. Spud Date 02/16/20 02/16/20 Drill 17.5 inch hole to 02/17/20 Run 13.375, J-55, 68 Cement with 2020 sxs, 486 bb Bumped plug. Circ 250 bbls or 02/18/20 Test 13.375 csg to 1 02/18/20 Drill 12.25 inch hole	nal inspection. LLC respectfully submits the control of 1087 ft. 3 #/ft, BTC csg, set at 1087 ft. bls, 1.35 yld Class C lead cent to surface. WOC. 500 psi for 30 minutes, goo	ne following t. ement	•	operations	•		
14. I hereby certify that the foregoing is Com Name(Printed/Typed) CHERYL	Electronic Submission #51 For XTO PERMIAN nmitted to AFMSS for process	I OPERATII	IG LLC, sent to tl SCILLA PEREZ or	ne Carlsbad n 06/08/2020			
71 / 21							
Signature (Electronic S	Submission)		Date 06/05/20	020			
	THIS SPACE FOR	FEDERA	L OR STATE	OFFICE US	SE		
Approved By ACCEPTED				JONATHON SHEPARD _{Title} PETROLEUM ENGINEER		Date 06/10/2020	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s				willfully to ma	ke to any department or a	agency of the United	

Additional data for EC transaction #517972 that would not fit on the form

32. Additional remarks, continued

02/26/20 Run 9.625, HCL-80, 40#/ft, BTC csg, set at 10000 ft. DV tool set 4005 ft.
Pump Stage 1: Cement with 1220 sxs, 795 bbls, 3.66 yld, CPT Trident cmt followed by 1545 sxs, 586 bbls 2.13 yld, Nine Lite cmt followed by 565 sxs, 116 bbls, 1.15 yld, 35/65 POZ cmt Bump Plug, Open DV tool
Pump Stage 2: Cement with 1145 sxs, 389 bbls, 1.91 yld, 35/65 POZ cmt followed by 475 sxs, 113 bbls, 1.33 yld, Class C cmt (Total 4950 sxs cmt) Bump plug. Circ 133 bbls cmt to surface. WOC.

2/28/20 RD, Skid Rig. 05/12/20 Skid Rig, RU. 05/13/20 Test 9.625 csg to 2500 psi for 30 minutes, good test.

05/13/20 Drill 8.5 inch hole to 21368 ft, TD on 05/25/20. 05/26/20 Run 5.5 inch, CYP110, 23#/ft, TCBC HT, csg to 21368. Cement with 975 sxs, 257 bbls, 1.48 yld, Class H cmt Followed by 2250 sxs 593 bbls, 1.48 yld, Class H cmt (Total 3225 sxs cmt) Bump plug. No cement to surface. CTOC = 5000 ft.

KOP = 10372 5/28/20 PBTD = 21366

5/28/20 Rig Release.

Revisions to Operator-Submitted EC Data for Sundry Notice #517972

Operator Submitted BLM Revised (AFMSS)

DRG SR DRG Sundry Type: SR

Lease: NMNM05039A NMNM05039A

Agreement: 891000303X (NMNM71016X)

XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277 Operator: XTO PERMIAN OPERATING, LLC

6401 HOLIDAY HILL, BLDG 5 MIDLAND, TX 79707 Ph: 432-571-8205

CHERYL ROWELL CHERYL ROWELL Admin Contact:

REGULATORY COORDINATOR REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com Cell: 713-542-0648 E-Mail: Cheryl_rowell@xtoenergy.com

Ph: 432-571-8205 Ph: 432.218-3754

Tech Contact:

CHERYL ROWELL REGULATORY COORDINATOR CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com Cell: 713-542-0648 E-Mail: Cheryl_rowell@xtoenergy.com

Ph: 432-571-8205 Ph: 432.218-3754

Location:

NM EDDY State: NM County: **EDDY**

Field/Pool: PURPLE SAGE; WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS)

POKER LAKE UNIT 21 BD 123H POKER LAKE UNIT 21 BD 123H Well/Facility:

Sec 21 T25S R30E Mer NMP 395FSL 1719FWL Sec 21 T25S R30E SESW 395FSL 1719FWL

32.109465 N Lat, 103.889254 W Lon 32.109467 N Lat, 103.889252 W Lon