		Rec'd 06/11/2020 - NMOCD					
						FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
SUNDRY NOTICES AND REPORTS ON WELLS				5. Lease Serial No. NMNM25533			
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2				 If Unit or CA/Agreement, Name and/or No. 891000303X 			
1. Type of Well ☐ Other ☐ Other					 Well Name and No. POKER LAKE UNIT 18 TWR 153H 		
2. Name of Operator XTO PERMIAN OPERATING LLC E-Mail: Cheryl_rowell@xtoenergy.com					9. API Well No. 30-015-46532-00-X1		
3a. Address 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	(include area code) 10. Field and Pool or Exploratory Area -3754 PURPLE SAGE-WOLFCAMP (GA		xploratory Area WOLFCAMP (GAS)				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 19 T24S R31E NENW 613FNL 2420FWL 32.208382 N Lat, 103.817856 W Lon					EDDY COUNTY, NM		
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA							
TYPE OF SUBMISSION			TYPE OF	ACTION			
□ Notice of Intent	□ Acidize	🗖 Deep	pen	Producti	on (Start/Resume)	□ Water Shut-Off	
	□ Alter Casing	-	raulic Fracturing	□ Reclama		Well Integrity	
☐ Final Abandonment Notice	Casing Repair	_	Construction and Abandon	Recomp Tempor	arily Abandon	☑ Other Drilling Operations	
	Convert to Injection	Plug		U Water D	•		
 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BLA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. XTO PERMIAN OPERATING LLC respectfully submits drilling operations of the referenced well. Spud Date 2/18/20 02/18/20 to 02/20/20 Drill 14.75 inch hole to 888 ft. Run 11.75, J-55, 54 #/ft csg, set at 888 ft. Cement with 1210 sxs, 291 bbls, 1.35 yld, Class C cmt Bumped plug. Circ 102 bbls cmt to surface. WOC. 02/21/20 Test 11.75 csg to 1500 psi for 30 minutes, good test. 							
14. I hereby certify that the foregoing is true and correct. Electronic Submission #517352 verified by the BLM Well Information System For XTO PERMIAN OPERATING LLC, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 06/03/2020 (20PP3054SE)							
Name(Printed/Typed) CHERYL ROWELL		Title REGULATORY COORDINATOR					
Signature (Electronic	Submission)		Date 06/02/20)20			
	THIS SPACE FO	DR FEDERA	L OR STATE (OFFICE U	SE		
Approved By ACCEPTED			JONATHO _{Title} PETROLEI	N SHEPAR UM ENGINE		Date 06/11/2020	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				Office Carlsbad			
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.							

(Instructions on page 2) ** BLM REVISED **

Additional data for EC transaction #517352 that would not fit on the form

32. Additional remarks, continued

02/21/20 to 03/06/20 Drill 9.875 inch hole to 11703 ft. Run 7.625, L-80, 29.7/ft csg, set at 11686 ft. DV tool set 4540 ft. Pump Stage 1: Cement with 725 sxs, 469 bbls, 3.66 yld, CPT Trident lead cmt followed by 1265 sxs, 478 bbls 2.13 yld, Nine Lite middle cmt. followed by 995 sxs, 209 bbls, 1.18 yld 25/75 Poz H tail cmt Bump plug. Open DV tool, Return 175 bbls cmt to surface. Pump Stage 2: 1035 sxs, 352 bbls, 1.91 yld, 35/65 POZ C lead cmt followed by 325 sxs, 77 bbls, 1.33 yld, Class C tail cmt. (Total 4345 sxs cmt) Circ 270 bbls cmt to surface. Bumped plug. WOC. RD, Skid Rig.

04/04/20 Skid Rig, RU. 04/06/20 Test 17.5 csg to 4585 psi for 30 minutes, good test.

4/6/20 to 5/6/20 Drill 6.75 inch hole to 22616 ft, TD on 04/27/20. Run 5.5 inch, RYP110/HCP110 23#/ft csg to 22575.

Cement with 335 sxs, 85 bbls, 1.41 yld Scavenger POZ-PM cmt followed by 390 sxs, 86 bbls, 1.25 yld, 25/75 POZ H lead cmt, followed by 1495 sxs 427 bbls, 1.25 yld, 25/75 Poz H tail cmt. (Total 2220 sxs cmt) Return 175 bbls cmt to surface.

KOP = 11947 4/26/20 PBTD = 22573

4/26/20 Rig Release.

Revisions to Operator-Submitted EC Data for Sundry Notice #517352

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM25533	NMNM25533
Agreement:		891000303X (NMNM71016X)
Operator:	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL RD, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277
Admin Contact:	REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com
	Ph: 432-218-3754	Ph: 432.218-3754
Tech Contact:	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com
	Ph: 432-218-3754	Ph: 432.218-3754
Location: State:	NM EDDY	NM EDDY
County: Field/Pool:	PURPLE SAGE: WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
	FURFLE SAGE, WOLF GAWF	FORFEL SAGE-WOLFCAMP (GAS)
Well/Facility:	POKER LAKE UNIT 18 TWR 153H Sec 19 T24S R31E Mer NMP 613FNL 2420FWL 32.208383 N Lat, 103.817855 W Lon	POKER LAKE UNIT 18 TWR 153H Sec 19 T24S R31E NENW 613FNL 2420 32.208382 N Lat, 103.817856 W Lon

Sec 19 T24S R31E NENW 613FNL 2420FWL 32.208382 N Lat, 103.817856 W Lon