

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTEMNRD-OC D ARTESIA
REC'D: 5/4/2020FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMLC029338A

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
GISSLER A 449. API Well No.
30-015-45569-00-X110. Field and Pool or Exploratory Area
CEDAR LAKE11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BURNETT OIL COMPANY INC

Contact: LESLIE GARVIS

E-Mail: LGARVIS@BURNETTOIL.COM

3a. Address

801 CHERRY STREET UNIT 9 SUITE 1500
FORT WORTH, TX 76102-6881

3b. Phone No. (include area code)

Ph: 817-583-8730
Fx: 817-332-8438

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 14 T17S R30E Tract B 560FNL 2380FEL
32.840206 N Lat, 103.941719 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

1/29/20 - HOLE SIZE: 12 ??.. RU PAR 5 CMT W/ 65 SKS/15 BBLS OF CLASS C W/ 2% CACL. CIRCULATED 20 SKS/5 BBLS OF CMT TO CELLAR/SURFACE. TEST BOP COMPONENTS TO 2000 PSI. MADE CONTACT WITH BLM REP JOE SAUCEDO, IN REFERENCE BOP TEST ON 1/29/20, 19:45 MST. HE DID NOT WITNESS BOP TEST**

2/2/20 - TVD: 6383.38?. HOLE SIZE: 7 7/8?. RU HALLIBURTON WIRELINE, RUN IN THE HOLE WITH WIRELINE AND LOG. (LOGGER'S TD @ 6396', SURFACE CASING @ 419')

2/3/20 - FINISH RUNNING LOGS, RD HALLIBURTON WIRELINE. (TRIPLE COMBO, SPECTRAL GAMMA RAY, DENSITY NEUTRON, DUAL LATEROLOG). RUN 74-JT'S 5.5" 17# HCL-80 LT&C BARE CSG, 4-JT'S 5.5" 17# HCL-80 RYT WRAP, DV TOOL, 57-JT'S RYT WRAP, 1-JT 5.5" 17# HCL-80 BARE TO SET SLIPS ON. (USED 22' LD JT TO SET CASING IN PLACE) TOTAL JTS RAN 136, T. PIPE-6095.52, FS-1.46, FC-1.23, DV TOOL-2.23, LD JT-22.14. SET @ 6119'.

NMOCD Accepted /Entered
for record 7/2/2020 AB

**Surface casing tested ? How long did test last and was it a good test?

14. I hereby certify that the foregoing is true and correct.	
Electronic Submission #504623 verified by the BLM Well Information System For BURNETT OIL COMPANY INC, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 02/27/2020 (20PP1368SE)	
Name (Printed/Typed) LESLIE GARVIS	Title REGULATORY MANAGER
Signature (Electronic Submission)	Date 02/26/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER	Date 02/28/2020
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Additional data for EC transaction #504623 that would not fit on the form

32. Additional remarks, continued

2/4/20 - RU PAR 5 CMT FIRST STAGE W/ 580 SKS 13#, 1.5 YLD. BUMP PLUG @ 19:10 CST, 2/4/20 DROP DV TOOL OPENING DEVICE & OPEN DV TOOL. CIRCULATE DV TOOL W/ RIG PUMP. (CIRCULATED 74 SKS / 20 BBLS OF CMT OFF TOP OF DV TOOL) CEMENT 2ND STAGE W/ LEAD: 575 SKS 13.2#, 1.83 YLD. TAIL: 200 SKS, 13.0#, 1.5 YLD. PLUG DN @ 16:30 CST, 2/4/20. CIRCULATED 230 SKS OF CEMENT TO SURFACE PITS. FLOATS HELD. RIG RELEASED @ 00:00, 2/5/2020. LEFT MESSAGE W/ CARLSBAD BLM, IN REFERENCE TO CEMENTING 5.5" PRODUCTION CASING @ 08:38 CST, 2/4/20.

Revisions to Operator-Submitted EC Data for Sundry Notice #504623

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMLC029338A	NMLC029338A
Agreement:		
Operator:	BURNETT OIL CO.INC. BURNETT PLAZA - UNIT 9 801 CHERRY STREET - SUITE 1500 FORT WORTH, TX 76102 Ph: 817-583-8730	BURNETT OIL COMPANY INC BURNETT PLAZA - UNIT 9 SUITE 1500 FORT WORTH, TX 76102-6881 Ph: 817.332.5108
Admin Contact:	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730 Fx: 817-332-8438
Tech Contact:	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730	LESLIE GARVIS REGULATORY MANAGER E-Mail: LGARVIS@BURNETTOIL.COM Ph: 817-583-8730 Fx: 817-332-8438
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	LOCO HILLS GLORIETTA YESO	CEDAR LAKE
Well/Facility:	GISSLER A 44 Sec 14 T17S R30E Mer NMP NWNE 560FNL 2380FEL	GISSLER A 44 Sec 14 T17S R30E Tract B 560FNL 2380FEL 32.840206 N Lat, 103.941719 W Lon