

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

EMNRD-OCD ARTESIA

REC'D: 7/15/2020

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Serial No. NMNM38636
2. Name of Operator TAP ROCK OPERATING LLC	6. If Indian, Allottee or Tribe Name
3a. Address 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401	7. If Unit or CA/Agreement, Name and/or No.
3b. Phone No. (include area code) Ph: 720-360-4028	8. Well Name and No. WTG FED COM 212H
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 27 T26S R29E NENW 260FNL 2000FWL 32.019878 N Lat, 103.974121 W Lon	9. API Well No. 30-015-47035-00-X1
	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)
	11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

6/27/2020: Retest Surface casing to 1500 PSI for 30 minutes. Good Test.

6/28/2020: Drill 12.25 inch first intermediate hole to 3039 ft.

6/29/2020: Run 9.625 inch 40 lb J-55 intermediate casing to 3029 ft. Pump 40 bbls chem wash and spacer, followed by 791 sks of 13.5 ppg lead cmt, 298 sks of 14.8 ppg tail cmt. Drop plug and displace with 227 bbls of freshwater. 55 bbls cmt returned to surface. Test Casing to 1500 psi for 30 minutes. Good test.

6/29/2020: Drill 8.75 inch second intermediate hole to 9580 ft.

7/2/2020: Run 7.625 inch 29.7 lb P-110 second intermediate casing to 9568 ft. Pump 20 bbls chem spacer, 20 bbls water, followed by 572 sks of 11.5 ppgs lead cmt, 146 sks of 13.2 ppg tail cmt.

Drop plug and displace with 438 bbls of cut brine. 15 bbl of spacer returned to surface. Est TOC at gc 7/17/2020

Accepted for record – NMOCD

14. I hereby certify that the foregoing is true and correct. <p style="text-align: center;">Electronic Submission #521119 verified by the BLM Well Information System For TAP ROCK OPERATING LLC, sent to the Carlsbad Committed to AFMSS for processing by PRISCILLA PEREZ on 07/06/2020 (20PP3328SE)</p>	
Name (Printed/Typed) BILL RAMSEY	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 07/06/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	JONATHON SHEPARD Title PETROLEUM ENGINEER
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	
Date 07/14/2020	
Office Carlsbad	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

KMS

Additional data for EC transaction #521119 that would not fit on the form

32. Additional remarks, continued

1295 ft. Test Casing to 2100 psi for 30 minutes. Good test.

First Intermediate Casing Details: Date 6/29/2020, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth Set 3039 ft, Cement 1089 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0.

Second Intermediate Casing Details: Date 7/2/2020, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 1295 ft, Depth Set 9580 ft, Cement 718 sacks, Yield 1.55, Class H, Pressure Held 2100 psi, Pres Drop 0.

Revisions to Operator-Submitted EC Data for Sundry Notice #521119

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM38636	NMNM38636
Agreement:		
Operator:	TAP ROCK RESOURCES 602 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401 Ph: 720-360-4028	TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 720.772.5090
Admin Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Tech Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	WTG FED COM 212H Sec 27 T26S R29E NENW 260FNL 2000FWL 32.000178 N Lat, 103.976075 W Lon	WTG FED COM 212H Sec 27 T26S R29E NENW 260FNL 2000FWL 32.019878 N Lat, 103.974121 W Lon