Form 3160-5 (June 2015)

OCD - REC'D 6/25/2020

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					NMNM138850 6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.		
Type of Well					8. Well Name and No. NAILED IT FED COM 214H		
2. Name of Operator Contact: BILL RAMSEY					9. API Well No.		
TAP ROCK OPERATING LLC	taprk.com	30-015-46886-00-X1					
			Phone No. (include area code) 720-360-4028			10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 36 T26S R30E 741FSL 588FEL 32.002197 N Lat, 103.828018 W Lon					EDDY COUNTY, NM		
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICATE N	ATURE OF	F NOTICE,	REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
□ Notice of Intent	☐ Acidize	□ Deepen	☐ Deepen		on (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hydraulic Fracturing ☐ Reclamation			tion	■ Well Integrity	
Subsequent Report	☐ Casing Repair ☐ New Construction ☐ Recom		☐ Recomp	mplete			
☐ Final Abandonment Notice	☐ Change Plans ☐ Plug and Abandon ☐ Ten		□ Tempora				
	☐ Convert to Injection	☐ Plug Back	-	☐ Water Disposal			
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 6/11/2020: Drill 12.25 inch intermediate casing to 3740 ft. 6/13/2020: Run 9.625 inch 40 lb J-55 intermediate casing to 3720 ft. Run 20 bbls chem wash, 20 bbls water, followed by 778 sks of 13.5 ppg lead cmt, 343 sks of 14.8 ppg tail cmt. Drop plug and displace with 277 bbls fresh water. 90 bbls of cmt returned to surface. Test casing to 1500 psi for 30 minutes, good test. 6/14/2020: Drill 8.75 inch second intermediate hole to 10844 ft. 6/16/2020: Ran 7.625 inch 29.7 lb P-110 second intermediate casing to 10822 ft. Pump 20 bbls chem wash, 20 bbls water, followed by 663 sks of 11.5 ppg lead cmt, 150 sks of 13.2 tail cmt. Drop plug and displace with 494 bbls of cut brine. 40 bbls of cmt returned to surface. Test casing to 2360 psi for 30 minutes, good test.							
14. I hereby certify that the foregoing is true and correct.							
Electronic Submission #519494 verified by the BLM Well Information System For TAP ROCK OPERATING LLC, sent to the Carlsbad							
Name(Printed/Typed) BILL RAMSEY Title REGULATORY ANALYST							
Signature (Electronic S	Submission)	Date	06/18/20				
	THIS SDACE FO	D EEDEDAL OF	OTATE (SEEIGE 116	` _		

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

JONATHON SHEPARD Title PETROLEUM ENGINEER

Date 06/24/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #519494 that would not fit on the form

32. Additional remarks, continued

First Intermediate Casing Details: Casing ran: 6/13/2020, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 3720 ft, Cement 1121 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0.

Second Intermediate Casing Details: Casing ran: 6/16/2020, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 10822 ft, Cement 813 sacks, Yield 1.35, Class C, Pressure Held 2360 psi, Pres Drop 0.

Revisions to Operator-Submitted EC Data for Sundry Notice #519494

Operator Submitted BLM Revised (AFMSS)

DRG SR Sundry Type: DRG SR

Lease: NMNM138850 NMNM138850

Agreement:

Operator:

TAP ROCK OPERATING LLC 523 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401

Ph: 720-360-4028 Ph: 720.772.5090

BILL RAMSEY Admin Contact:

BILL RAMSEY REGULATORY ANALYST **REGULATORY ANALYST** E-Mail: bramsey@taprk.com E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ext: 4028 Ph: 720-360-4028

Tech Contact:

BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com

Ph: 720-360-4028 Ext: 4028 Ph: 720-360-4028

Location:

State: County: NM EDDY NM EDDY

PURPLE SAGE WOLFCAMP (GAS PURPLE SAGE-WOLFCAMP (GAS) Field/Pool:

Well/Facility:

NAILED IT FED COM 214H Sec 36 T26S R30E 741FSL 588FEL NAILED IT FED COM 214H Sec 36 T26S R30E 741FSL 588FEL 32.002197 N Lat, 103.828018 W Lon 32.002197 N Lat, 103.828018 W Lon