### OCD - REC'D 8/9/2020

**UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT** 

Operator

FORM APPROVED

OMB	NO.	100	4-0	137	
Expires:	Janu	ary	31,	201	18
Carial Ma					

	January 31,
Lease Serial No.	
NMLC065347	

		REPORTS ON	
Do not use this	form for propo	osals to drill or t	o re-enter an
abandoned well.	Use form 316	0-3 (APD) for su	ch proposals.

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					4 2				
				6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. SW93				
Type of Well     Oil Well						8. Well Name and No. WCPN GASCOM UT2 2			
Name of Operator     CHEVRON USA INCORPORATED     E-Mail: howie.lucas@chevron.com  Contact: HOWIE LUCAS E-Mail: howie.lucas@chevron.com						9. API Well No. 30-015-00398-00-S1			
3a. Address         3b. Phone No.           6301 DEAUVILLE BLVD         Ph: 432-48				rea code)		10. Field and Pool or Exploratory Area WHITE CITY-WOLFCAMP			
MIDLAND, TX 79706  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)						11. County or Parish, State			
		/				EDDY COUNTY, NM			
Sec 20 T24S R26E SWNE 2400FNL 2444FEL						EDL	A COUNTY	, INM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICA	TE NAT	URE OF	NOTICE, I	REPOR	T, OR OTH	ER DATA	
TYPE OF SUBMISSION			Т	YPE OF	ACTION				
☐ Notice of Intent	☐ Acidize	Deep Deep	pen		☐ Production	on (Start	/Resume)	■ Water Shut	-Off
_	☐ Alter Casing	☐ Hyd	raulic Fra	cturing	☐ Reclamat	ion		■ Well Integr	ity
Subsequent Report	☐ Casing Repair	□ New	Construc	tion	Recompl	ete		□ Other	
☐ Final Abandonment Notice	☐ Change Plans	🛛 Plug	and Abar	ndon	☐ Tempora	orarily Abandon			
	Convert to Injection	Plug	Back		☐ Water Disposal				
following completion of the involve testing has been completed. Final A determined that the site is ready for 06/30/2020 MIRU slickline, so successfully. 07/08/2020 MIRU pulling unit 07/09/2020 N/U BOPE and to H. cement: 9,460?=9,219?. 07/0/2020 Tag_TOC_at_9,208 MLF. Spot 100 sacks Class H casing at 5,290?, no injection 5,265?, same result. 07/13/2020 Spot 60 sacks Cl 07/14/2020 Tag_TOC_at_4,99 production casing. Squeeze 19	thandonment Notices must be fil final inspection.  et blanking plug at 9,523?.  t. Cut.tubing-at-9,480?.  est. Re-cut-tubing-due-to-it ?. Pressure-test casing to- 1 cement: 8,284?-7,751?- 1 rate, pressured up to-1,10  ass C cement: 5,348?-4,9  4?. Perforate casing at 2.6	Test casing to not being free 1,000 psi for 15 psi for 15 ns 80?	o 1,200 per Pipe from 15 minutes. I	ee. Spotes succes	ng reclamation, minutes 45 sack Cla essfully. Spot	have be	RECLAMA A	TION PROCEDITACHED  LAMATI 1-15 - 2	URE ON
14. I hereby certify that the foregoing  Con Name (Printed/Typed) HOWIE	# Electronic Submission For CHEVRON U nmitted to AFMSS for proce	522662 verifie JSA INCORPO ssing by PRIS	CILLA PE	REZ on	Information he Carlsbad 07/23/2020 (2 BANDONME	ODLMO	018SE)		
						_		FOR RECO	)BU
202@ignature (Electronic	Submission)		Date (	07/22/20	20			TONTILO	טאכ ן
l for record – NMOCD	THIS SPACE FO	OR FEDERA	LORS	TATE (	OFFICE US	E		2 4 2020	
Approved By			Title				DMekin		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or						BU	REAU OF LA	ND HANAGEME	NT
certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office				CARLOBAD	FIELD OFFICE	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

gc 8/11/

(Instructions on page 2)
\*\*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\*



#### Additional data for EC transaction #522662 that would not fit on the form

#### 32. Additional remarks, continued



2.426? WOC and tag TOC at 2.432? Perforate casing at 1,720?, establish circulation in annulus. 07/15/2020 Squeeze 110 sacks Class C cement: 1,720?-1,339? WOC and tag TOC at 1,369? Spot MLF. Perforate casing-at 530?, establish circulation inside-and out of production and intermediate casings. Squeeze 170 sacks Class C cement: 530'-0? RDMO. P&A complete.

Form 3160-5 (June 2015)

# **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0137 Expires: January 31, 2018

#### 5. Lease Serial No. NMLC065347

6. If Indian, Allottee or Tribe Name

# SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease


which would entitle the applicant to conduct operations thereon.

abandoned well. U	Jse Form 3160-3 (A	(PD) for such	proposals.				
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of	7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well				SW93			
Oil Well				8. Well Name and No. WCPN GASCOM UT2 2			
2. Name of Operator Chevron USA Incorporated	Contact: How		nom	9. API Well	No.		
Chevron USA Incorporated E-Mail: howie.lucas@chevron.com  3a. Address 3b. Phone No. (include area code)				30-015-00398-00-S1 10. Field and Pool or Exploratory Area			
6301 Deauville Blvd., Midland, TX	X 79706	Ph: 832-588-4	044	White C	ity - Wol	fcamp	
4. Location of Well (Footage, Sec., T.,R	.,M., or Survey Description	1)		11. Country			
Sec 20 T24S R26E SWNE 2400F	NL 2444FEL			Eddy C	ounty, N	M	
12. CHEC	K THE APPROPRIATE B	OX(ES) TO INDIC	ATE NATURE (	OF NOTICE, REPOR	r or ot	HER DATA	
TYPE OF SUBMISSION			TYPI	E OF ACTION			
Notice of Intent	Acidize	Deepen		Production (Start	/Resume)	Water Shut-Off	
	Alter Casing		lic Fracturing	Reclamation		Well Integrity	
X Subsequent Report	Casing Repair	=	onstruction	Recomplete		Other	
	Change Plans	X Plug an		Temporarily Aba	ndon		
Final Abandonment Notice  13. Describe Proposed or Completed Op	Convert to Injection			Water Disposal			
is ready for final inspection.)  06/30/2020 MIRU slickline, set blanki 07/08/2020 MIRU pulling unit. Cut tub 07/09/2020 N/U BOPE and test. Re-c 07/0/2020 Tag TOC at 9,208'. Pressu casing at 5,290', no injection rate, pres 07/13/2020 Spot 60 sacks Class C ce 07/14/2020 Tag TOC at 4,994'. Perfo 2,426'. WOC and tag TOC at 2,432'. F 07/15/2020 Squeeze 110 sacks Class out of production and intermediate cas	oing at 9,480'. cut tubing due to it not be ure test casing to 1,000 pssured up to 1,100 psi for ement: 5,348'-4,980'. orate casing at 2,617', es Perforate casing at 1,720 s C cement: 1,720'-1,339	ing free. Pipe frees for 15 minutes restablish circulation, establish circulation, which was a support of the circulation of th	e. Spot 45 sack successfully. S perforate at 5,2 inside and out ation in annulus TOC at 1,369'.	Class H cement: 9, pot MLF. Spot 100 s 65', same result.  of production casing. Spot MLF. Perforate	acks Cla	ass H cement: 8,284'-7,751'. Perforate ze 55 sacks Class C cement: 2,617'-	
14. I hereby certify that the foregoing is the Howie Lucas E-mail	true and correct. Name ( <i>Pro</i> laddress: howie.lucas@	chevron.com T	itle Well Aba	andonment Enginee	r, Attorne	ey in Fact	
	THE SPACE	FOR FEDER	RAL OR STA	TE OFICE USE			
Approved by							
			Title			Date	

Office



# Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blin.gov/nin



In Reply Refer To: 1310

## Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

4/5

nave issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612



Total control control

OFFICIAL USE

PENALTY FOR PRIVATE USE \$300

Remitting Jean-35-

Hasler 07 28 2020 US POSTAGE \$ 0 C