Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018 5. Lease Serial No. NMNM82896

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

6. If Indian, Allottee or Tribe Name

abandoned well. Use form 3160-3 (APD) for such proposals.					o. If indian, finotice of	Titoe i tuine	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.		
Type of Well     ☐ Gas Well ☐ Other					8. Well Name and No. GILA 12 FEDERAL 2H		
2. Name of Operator Contact: KIM HOFFMAN OXY USA INCORPORATED E-Mail: KIM_HOFFMAN@OXY.COM					9. API Well No. 30-015-36401-00-S1		
3a. Address 5 GREENWAY PLAZA SUITE HOUSTON, TX 77046-0521	b. Phone No. (inc Ph: 713-215-73			10. Field and Pool or Exploratory Area POKER LAKE			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)					11. County or Parish, State		
Sec 12 T24S R30E SWSE 630FSL 2250FEL					EDDY COUNTY, NM		
12. CHECK THE A	PPROPRIATE BOX(ES) TO	) INDICATE I	NATURE O	F NOTICE,	REPORT, OR OTH	ER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
☐ Notice of Intent	☐ Acidize ☐ Dee		en Product		ion (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Hydrauli	raulic Fracturing		ation	☐ Well Integrity	
☑ Subsequent Report ☐ Casing Repair		☐ New Construction ☐		☐ Recomp	olete	<b>⊠</b> Other	
☐ Final Abandonment Notice	☐ Change Plans	Plug and	ig and Abandon   Tei		arily Abandon	ShutIn Notice	
	□ Convert to Injection	☐ Plug Bac	k	☐ Water I	Disposal		
If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for from OXY USA INC respectfully reconstruction of the involved producing in payable quantities COVID.  3001536401 GILA 12 FEDER	rk will be performed or provide the operations. If the operation results bandonment Notices must be filed of inal inspection.  quests shut-in status for the fis prior to shut-in, and were stated the should be should	Bond No. on file is in a multiple con only after all require following wells. Shut-in due to the total control of the control	with BLM/BIA apletion or reco rements, includ. These wells he economic	Required sul mpletion in a r ing reclamatio	bsequent reports must be f new interval, a Form 3160 n, have been completed ar	iled within 30 days -4 must be filed once	
Con	For OXY USA IN nmitted to AFMSS for process	ICORPORATED	, sent to the	Carlsbad			
Name(Printed/Typed) KIM HOFFMAN			e REGUL	ATORY TE	CH II		
Signature (Electronic S	Dat	e 07/16/20	020				
	THIS SPACE FOR	FEDERAL O	R STATE	OFFICE U	SE		
Approved By JONATHON SHEPARD			lePETROLE	TROLEUM ENGINEER		Date 07/24/2	020
certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Carlsbad				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent				willfully to ma	ake to any department or a	gency of the United	

32. Additional remarks, continued

## Revisions to Operator-Submitted EC Data for Sundry Notice #522061

**Operator Submitted BLM Revised (AFMSS)** 

SHUTIN SR Sundry Type: SHUTIN NOI

NMNM82896 Lease: NMNM82896

Agreement:

Operator: **OXY USA INCORPORATED** 

OXY USA INC 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521

Ph: 713-215-7314 Ph: 713.350.4816

KIM HOFFMAN REGULATORY TECH II E-Mail: KIM\_HOFFMAN@OXY.COM Admin Contact:

KIM HOFFMAN REGULATORY TECH II E-Mail: KIM\_HOFFMAN@OXY.COM

Ph: 713-215-7314 Ph: 713-215-7314

KIM HOFFMAN REGULATORY TECH II E-Mail: KIM\_HOFFMAN@OXY.COM Tech Contact:

KIM HOFFMAN REGULATORY TECH II E-Mail: KIM\_HOFFMAN@OXY.COM

Ph: 713-215-7314 Ph: 713-215-7314

Location:

NM EDDY NM EDDY State: County:

Field/Pool: POKER LAKE; DELAWARE, NW POKER LAKE

Well/Facility:

GILA 12 FEDERAL 2H Sec 12 T24S R30E SWSE 630FSL 2240FEL GILA 12 FEDERAL 2H Sec 12 T24S R30E SWSE 630FSL 2250FEL