

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM138850

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Name and No. NAILED IT FED COM 224H
2. Name of Operator TAP ROCK OPERATING LLC Contact: BILL RAMSEY E-Mail: bramsey@taprk.com		9. API Well No. 30-015-46883-00-X1
3a. Address 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401	3b. Phone No. (include area code) Ph: 720-360-4028	10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 36 T26S R30E 766FSL 668FEL 32.002266 N Lat, 103.828278 W Lon		11. County or Parish, State EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

7/15/2020: Drill 12.25 inch first intermediate hole to 3692 ft.
7/16/2020: Run 9.625 inch 40 lb J-55 intermediate casing to 3677 ft. Pump 20 bbls chem wash, 20 bbls vis water, followed by 785 sks of 13.5 ppg lead cmt, 329 sks of 14.8 ppg tail cmt. Drop plug and displace with 275 bbls freshwater. 65 bbls cmt returned to surface. Test casing to 1500 psi for 30 minutes, good test.

7/17/20: Drill 8.75 inch second intermediate hole to 11207 ft.
7/20/20: Run 7.625 inch 29.7 lb P-110 casing to 11202 ft. Pump 20 bbls chem wash, 20 bbls visc water, followed by 691 sks of 11.5 ppg lead cmt, 151 sks of 13.2 ppg tail cmt. Drop plug and displace with 512 bbls freshwater. Will pressure test intermediate casing before production hole is drilled.

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #522717 verified by the BLM Well Information System
For TAP ROCK OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 07/23/2020 (20PP3488SE)**

Name (Printed/Typed) BILL RAMSEY	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 07/22/2020 gc 8/17/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE Accepted for record – NMOCD

Approved By **ACCEPTED** _____

JONATHON SHEPARD
Title PETROLEUM ENGINEER Date 07/28/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #522717 that would not fit on the form

32. Additional remarks, continued

First Intermediate Casing Details: Casing ran: 7/16/2020, Fluid Type Brine, Hole 12.25 inch, Csg Size 9.625 inch, Weight 40 lbs, Grade J55, Est TOC 0 ft, Depth set 3677 ft, Cement 1114 sacks, Yield 1.33, Class C, Pressure Held 1500 psi, Pres Drop 0.

Second Intermediate Casing Details: Casing ran: 7/20/2020, Fluid Type Cut Brine, Hole 8.75 inch, Csg Size 7.625 inch, Weight 29.7 lbs, Grade P-110, Est TOC 0 ft, Depth set 11202 ft, Cement 842 sacks, Yield 1.35, Class C

Revisions to Operator-Submitted EC Data for Sundry Notice #522717

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM138850	NMNM138850
Agreement:		
Operator:	TAP ROCK OPERATING LLC 602 PARK POINT DRIVE, SUITE 200 GOLDEN, CO 80401 Ph: 720-360-4028	TAP ROCK OPERATING LLC 602 PARK POINT DRIVE SUITE 200 GOLDEN, CO 80401 Ph: 720.772.5090
Admin Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Tech Contact:	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028	BILL RAMSEY REGULATORY ANALYST E-Mail: bramsey@taprk.com Ph: 720-360-4028
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	NAILED IT FED COM 224H Sec 36 T26S R30E 766FSL 668FEL 32.002265 N Lat, 103.828275 W Lon	NAILED IT FED COM 224H Sec 36 T26S R30E 766FSL 668FEL 32.002266 N Lat, 103.828278 W Lon