Form 3160-5 (June 2015)

NMOCD-REC'D: 8/31/2020 **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					5. Lease Serial No. NMLC063875A	
					6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No. 891000303X	
1. Type of Well ☐ Oil Well ☐ Gas Well ☐ Other					8. Well Name and No. POKER LAKE UNIT 27 BD 163H	
Name of Operator XTO PERMIAN OPERATING LLC E-Mail: Cheryl_rowell@xtoenergy.com					9. API Well No.	
		30-015-46247-00-X1				
3a. Address 6401 HOLIDAY HILL ROAD E MIDLAND, TX 79707	3b. Phone No. (include area code) Ph: 432-218-3754		10. Field and Pool or Exploratory Area PURPLE SAGE-WOLFCAMP (GAS)			
4. Location of Well (Footage, Sec., T	11. County or Parish, State					
Sec 27 T25S R30E SENW 25 32.101555 N Lat, 103.871262	EDDY COUNTY, NM					
12. CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA
TYPE OF SUBMISSION	TYPE OF ACTION					
☐ Notice of Intent	☐ Acidize	☐ Deepen ☐ Production (Start/l		ion (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Hyd	raulic Fracturing		ation	■ Well Integrity
Subsequent Report	☐ Casing Repair	■ New Construction		☐ Recomplete		⊠ Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon		☐ Temporarily Abandon		Drilling Operations
	☐ Convert to Injection	☐ Plug Back ☐ Wa		☐ Water D	Disposal	
13. Describe Proposed or Completed Op If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for form	ally or recomplete horizontally, rk will be performed or provide l operations. If the operation re bandonment Notices must be fil	give subsurface the Bond No. or sults in a multipl	locations and measu file with BLM/BIA e completion or reco	red and true ve . Required sub ompletion in a r	ertical depths of all pertine beguent reports must be new interval, a Form 3160	ent markers and zones. filed within 30 days 0-4 must be filed once
XTO Energy respectfully subn well.	nits the following activity of	of drilling oper	ations on the ref	erenced		
Spud well 1/20/20 Drill 17.5 in	. hole to 1264 ft.					
01/21/20 Run 13.375 in., J55, Cement casing with 820 sxs, 2 followed by 445 sxs, 106 bbls, Bump plug, Circ cmt to surfac 01/22/20 RD, skid rig.	262 bbls, 1.79 yld, Class , 1.34 yld, Class C tail cm	C lead cmt				
02/18/20 Skid rig, RU						
14. I hereby certify that the foregoing is	Electronic Submission #	IAN OPERATII	IG LLC, sent to t	he Carlsbad	•	
Name(Printed/Typed) CHERYL ROWELL			Title REGUL	Title REGULATORY COORDINATOR		
Signature (Electronic S	Submission)		Date 07/28/2	020		
pted for record – NMOCD gc 10/2/20	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE U	SE	
Approved By ACCEPT	ED		JONATHO _{Title} PETROLE	N SHEPAR UM ENGINE		Date 08/05/2020
Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	Office Carlsba	d				
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent:				willfully to ma	ake to any department or	agency of the United

Additional data for EC transaction #523318 that would not fit on the form

32. Additional remarks, continued

02/19/20 Test 13.375 csg 1500 psi, 30 mins (good).
02/19/20 Drill 12.25 in. to 11248 ft.
02/28/20 Set 9.625 in., HCP110, 40 lb, BTC casing and set at 11248 ft. DV tool set at 5049 ft.
Stage 1: Cement casing with 1705 sxs, 1014 bbls, 3.34 yld, Class C lead cmt
followed by 1260 sxs, 595 bbls, 2.65 yld, Class C lead cmt,
followed by 525 sxs, 116 bbls, 1.24 yld, Class C tail cmt
Bump plug. Open DV tool.
Stage 2: Cement with 1260 sxs, 595 bbls, 2.65 yld, Class C lead cmt
Followed by 525 sxs, 116 bbls, 1.24 yld, Class C tail cmt.
Bump plug, Circ cmt to surface
03/01/20 RD, skid rig

 $\begin{array}{l} 06/21/20 \; \text{Skid} \; \text{rig}, \; \text{RU}. \\ 06/22/20 \; \text{Test} \; 9.625 \; \text{in. to} \; 3965 \; \text{psi,} \; 30 \; \text{mins} \; (\text{good}) \\ 06/22/20 \; \text{Drill} \; 8.5 \; \text{in. hole to} \; 27830 \; \text{ft,} \; \text{TD} \; \text{on} \; 7/11/20. \\ \text{KOP} = 11400 \\ 07/12/20 \; \text{Run} \; 5.5 \; \text{in.,} \; \text{P110RY,} \; 23 \; \text{lb,} \; \text{HTQ} \; \text{csg} \; \text{from} \; \text{surface} \; \text{to} \; 27830 \; \text{ft.} \\ \text{Cement casing with} \; 1165 \; \text{sxs,} \; 255 \; \text{bbls,} \; 1.23 \; \text{yld,} \; \text{Class} \; \text{H} \; \text{cmt} \\ \text{followed} \; \text{by} \; 4100 \; \text{sxs,} \; 922 \; \text{bbls,} \; 1.46 \; \text{yld,} \; \text{Class} \; \text{H,} \; \text{tail} \; \text{cmt} \\ \text{Bump plug,} \; \text{Circ} \; \text{cmt} \; \text{to} \; \text{surface.} \\ \text{PBTD} = 27828 \; \text{ft.} \\ 07/16/20 \; \text{Rig} \; \text{Release} \\ \end{array}$

Revisions to Operator-Submitted EC Data for Sundry Notice #523318

Operator Submitted BLM Revised (AFMSS)

DRG SR DRG Sundry Type: SR

Lease: NMLC063875A NMLC063875A

Agreement: 891000303X (NMNM71016X)

Operator: **XTO ENERGY**

XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277

6401 HOLIDAY HILL, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754

CHERYL ROWELL CHERYL ROWELL Admin Contact:

REGULATORY COORDINATOR REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com E-Mail: Cheryl_rowell@xtoenergy.com

Ph: 432.218-3754 Ph: 432-218-3754

Tech Contact:

CHERYL ROWELL REGULATORY COORDINATOR CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com E-Mail: Cheryl_rowell@xtoenergy.com

Ph: 432.218-3754 Ph: 432-218-3754

Location:

NM EDDY State: NM County: **EDDY**

Field/Pool: PURPLE SAGE; WOLFCAMP PURPLE SAGE-WOLFCAMP (GAS)

POKER LAKE UNIT 27 BD 163H POKER LAKE UNIT 27 BD 163H Well/Facility:

Sec 27 T25S R30E Mer NMP SENW 2510FNL 1953FWL 32.101555 N Lat, 103.871262 W Lon Sec 27 T25S R30E SENW 2510FNL 1953FWL

32.101555 N Lat, 103.871262 W Lon