

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM138865

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other8. Well Name and No.
BOROS FEDERAL 124H

2. Name of Operator

Contact: NICKY FITZGERALD

MATADOR PRODUCTION COMPANY E-Mail: nicky.fitzgerald@matadorresources.com

9. API Well No.
30-015-46479-00-X1

3a. Address

ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500
DALLAS, TX 75240

3b. Phone No. (include area code)

1500 972-371-5448

10. Field and Pool or Exploratory Area
BONE SPRINGS

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 15 T26S R31E NENE 400FNL 741FEL
32.049046 N Lat, 103.759811 W Lon

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

| TYPE OF SUBMISSION | TYPE OF ACTION | | | | |
|---|---|---|--|---|--|
| <input type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize | <input type="checkbox"/> Deepen | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off | |
| <input checked="" type="checkbox"/> Subsequent Report | <input type="checkbox"/> Alter Casing | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation | <input type="checkbox"/> Well Integrity | |
| <input type="checkbox"/> Final Abandonment Notice | <input type="checkbox"/> Casing Repair | <input type="checkbox"/> New Construction | <input type="checkbox"/> Recomplete | <input checked="" type="checkbox"/> Other | |
| | <input type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon | <input type="checkbox"/> Temporarily Abandon | Drilling Operations | |
| | <input type="checkbox"/> Convert to Injection | <input type="checkbox"/> Plug Back | <input type="checkbox"/> Water Disposal | | |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND NO. NMB001079
SURETY BOND NO. RLB0015172TVD/MD:10047'/20350' DATE REACHED TD: 02/26/2020
PBTD:20247' (Top of production casing float collar)

Well Spud 12/26/2019 RR: 02/29/2020

Please see attached casing and cementing summary.
All casing integrity tests for a duration of 30 minutes. All tests good.

Entered - KMS NMOCD

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #535465 verified by the BLM Well Information System
For MATADOR PRODUCTION COMPANY, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 10/27/2020 (20PP0943SE)**

Name (Printed/Typed) NICKY FITZGERALD

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 10/26/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTEDJONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 11/17/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #535465

| | Operator Submitted | BLM Revised (AFMSS) |
|----------------|---|--|
| Sundry Type: | DRG SR | DRG SR |
| Lease: | NMNM138865 | NMNM138865 |
| Agreement: | | |
| Operator: | MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240 Ph: 972-371-5448 | MATADOR PRODUCTION COMPANY ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240 Ph: 972.371.5200 |
| Admin Contact: | NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448 | NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448 |
| Tech Contact: | NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448 | NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448 |
| Location: | | |
| State: | NM | NM |
| County: | EDDY | EDDY |
| Field/Pool: | JENNINGS;BONE SPRING,WEST | BONE SPRINGS |
| Well/Facility: | BOROS FEDERAL 124H Sec 15 T26S R31E 400FNL 741FEL | BOROS FEDERAL 124H Sec 15 T26S R31E NENE 400FNL 741FEL 32.049046 N Lat, 103.759811 W Lon |

Boros Federal #124H

| DATE | STRING | FLUID TYPE (list) | WT LB/FT (decimal) | GRADE | HOLE SZ (fraction) | CSG SZ (fraction) | TOP CSG (ft) | DEPTH SET (ft) | WAIT ON CMT (decimal hours) | PRESS HOLD (psi) | STAGE | STAGE TOOL DEPTH (ftm) | LD SX | LD YIELD | TL SX | TL YIELD | TTL SX | TTL Bbls | CLASS (list) | TOP OF CMT (feet) | METHOD USED (type) | Bbls TO SURF (if cased) | SK TO SURF (if cased) | LENGTH 1" RAN (if topped out) |
|------------|--------|----------------------|-----------------------|--------|-----------------------|----------------------|-----------------|-------------------|--------------------------------|---------------------|-------|------------------------|-------|----------|-------|----------|--------|--------------|-----------------|----------------------|-----------------------|----------------------------|--------------------------|----------------------------------|
| 12/27/2019 | SURF | Fresh Water | 54.50 | 155 | 17-1/2" | 13-3/8" | 0 | 1,491 | 1052.5 | 1500 | | | 1105 | 1.7 | 425 | 1.33 | 1530 | 435.2181666 | C | | Calc | 0 | 92 | |
| 2/13/2020 | INT | Brine | 40.00 | L-80HC | 12-1/4" | 9-5/8" | 0 | 8,158 | 51.3 | 1500 | 1 | 1588 | 1128 | 2.8 | 796 | 1.33 | 1924 | 751.0382903 | C | 1584 | Calc | 0 | - | |
| 2/13/2020 | PROD | Cut Brine | 20.00 | P-10HC | 8-3/4" | 5-1/2" | 0 | 20,342 | 2808.0 | 5520.0 | 2 | | 682 | 3.06 | 2983 | 1.33 | 3665 | 1088.8635878 | C | 3750 | Calc | 0 | - | |

| | |
|---|------------------------------|
| KOP: | 9500' MD / 9466' TVD |
| 2/26/2020 | TD: 20,350' MD / 10,046' TVD |
| Top of Prod Casing Float Collar (feet): | 20,247' |