

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM138866

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
VONI FED COM 201H9. API Well No.
30-015-46988-00-X110. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)11. County or Parish, State
EDDY COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator Contact: NICKY FITZGERALD
MATADOR PRODUCTION COMPANYE-Mail: nicky.fitzgerald@matadorresources.com3a. Address ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500
DALLAS, TX 75240 3b. Phone No. (include area code) 972-371-54484. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 21 T26S R31E NWNW 350FNL 374FWL
32.034492 N Lat, 103.790604 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BLM BOND NO. NMB001079
SURETY BOND NO. RLB0015172

TVD/MD: 11172'/23500' DATE REACHED TD: 08/03/2020

PBTD: 23395' (Top of production casing float collar)

Well Spud 06/08/2020 RR: 08/06/2020

Please see attached casing and cementing summary.
All casing integrity tests for a duration of 30 minutes. All tests good.

Entered - KMS NMOCD

OCD - REC'D 12/03/2020

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #538130 verified by the BLM Well Information System
For MATADOR PRODUCTION COMPANY, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 11/19/2020 (21PP0678SE)**

Name (Printed/Typed) NICKY FITZGERALD

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 11/19/2020

Accepted for record - NMOCD gc 12/09/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

ACCEPTED

JONATHON SHEPARD
Title PETROLEUM ENGINEER

Date 12/02/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #538130

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMNM138866	NMNM138866
Agreement:		
Operator:	MATADOR PRODUCTION COMPANY 5400 LBJ FREEWAY, SUITE 1500 DALLAS, TX 75240 Ph: 972-371-5448	MATADOR PRODUCTION COMPANY ONE LINCOLN CENTER 5400 LBJ FREEWAY SUITE 1500 DALLAS, TX 75240 Ph: 972.371.5200
Admin Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Tech Contact:	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448	NICKY FITZGERALD REGULATORY ANALYST E-Mail: nicky.fitzgerald@matadorresources.com Ph: 972-371-5448
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE;WOLFCAMP(GAS)	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	VONI FEDERAL COM 201H Sec 21 T26S R31E 350FNL 374FWL	VONI FED COM 201H Sec 21 T26S R31E NWNW 350FNL 374FWL 32.034492 N Lat, 103.790604 W Lon

Voni Fed Com #201H

DATE	STRING	FLUID TYPE (list)	WT LB/FT (decimal)	GRADE	CONN	HOLE SZ (fraction)	CSG SZ (fraction)	HOLE DEPTH (feet)	DEPTH SET (feet)	WAIT ON CMT (decimal hours)	PRESS HELD (psi)	STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS (list)	TOP OF CMT (feet)	METHOD USED (list)	BBLS TO SURF (if circulated)	SX TO SURF (if circulated)	LENGTH 1" RAN (if topped out)
6/8/2020	SURF	Fresh Water	54.50	J-55	Buttress	17-1/2"	13-3/8"	1175	1158	272.0	1500			675	1.73	345	1.33	1020	289.6883	C	0	Circ	130	549	
6/28/2020	INT 1	Diesel Brine Emulsion	29.70	P-110	Buttress	9-7/8"	7-5/8"	10,595	10,580	564.0	2430	1	3969	430	3.68	375	1.39	805	374.6483	C	3966	Circ	105	424	
												2				1430	1.74	1430	443.1345	C	0	Circ	157	507	
8/4/2020	PROD	Oil-Based Mud	20.00	P-110	TLW-SC	6-3/4"	5-1/2"	23,500	23,485	-	-			355	1.71	885	1.42	1240	331.9234	C	2200	Calc	0	-	

KOP:-	10,664' MD / 10,650' TVD
MD:-	23,500' MD / 11,171' TVD
Top of Prod Casing Float Collar (feet):-	23,395'

Notes: