

NMOCD Rec'd: 9/22/2020

DISTRICT I
1825 N. Frank Dr., Hobbs, NM 88240
Phone (505) 588-0111 Fax (505) 588-0770

DISTRICT II
811 S. First St., Artesia, NM 88210
Phone (505) 746-1800 Fax (505) 746-0720

DISTRICT III
1006 Rio Grasso Rd., Artesia, NM 88210
Phone (505) 746-0770 Fax (505) 746-0770

DISTRICT IV
1220 S. St. Francis Dr. Santa Fe, NM 87505
Phone (505) 476-5125 Fax (505) 476-5442

EMNRD-OCD ARTESIA NM OIL CONSERVATION
REC'D: 05/05/2020 ARTESIA DISTRICT
State of New Mexico
Energy, Minerals and Natural Resources Department
SEP 18 2017 Form C-102
Revised August 24, 2001

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Submit one copy to appropriate District Office

AS-DRILLED

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-43530	Pool Code 26770	Pool Name FREN GLORIETA YESO
Property Code 08635	Property Name PARTITION 13 Federal NC	Well Number 5H
OGRD No. 013837	Operator Name Mack Energy Corporation	Elevation 3907

Surface Location


UL or lot No.	Section	Township	Range	Lot 14n	FEET from the	SOUTH/NORTH LINE	FEET from the	East/WEST LINE	County
C	24	17 S	31 E		255	NORTH	2590	WEST	EDDY


Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot 14n	FEET from the	SOUTH/NORTH LINE	FEET from the	East/WEST LINE	County
C	13	17 S	31 E		290	NORTH	2290	WEST	EDDY

Dedicated Acres	Joint or Inter	Consolidation Code	Order No.

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION





PO Box 1370
Artesia, NM 88211-1370
(575) 748-1288

February 12, 2018

Burnett Oil Co., Inc.
Burnett Plaza – Suite 1500
801 Cherry St
Fort Worth, TX 76102-6881

RE: Partition 13 Fed NC 5H
255' FNL & 2590' FWL
Sec. 31, T17S, R24E
Eddy County, New Mexico

Dear Sir,

The attached is the Deviation Survey for the above captioned well.

Very truly yours,


A handwritten signature in black ink, appearing to read "Chris Graham".

Chris Graham
Asst. Operations Manager

State of New Mexico }
County of Eddy }

The foregoing was acknowledged before me this 12th day of February, 2018.

A handwritten signature in black ink, appearing to read "Regina L. Garner".

Notary Public

Partition 13 Fed NC 5H				
Depth	Deviation	Direction	TVD	Horiz Disp
265	0.30	110.80		
453	0.40			
180	0.30	114.80		
645	0.20	123.80		
702	0.20	71.80		
755	0.60	57.80		
943	0.30	103.10		
1133	0.30	111.10		
1320	0.50	74.00		
1507	0.40	88.40		
1696	0.60	54.90		
1873	0.70	9.30		
2019	0.70	17.50		
2207	0.20	352.00		
2585	0.90	2529.00		
2774	0.90	2611.20		
2865	1.00	265.40		
3055	1.00	245.40		
3429	1.20	256.50		
3616	0.80	73.00		
3803	1.00	87.50		
3989	1.20	66.70		
4361	1.30	83.80		
4552	1.50	86.60		
4740	0.60	46.70	4739.00	
4787	2.20	351.80		
4833	4.40	341.90	4832.44	
4959	17.30	357.50		
5022	25.50	332.10		
5488	55.50	326.20		
5676	69.60	338.00		
5770	75.70	345.90		
5889	84.20	352.90		
5983	84.30	3533.00		
6077	84.40	353.70		
6175	90.60	355.90		
6269	90.70	0.90		
6364	89.10	1.80		
6551	89.30	0.30		
6738	89.30	1.00		
6832	89.50	1.50		
6926	89.70	0.02		

Depth	Deviation	Direction	TVD	Horiz Disp
7019	90.90	358.70		
7113	90.50	358.20		
7206	90.60	358.80		
7393	91.10	0.00		
7578	91.70	0.50		
7672	91.20	359.90		
7766	92.10	0.00		
7859	91.40	359.70		
7953	91.30	0.10	5482.00	2744.65
8047	89.80	0.30	5481.97	2838.44
8141	90.10	0.30	5482.05	2932.00
8233	90.80	0.50	5481.33	3024.00
8326	89.80	0.70	5480.85	3116.75
8420	90.00	1.20	5481.00	3210.40
8514	89.90	1.50	5481.00	3304.10
8608	90.20	1.60	5481.00	3397.72
8701	89.80	1.40	5481.00	3490.36
8795	89.40	1.70	5481.00	3583.97
8888	90.50	0.60	5481.75	3676.65
8981	91.00	1.20	5480.53	3769.36
9076	90.30	0.60	5479.45	3864.06
9171	91.00	0.00	5477.84	3958.98
9265	91.30	359.90	5476.00	4052.64
9359	91.10	359.70	5474.00	4146.45
9452	91.10	359.90	5472.00	4239.27
9545	89.90	358.80	5471.00	4332.14
9642	90.10	359.00	5471.40	4429.19
9735	90.20	359.50	5471.15	4522.08
9828	89.80	359.70	5471.15	4614.94
9921	89.90	0.00	5491.37	4707.97
10014	89.50	359.00	5471.88	4800.63
10107	90.50	358.70	5421.88	4893.54
10200	90.20	358.70		
10293	90.80	359.00		

Burnett Oil Company, INC

Eddy County, NM

Sec.24, T.17 S., R. 31 E.

Partition 13 FED NC #5H

Wellbore #1

Survey: Survey #1

Standard Survey Report

08 February, 2018

Survey Report

Company:	Burnett Oil Company, INC	Local Co-ordinate Reference:	Well Partition 13 FED NC #5H
Project:	Eddy County, NM	TVD Reference:	KB=21.5 @ 3928.50ft
Site:	Sec.24, T.17 S., R. 31 E.	MD Reference:	KB=21.5 @ 3928.50ft
Well:	Partition 13 FED NC #5H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1

Project	Eddy County, NM		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site		Sec.24, T.17 S., R. 31 E.			
Site Position:		Northing:	664,720.0000 usft	Latitude:	32.826382
From:	Map	Easting:	655,241.7000 usft	Longitude:	-103.827963
Position Uncertainty:	0.00 ft	Slot Radius:	13-3/16 "	Grid Convergence:	0.27 °

Well	Partition 13 FED NC #5H					
Well Position	+N/-S	0.00 ft	Northing:	664,806.1000 usft	Latitude:	32.826598
	+E/-W	0.00 ft	Easting:	656,840.9000 usft	Longitude:	-103.822756
Position Uncertainty	0.00 ft	Wellhead Elevation:	0.00 ft	Ground Level:	3,907.00 ft	

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	1/9/2018	7.06	60.57	48,207

Design		Wellbore #1			
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	356.41	

Survey Program	Date 2/8/2018			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description
755.00	10,468.00	Survey #1 (Wellbore #1)	MWD	MWD - Standard

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
702.00	0.20	72.00	701.99	-1.63	2.72	-1.80	0.00	0.00	0.00
755.00	0.60	57.80	754.99	-1.45	3.04	-1.64	0.77	0.75	-26.79
1st MWD Survey									
943.00	0.30	103.10	942.98	-1.04	4.36	-1.31	0.24	-0.16	24.10
1,133.00	0.30	111.10	1,132.98	-1.33	5.30	-1.66	0.02	0.00	4.21
1,320.00	0.50	74.00	1,319.98	-1.28	6.54	-1.69	0.17	0.11	-19.84
1,507.00	0.40	88.40	1,506.97	-1.04	7.98	-1.54	0.08	-0.05	7.70
1,696.00	0.60	54.90	1,695.96	-0.45	9.45	-1.04	0.18	0.11	-17.72
1,873.00	0.70	9.30	1,872.95	1.15	10.38	0.49	0.29	0.06	-25.76
2,019.00	0.70	17.50	2,018.94	2.88	10.80	2.20	0.07	0.00	5.62
2,207.00	0.20	352.00	2,206.94	4.30	11.10	3.59	0.28	-0.27	-13.56

Survey Report

Company:	Burnett Oil Company, INC	Local Co-ordinate Reference:	Well Partition 13 FED NC #5H
Project:	Eddy County, NM	TVD Reference:	KB=21.5 @ 3928.50ft
Site:	Sec.24, T.17 S., R. 31 E.	MD Reference:	KB=21.5 @ 3928.50ft
Well:	Partition 13 FED NC #5H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
2,395.00	0.40	269.70	2,394.93	4.62	10.39	3.96	0.22	0.11	-43.78
2,585.00	0.90	252.90	2,584.92	4.18	8.30	3.65	0.28	0.26	-8.84
2,774.00	0.90	241.20	2,773.90	3.03	5.58	2.67	0.10	0.00	-6.19
2,866.00	1.00	265.40	2,865.89	2.61	4.15	2.35	0.45	0.11	26.30
3,055.00	1.00	245.40	3,054.86	1.79	1.01	1.73	0.18	0.00	-10.58
3,241.00	1.30	244.30	3,240.82	0.20	-2.37	0.35	0.16	0.16	-0.59
3,429.00	1.20	256.50	3,428.78	-1.18	-6.20	-0.79	0.15	-0.05	6.49
3,616.00	0.80	73.00	3,615.77	-1.26	-6.86	-0.82	1.07	-0.21	94.39
3,803.00	1.00	87.50	3,802.74	-0.80	-3.98	-0.55	0.16	0.11	7.75
3,989.00	1.20	66.70	3,988.71	0.04	-0.57	0.07	0.24	0.11	-11.18
4,176.00	1.20	78.90	4,175.67	1.19	3.15	0.99	0.14	0.00	6.52
4,361.00	1.30	83.80	4,360.62	1.79	7.14	1.34	0.08	0.05	2.65
4,552.00	1.50	86.60	4,551.57	2.17	11.79	1.43	0.11	0.10	1.47
4,740.00	0.60	66.70	4,739.53	2.71	15.15	1.75	0.51	-0.48	-10.59
4,787.00	2.20	351.80	4,786.52	3.70	15.24	2.73	4.52	3.40	-159.36
4,833.00	4.40	341.90	4,832.44	6.25	14.57	5.32	4.92	4.78	-21.52
4,865.00	6.40	341.20	4,864.30	9.10	13.61	8.23	6.25	6.25	-2.19
4,887.00	8.40	344.90	4,886.11	11.82	12.80	10.99	9.34	9.09	16.82
4,912.00	11.40	345.00	4,910.74	15.97	11.68	15.20	12.00	12.00	0.40
4,959.00	17.30	337.50	4,956.26	26.92	7.80	26.38	13.14	12.55	-15.96
4,990.00	21.60	333.80	4,985.48	36.30	3.52	36.01	14.42	13.87	-11.94
5,022.00	25.50	332.10	5,014.81	47.68	-2.31	47.73	12.37	12.19	-5.31
5,067.00	30.50	332.50	5,054.53	66.38	-12.12	67.01	11.12	11.11	0.89
5,113.00	34.90	331.40	5,093.23	88.30	-23.82	89.62	9.65	9.57	-2.39
5,160.00	39.50	331.40	5,130.66	113.24	-37.41	115.36	9.79	9.79	0.00
5,206.00	43.00	328.50	5,165.24	139.47	-52.62	142.50	8.67	7.61	-6.30
5,253.00	47.00	326.90	5,198.47	167.55	-70.39	171.63	8.84	8.51	-3.40
5,300.00	51.60	326.60	5,229.11	197.34	-89.92	202.58	9.80	9.79	-0.64
5,330.00	54.40	326.40	5,247.16	217.31	-103.14	223.35	9.35	9.33	-0.67
5,394.00	55.60	326.40	5,283.87	260.98	-132.16	268.75	1.88	1.88	0.00
5,488.00	55.50	326.20	5,337.04	325.47	-175.16	335.80	0.21	-0.11	-0.21
5,535.00	57.10	326.70	5,363.12	358.05	-196.77	369.68	3.52	3.40	1.06
5,583.00	59.60	330.90	5,388.31	393.00	-217.91	405.88	9.09	5.21	8.75
5,630.00	64.90	334.00	5,410.20	429.87	-237.12	443.89	12.70	11.28	6.60
5,676.00	69.60	338.00	5,427.99	468.62	-254.34	483.63	12.99	10.22	8.70
5,723.00	72.80	341.00	5,443.13	510.28	-269.91	526.19	9.10	6.81	6.38
5,770.00	75.70	345.90	5,455.90	553.63	-282.77	570.26	11.78	6.17	10.43
5,801.00	78.24	348.34	5,462.89	583.07	-289.50	600.06	11.22	8.18	7.88
Cross 330' FSL 5801 MD/5462.89 TVD 583.07 N -289.5 W N: 665389.1 E: 665551.4									
5,803.00	78.40	348.50	5,463.29	584.99	-289.89	602.00	11.22	8.22	7.80
5,889.00	84.20	352.90	5,476.30	668.82	-303.60	686.54	8.43	6.74	5.12
5,983.00	84.30	353.30	5,485.72	761.67	-314.83	779.91	0.44	0.11	0.43
6,077.00	84.40	353.70	5,494.97	854.62	-325.42	873.33	0.44	0.11	0.43

Survey Report

Company:	Burnett Oil Company, INC	Local Co-ordinate Reference:	Well Partition 13 FED NC #5H
Project:	Eddy County, NM	TVD Reference:	KB=21.5 @ 3928.50ft
Site:	Sec.24, T.17 S., R. 31 E.	MD Reference:	KB=21.5 @ 3928.50ft
Well:	Partition 13 FED NC #5H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
6,175.00	90.60	355.90	5,499.25	952.07	-334.29	971.14	6.71	6.33	2.24	
6,269.00	92.70	0.90	5,496.54	1,045.96	-336.91	1,065.01	5.77	2.23	5.32	
6,364.00	89.10	1.80	5,495.05	1,140.90	-334.67	1,159.63	3.91	-3.79	0.95	
6,457.00	89.00	2.30	5,496.59	1,233.83	-331.35	1,252.17	0.55	-0.11	0.54	
6,551.00	89.30	0.30	5,497.98	1,327.79	-329.21	1,345.81	2.15	0.32	-2.13	
6,644.00	89.60	0.70	5,498.88	1,420.78	-328.40	1,438.57	0.54	0.32	0.43	
6,738.00	89.30	1.00	5,499.78	1,514.77	-327.01	1,532.28	0.45	-0.32	0.32	
6,832.00	89.50	1.50	5,500.76	1,608.74	-324.96	1,625.94	0.57	0.21	0.53	
6,926.00	89.70	0.20	5,501.42	1,702.72	-323.56	1,719.65	1.40	0.21	-1.38	
7,019.00	90.90	358.70	5,500.93	1,795.71	-324.46	1,812.52	2.07	1.29	-1.61	
7,113.00	90.50	358.20	5,499.78	1,889.67	-327.00	1,906.45	0.68	-0.43	-0.53	
7,206.00	90.60	358.80	5,498.89	1,982.64	-329.43	1,999.38	0.65	0.11	0.65	
7,299.00	90.00	359.00	5,498.40	2,075.62	-331.22	2,092.29	0.68	-0.65	0.22	
7,393.00	91.10	0.00	5,497.50	2,169.61	-332.04	2,186.15	1.58	1.17	1.06	
7,484.00	91.60	0.20	5,495.36	2,260.58	-331.88	2,276.93	0.59	0.55	0.22	
7,578.00	91.70	0.50	5,492.65	2,354.54	-331.31	2,370.67	0.34	0.11	0.32	
7,672.00	91.20	359.90	5,490.27	2,448.51	-330.98	2,464.44	0.83	-0.53	-0.64	
7,766.00	92.10	0.00	5,487.57	2,542.47	-331.06	2,558.22	0.96	0.96	0.11	
7,859.00	91.40	359.70	5,484.73	2,635.42	-331.30	2,651.01	0.82	-0.75	-0.32	
7,953.00	91.30	0.10	5,482.51	2,729.40	-331.47	2,744.80	0.44	-0.11	0.43	
8,047.00	89.80	0.30	5,481.61	2,823.39	-331.14	2,838.59	1.61	-1.60	0.21	
8,141.00	90.10	0.30	5,481.69	2,917.39	-330.65	2,932.37	0.32	0.32	0.00	
8,233.00	90.80	0.50	5,480.97	3,009.38	-330.00	3,024.15	0.79	0.76	0.22	
8,326.00	89.80	0.70	5,480.48	3,102.37	-329.03	3,116.90	1.10	-1.08	0.22	
8,420.00	90.00	1.20	5,480.64	3,196.36	-327.47	3,210.60	0.57	0.21	0.53	
8,514.00	89.90	1.50	5,480.73	3,290.34	-325.26	3,304.25	0.34	-0.11	0.32	
8,608.00	90.20	1.60	5,480.64	3,384.30	-322.71	3,397.87	0.34	0.32	0.11	
8,701.00	89.90	1.40	5,480.56	3,477.27	-320.28	3,490.50	0.39	-0.32	-0.22	
8,795.00	89.40	1.70	5,481.14	3,571.23	-317.74	3,584.12	0.62	-0.53	0.32	
8,888.00	90.50	0.60	5,481.22	3,664.21	-315.87	3,676.80	1.67	1.18	-1.18	
8,981.00	91.00	1.20	5,480.00	3,757.19	-314.41	3,769.51	0.84	0.54	0.65	
9,076.00	90.30	0.60	5,478.92	3,852.17	-312.92	3,864.21	0.97	-0.74	-0.63	
9,171.00	91.00	0.00	5,477.85	3,947.16	-312.42	3,958.98	0.97	0.74	-0.63	
9,265.00	91.30	359.90	5,475.96	4,041.14	-312.50	4,052.78	0.34	0.32	-0.11	
9,359.00	91.10	359.70	5,473.99	4,135.12	-312.83	4,146.60	0.30	-0.21	-0.21	
9,452.00	91.10	359.90	5,472.21	4,228.10	-313.16	4,239.42	0.22	0.00	0.22	
9,545.00	89.90	358.80	5,471.39	4,321.09	-314.21	4,332.29	1.75	-1.29	-1.18	
9,642.00	90.10	359.00	5,471.39	4,418.07	-316.07	4,429.20	0.29	0.21	0.21	
9,735.00	90.20	359.50	5,471.15	4,511.07	-317.29	4,522.08	0.55	0.11	0.54	
9,828.00	89.80	359.70	5,471.15	4,604.06	-317.94	4,614.94	0.48	-0.43	0.22	
9,921.00	89.90	0.00	5,471.39	4,697.06	-318.18	4,707.77	0.34	0.11	0.32	
10,014.00	89.50	359.00	5,471.88	4,790.06	-318.99	4,800.63	1.16	-0.43	-1.08	
10,107.00	90.50	358.70	5,471.88	4,883.04	-320.86	4,893.55	1.12	1.08	-0.32	

Survey Report

Company: Burnett Oil Company, INC
 Project: Eddy County, NM
 Site: Sec.24, T.17 S., R. 31 E.
 Well: Partition 13 FED NC #5H
 Wellbore: Wellbore #1
 Design: Wellbore #1

Local Co-ordinate Reference: Well Partition 13 FED NC #5H
 TVD Reference: KB=21.5 @ 3928.50ft
 MD Reference: KB=21.5 @ 3928.50ft
 North Reference: Grid
 Survey Calculation Method: Minimum Curvature
 Database: EDM 5000.1

Survey

Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,200.00	90.20	358.70	5,471.31	4,976.01	-322.97	4,986.47	0.32	-0.32	0.00
10,293.00	90.80	359.00	5,470.50	5,068.99	-324.84	5,079.38	0.72	0.65	0.32
10,386.00	90.30	358.90	5,469.61	5,161.97	-326.54	5,172.28	0.55	-0.54	-0.11
Last MWD Survey 10386 MD/5469.61 TVD 5161.97 N -326.54 W N: 669968.0 E: 656514.3									
10,427.00	90.30	358.90	5,469.39	5,202.96	-327.33	5,213.25	0.00	0.00	0.00
Cross 330' FNL 10427 MD/5469.39 TVD 5202.96 N -327.33 W N: 670009.0 E: 656513.5									
10,468.00	90.30	358.90	5,469.18	5,243.95	-328.12	5,254.21	0.00	0.00	0.00
PTB 10468 MD/5469.18 TVD 5243.95 N -328.12 W N: 670050.0 E: 656512.7									

Survey Annotations


Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment
		+N/-S (ft)	+E/-W (ft)	
755.00	754.99	-1.45	3.04	1st MWD Survey
5,801.00	5,462.89	583.07	-289.50	Cross 330' FSL 5801 MD/5462.89 TVD 583.07 N -289.5 W N: 665389.1 E: 656514.3
10,386.00	5,469.61	5,161.97	-326.54	Last MWD Survey 10386 MD/5469.61 TVD 5161.97 N -326.54 W N: 669968.0 E: 656514.3
10,427.00	5,469.39	5,202.96	-327.33	Cross 330' FNL 10427 MD/5469.39 TVD 5202.96 N -327.33 W N: 670009.0 E: 656513.5
10,468.00	5,469.18	5,243.95	-328.12	PTB 10468 MD/5469.18 TVD 5243.95 N -328.12 W N: 670050.0 E: 656512.7

Checked By: _____ Approved By: _____ Date: _____

Burnett Oil Co., Inc.

Burnett Oil Company, INC
Project: Eddy County, NM
Site: Sec.24, T.17 S., R. 31 E.
Well: Partition 13 FED NC #5H
Wellbore: Wellbore #1
Plan: Plan #3 (10°/100'-200' TGT-12°/100') (Partition 13 FED NC #5H/Wellbore #1)

PROJECT DETAILS: Eddy County, NM
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico East 3001
System Datum: Mean Sea Level
Local North: Grid



WELL DETAILS: Partition 13 FED NC #5H

Ground Elevation:: 3907.00
RKB Elevation: KB=21.5 @ 3928.50ft
Rig Name:

Northings	Easting	Latitude	Longitude
664806.1000	656840.9000	32.826597	-103.822756

Section Details

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect
1	5803.00	78.40	348.50	5463.29	584.99	-289.89	0.00	0.00	602.00
2	5859.00	84.00	354.20	5471.86	639.65	-298.19	14.18	45.64	657.08
3	6142.80	84.00	354.20	5501.53	920.45	-326.71	0.00	0.00	939.12
4	6215.64	90.53	0.02	5505.00	993.05	-330.37	12.00	41.82	1011.80
5	10465.69	90.53	0.02	5465.40	5242.91	-329.20	0.00	0.00	5253.23

