

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED
OMB NO. 1004-0135
Expires July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No NMNM103597
2. Name of Operator COG OPERATING LLC Contact: MAYTE X REYES E-Mail: mreyes1@conchoresources.com		6. If Indian, Allottee or Tribe Name
3a. Address 2208 WEST MAIN STREET ARTESIA, NM 88210	3b. Phone No (include area code) Ph: 575-748-6945 Fx: 575-746-2523	7. If Unit or CA/Agreement, Name and/or No
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 8 T26S R26E		8. Well Name and No MAGURA FRAC POND 4H ✓
		9. API Well No
		10. Field and Pool, or Exploratory WILDCAT; BONE SPRING
		11. County or Parish, and State EDDY COUNTY, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

COG Operating LLC respectfully requests approval to construct a 285' x 285' ft. fresh water frac pond located in Sec8-T26S-R26E.

The frac pond will serve water for the Magura 8 Federal #1H, Magura 8 Federal #2H, Magura 8 Federal #3H and the Magura 8 Federal #4H.

Magura 8 Fed #4H 30-015-39472



Analyzed concurrent w/APD in EA 11-1078, included in DR

14. I hereby certify that the foregoing is true and correct. Electronic Submission #110463 verified by the BLM Well Information System For COG OPERATING LLC, sent to the Carlsbad	
Name (Printed/Typed) MAYTE X REYES	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 06/13/2011

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By	Title AFM	Date 9/28/11
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office CARLSBAD FIELD OFFICE		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction


**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED**

Accepted for record
NMOCD



COG Operating LLC
2208 West Main
Artesia, NM 88210


Magura #4H Frac Pond



Pond depth: 12-14 feet

COG OPERATING, LLC
MAGURA #4H FRAC POND
IN THE NE/4 NW/4 OF
SECTION 8, TOWNSHIP 26 SOUTH,
RANGE 26 EAST, N.M.P.M
EDDY COUNTY, STATE OF NEW MEXICO

MAY 20, 2011



DESCRIPTION

A CERTAIN PIECE OR PARCEL OF LAND AND REAL ESTATE LYING IN THE NW/4 NE/4 OF SECTION 8, TOWNSHIP 26 SOUTH, RANGE 26 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.

BEGINNING AT THE NORTHWEST CORNER OF THE PARCEL, WHENCE THE NORTHWEST CORNER OF SECTION 8, TOWNSHIP 26 SOUTH, RANGE 26 EAST, N.M.P.M. BEARS N75°34'34"W, A DISTANCE OF 2001.69 FEET; THENCE S00°02'19"E A DISTANCE OF 290.03 FEET TO THE SOUTHWEST CORNER OF THE PARCEL; THENCE N89°59'21"E A DISTANCE OF 289.97 FEET TO THE SOUTHEAST CORNER OF THE PARCEL; THENCE N00°01'57"W A DISTANCE OF 290.09 FEET TO THE NORTHEAST CORNER OF THE PARCEL; THENCE S89°58'39"W A DISTANCE OF 290.00 FEET TO THE NORTHWEST CORNER OF THE PARCEL, THE POINT OF BEGINNING; CONTAINING 1.931 ACRES MORE OR LESS

SURVEYOR CERTIFICATE

I, FILMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO, THIS 17TH DAY OF JUNE, 2011.

Filmon F. Jaramillo
FILMON F. JARAMILLO, PLS. 12797

MADRON SURVEYING, INC.
301 SOUTH CANAL
CARLSBAD, NEW MEXICO 88220
Phone (505) 706-9672

GENERAL NOTES


- 1.) THE INTENT OF THIS SURVEY IS TO ACQUIRE A BUSINESS LEASE FOR THE PURPOSE OF BUILDING A FRAC POND
- 2.) BASIS OF BEARING IS NEW MEXICO STATE PLANE EAST ZONE

SURVEY NO. 466A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO
(505) 706-9672

COG OPERATING, LLC
MAGURA #4H FRAC POND
IN THE NE/4 NW/4 OF
SECTION 8, TOWNSHIP 26 SOUTH,
RANGE 26 EAST, N.M.P.M
EDDY COUNTY, STATE OF NEW MEXICO

MAY 20, 2011




SURVEY NO 466A

MADRON SURVEYING, INC. 301 SOUTH CANON CARLSBAD, NEW MEXICO
(505) 746-0012

COG OPERATING, LLC
MAGURA #4H FRAC POND
IN THE NE/4 NW/4 OF
SECTION 8. TOWNSHIP 26 SOUTH,
RANGE 26 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO

MAY 20, 2011



SURVEY NO. 466A

MADRON SURVEYING, INC. 30. SOUTH CAMP, CARLSBAD, NEW MEXICO
T26N R26E S8

Well-Site Evaluation Field Form

Company Name: COG Well Name: MAURA 8' Fed 4HLocation: Section 8 T. 26S R. 26E Footage 330 F N & 2000 F WExamined by: RUST Date: 7-12-11Company Representative: NOT present 17:15 hrsSurface Owner: BLM Mineral Owner: BLM Lease Holder: _____Description & Topography: (cut & fill, etc.) Ben Slaughter area,
Gypsum & Dillahunty, Relative High Ground,Archaeology: Known Sites: Yes ___ No ☒ MOA: Yes ___ No ___ Participant: _____Soils: (reseeding strips, etc.) Gypsum & Reeves LoamCave Area: HIGH

Hydrogeology: _____

ACEC/SMA: YESWildlife: (habitat, LPC, SDL, etc.) Route - plants possibleRange Improvements: (fences, etc.) none seenWell Infrastructure(Circle) ☒ OIL ☐ GAS VERT ☒ HORIZ Direction of Drill: SOUTHV-Door Direction: N/S Pad Size: 3x3Road Route: Flow East From Gypsum RdPipeline: ± 100'

Production Facility Placement: _____


COA Restricting Placement of facilities on which side of location: _____

Interim Reclamation: _____

VRM Class: _____

Electricity Required: Yes ___ No ___ Powerline Route: _____

Evaluation: (Moved?) New Footage Calls: _____





Rand French
<rfrench@conchoresources.com>

06/28/2011 08:39 AM

To "Randy_Rust@nm.blm.gov" <Randy_Rust@nm.blm.gov>

cc

bcc

Subject FW: Magura-Map

Randy,

Attached is a map depicting the well names for the Magura Lease. We may be confused a little since we started with the Magura #2 (East well) and never had a #1. So we now have the Magura 8 Federal #2H APD on hold, and permitting the Magura 8 Federal #4H well with the adjacent Magura #4H Frac Pond 1 sundry.

Hopefully the map will keep us on the same page.

If you need anything please call and also let me know when you want to meet with AGAVE on the pipeline. I should be pretty much available from here on out. However every Wednesday morning we have our drilling meeting, but afternoon will work.

Thanks Rand

Rand French
Regulatory Coordinator
COG OPERATING LLC
2208 W Main St
Artesia, New Mexico 88210-3720
575.748.6965
575.513.1835 Cell




CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

From: Mayte Reyes
Sent: Tuesday, June 28, 2011 9:19 AM
To: Rand French
Subject: Magura-Map

Attached is the Magura #2, #3, #4, #5 map.

Mayte



Mayte Reyes
Regulatory Analyst
COG OPERATING LLC
2208 W Main St
Artesia, New Mexico 88210-3720
575.748.6945



Magura-Map.pdf

Lease #: NM-103597
COG Operating LLC.
Magura 8' 4H

FRAC POND CONDITIONS OF APPROVAL

A copy of the Sundry Notice and attachments, including stipulations, survey plat and diagram, will be on location during construction. BLM personnel may request to see a copy of your permit during construction to ensure compliance with all conditions of approval.

Holder agrees to comply with the following conditions of approval to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this permit.
2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated.
3. Required Standard Conditions of Approval:
 - Contact the Supervisory Environmental Protection Specialist, Jim Amos, at 575-234-5909 at least 24 hours prior to starting construction.
 - The frac pond will only be authorized to contain freshwater and testing of water quality is required. Additives are not allowed without consent of the authorized officer.
 - If at any time the water in the frac pond becomes polluted with salts or other contaminants, use of the frac pond will cease and desist, and all liquids will be removed from the frac pond and disposed of properly.
 - Confine all construction and maintenance activity to the authorized area.
 - Temporary pipelines flowing from the frac pond to the target well will be laid along existing roadways unless an exception has been granted by the authorized officer.
 - Mineral materials extracted during construction of the frac pond will be stored on-location and/or used for constructing the frac pond.
 - The frac pond will be lined.
 - The operator shall stockpile topsoil approximately 25 feet outside the bermed perimeter of the pond in a low profile manner, reasonably protected from wind and water erosion

- Topsoil shall not be used for constructing the frac pond. The topsoil will be used for final reclamation purposes only.
- The frac pond shall be fenced on all sides.
- Inner walls of the frac pond will have a minimum of a 3:1 slope ratio in order to minimize the entrapment of fauna
- Frac pond boundary fences will be marked by using highly visible and/or reflective markers
- Install earthen erosion-control structures as are suitable for the specific terrain and soil conditions.
- The plastic lining will be removed prior to final abandonment
- Reclamation efforts will commence immediately after the frac pond is no longer needed for the purpose of completing wells.
- Within 3 months of completion of frac operations on associated wells, all earthwork and final reclamation must be completed. This includes reclaiming and/or removal of:

Any roads approved for use with the pond

Surface water lines

Tanks, pumps, fencing etc.

- Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

Requirements for Operations and Final Reclamation:

4. If, during any phase of the construction, operation, maintenance, or termination of the frac pond, any pollutant should be released from the contaminated frac pond, the control and total removal, disposal, and cleaning up of such pollutant, wherever found, shall be the responsibility of holder, regardless of fault.

5. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the

passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

6. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

7. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

8. After all disturbed areas have been satisfactorily contoured and prepared for seeding the location needs to be revegetated with the seed mixture provided. Seeding may need to be repeated until revegetation is successful. Operators shall contact Jim Amos, Supervisor, Environmental Protection – (575)234-5909, **prior** to beginning surface reclamation operations.

9. Seeding is required: Use the following seed mix.

Seed Mix 4

10. The topsoil to be stripped is approximately 3 inches in depth.

11. Special Stipulations:

12. Upon failure of holder to control, dispose of, or clean up such discharge, or to repair all damages resulting there-from, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

EA File # 11-1078