District L 1625 N French Dr, Hobbs, NM 88240 District II 811 S. Γirst St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Revised August 1, 2011

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)


X Permit Closure Type of action:

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its	responsibility to comply with any other applicable governmental author	ity's rules, regulations or ordinances.	
Operator: Chesapeake Operating, Inc.	OGRID #: 147719		
Address: P.O. Box 18496 Oklahoma City, OK 73			
Facility or well name: PLU BIG SINKS 24 24 30			
	OCD Permit Number: <u>2123</u> 93		
	Township 24 S Range 30 E County: EDD	Υ	
Center of Proposed Design: Latitude 32.210178	Longitude -103.83158	NAD: 🛛 1927 🗌 1983	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment			
2. X Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: X Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or X Haul-off Bins			
3.		RECEIVED	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name,	site location, and emergency telephone numbers		
Signed in compliance with 19.15.16.8 NMAC	she location, and emergency telephone numbers	JAN 04 2012	
4 Closed-loop Systems Permit Application Attachme		NMOCD ARTESIA	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. \[\subseteq \text{ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC} \] \[\subseteq \text{ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC} \] \[\subseteq \text{ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC} \] \[\subseteq \text{ Previously Approved Design (attach copy of design)} \text{ API Number:} \] \[\subseteq \text{ Previously Approved Operating and Maintenance Plan} \text{ API Number:} \]			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.			
Disposal Facility Name: CRI	Disposal Facility Permit Number: N	M-01-0006	
Disposal Facility Name: Sundance Disposal	Disposal Facility Permit Number: N	M-01-0003	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No			
Required for impacted areas which will not be used for future service and operations Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection 11 of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
6. Operator Application Certification:	t.		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief			
Name (Print): Bryan Arrant Title Regulatory Specialist II			
Signature: Date: 01/03/2012			
e-mail address: bryan.arrant@chk.com	Telephone: (405)935-3782		
Form C-144 CLEZ	Oil Conservation Division	Page 1 of 2	

7. OCD Approval: Permit Application (including closure plan) Closure I	Plan (only)	
OCD Representative Signature: According Title: According to the ST	Approval Date: 01 20602 OCD Permit Number: 212393	
Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop System Instructions: Please indentify the facility or facilities for where the liquids, dri two facilities were utilized.	illing fluids and drill cuttings were disposed. Use attachment if more than	
Disposal Facility Name:		
Disposal Facility Name:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No		
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	tions.	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure requires		
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	



Chesapeake Operating, Inc.'s Closed Loop System PLU BIG SINKS 24 24 30 USA 1H Unit B, Sec. 24, T-24-S R-30-E Eddy Co., NM API # TBD

Equipment & Design:

Chesapeake Operating, Inc. is to use a closed loop system with roll-off steel pits.

This rig has:

One Derrick FLC-503 Dual Shale Shaker

One Derrick 3-Cone Desander

One Atmospheric Degasser

One 500 bbl frac tank for fresh water

One 500 bbl frac tank brine water

Operations & Maintenance:

During each and every tour, the rig's drilling crew will inspect and monitor closely the drilling fluids contained within the steel pits and visually monitor any spill which may occur.

Within 48 hours should a spill, release or leak occur, the NMOCD District II office in Artesia (575-748-1283) will be notified. Please note that notifications may be made earlier to the district office should a greater release occur.


Closure:

During and after drilling operations, liquids (which apply), all drill cuttings and drilling fluids will be hauled and disposed to the Controlled Recovery, Inc.'s location.

The permit number for Controlled Recovery, Inc. is: NM-01-0006

The alternative disposal facility will be Sundance Disposal.

Their permit # is: NM-01-0003.







RIG #62

DRAWWORKS

Skytop Brewster N-75-M (1000HP) 1 1/4" drill line, Parmac 342 auxillary brake

POWER

* 4 * 6 * 6

(2) Caterpillar 379 engines (550HP each)

LIGHT PLANTS

(2) Caterpillar C-15 engines w/ 320 KW generators

MAST

Ideal 137' w/ 622,000# capacity on 10 lines

SUBSTRUCTURE

Ideal 15' box on box KB 17' Rotary beam clearance 12' 3"

BLOCK HOOK

McKissick (300 Ton) combo

PUMPS

(2) National 10-P-130 (1300HP each) triplex pumps Each independently powered by (1) Caterpillar 3512 engine

MUD PITS

(2) tank system - 980 bbl capacity w/ 100 bbl slug pit

SOLIDS EQUIPMENT

Derrick FLC-503 Dual Shaker Derrick 3-cone desander Derrick 20-cone desilter Atmospheric degasser (5) mud agitators

BOP'S

13 5/8" X 5,000 psi Hydril annular 13 5/8" X 5,000 psi Shaffer double

ACCUMULATOR

Koomey 5-Station, 110 gallon accumulator

CHOKE MANIFOLD

5,000 psi choke manifold

SWIVEL

Continental Emsco (400 Ton)

ROTARY TABLE

National (27 1/2")

DRILL PIPE

4 1/2" drill pipe

DRILL COLLARS

8" and 6 1/2" drill collars *quantity subject to availibility

AUXILIARY EQUIPMENT

Pason EDR (base system)
Fuel Tank - 10,000 gallon capacity
Water Tank - (2) 500 barrel capacity each
Rig Manager Quarters
NOV ST-80 Iron Roughneck
Satellite automatic driller
Mathey survey unit



Revised 10.01.09