District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Santa Fe, NM 87505 office

Pit or Relow-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank X		
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mai Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: George QJ Federal Com 8 API #: 30-005-63626 U/L o County: Chaves Latitude 33.76137 Longitude 1 Surface Owner: Federal X State Private Indian	1 address: <u>mikes@ypc.com</u> r Qtr/Qtr <u>M</u> Sec <u>25 T 6S</u> R <u>25E</u>	
Pit Type: Drilling X Production Disposal Work over Emergency Lined X Unlined Liner type: Synthetic Thickness 12 mil Clay Pit Volume 12,000 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	APR 1 9 2005
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Yes No Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (0 points) XXXX (20 points) (10 points) (0 points) XXXX
	Ranking Score (Total Points)	0 POINTS
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite If offsite, name of facility NA (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for encapsulation trench. The drilling pit contents will be mixed to stiffen the pit contents. Encapsulation trench will be excavated and lined with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the pit contents with a min. of a 3' over lap of the underlying trench areas. The encapsulation trenches will then be backfilled back to grade using a min. of 3' of clean soil and like material. A one call & 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin.		
Pit Closure actions to begin by NA. Ending date NA		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit X , or an (attached) alternative OCD-approved plan Date:		
Approval: Printed Name/Title	Signature	APR 19 2005

Record Count: 1

New Mexico Office of the State Engineer Well Reports and Downloads Grore GJ Federal Can 8		
Township: 06S Range: 25E		
NAD27 X: Y:	Zone: Search Radius:	
County: Basin:	Number: Suffix:	
Owner Name: (First) (La	St) ONon-Domestic ODomestic Onon-Domestic ODomestic	
Well / Surface Data Report Wate Clear Form	Avg Depth to Water Report er Column Report WATERS Menu Help	
AVERAGE DEPTH OF WATER REPORTED TO SEC 2010 X RA 06S 25E 35	RT 04/18/2005 (Depth Water in Feet) Y Wells Min Max Avg 1 174 174 174	

