



Western Drilling, Inc.
415 W. Wall Street, Suite 1750, Midland, TX 79701
Ph. (432) 683-1700 Fax (432) 683-1703

INCLINATION REPORT

DATE: 06/17/2011


30-015-38415

WELL NAME AND NUMBER: East Turkey Track Fed Com #5H
API NUMBER: 30-015-38415
COUNTY: Eddy
STATE: New Mexico
LOCATION: Section 26-T18S-R29E
OPERATOR: MYCO Industries, Inc.
DRILLING CONTRACTOR: Western Drilling, Inc.

The undersigned hereby certifies that they are an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

DEV.:	DIR.:	DEPTH:	DEV.:	DIR.:	DEPTH:
0.25		257'	92.13	264.33	8,431'
0.50		737'	91.08	273.38	8,873'
1.00		1,242'	91.64	273.87	9,408'
1.25		1,652'	91.22	275.28	9,942'
0.75		2,183'	92.13	275.40	10,445'
2.25		2,648'	93.40	275.97	10,678'
1.25		2,873'	90.03	274.18	11,149'
1.50		3,177'	89.69	273.71	11,625'
1.00		3,614'	90.45	273.42	12,004'
0.25		4,086'	91.85	273.90	12,197'
1.00		4,558'	92.27	273.66	12,229'
0.75		5,060'	91.93	273.37	12,480'
1.00		5,531'	91.09	272.93	12,649'
1.44	281.10	6,295'			
2.65	234.20	6,860'			
3.27	192.53	7,331'			
7.86	261.22	7,670'			
17.38	254.37	7,765'			
33.00	249.36	7,896'			
74.45	257.33	8,215'			

Drilling Contractor:



Western Drilling, Inc.

By:

Marty K. Green

Contract Administrator

Subscribed and sworn to before me on this 17th day of June, 2011.

By:

MYCO

Santo Nino

Eddy County, NM

East Turkey Track Federal Com #5H

VH - Job #32K0511418

Survey: Actual

SDI Standard Survey Report

12 May, 2011

This survey is correct to the best of my knowledge and is supported by actual field data.

K. L. Martin


Notarized this date 13th of June, 2011.

Carrie Reed

Notary Signature

County of Midland

State of Texas



Scientific Drilling International, Inc.
SDI Standard Survey Report



Company:	MYCO	Local Co-ordinate Reference:	Well East Turkey Track Federal Com #5H
Project:	Santo Nino	TVD Reference:	WELL @ 0 0usft (Original Well Elev)
Site:	Eddy County, NM	MD Reference:	WELL @ 0 0usft (Original Well Elev)
Well:	East Turkey Track Federal Com #5H	North Reference:	Grid
Wellbore:	VH - Job #32K0511418	Survey Calculation Method:	Minimum Curvature
Design:	VH - Job #32K0511418	Database:	EDM-Regulatory

Project	Santo Nino		
Map System:	US State Plane 1927 (Exact solution)	System Datum:	Mean Sea Level
Geo Datum:	NAD 1927 (NADCON CONUS)		
Map Zone:	New Mexico East 3001		

Site	Eddy County, NM				
Site Position:		Northing:	624,568 16 usft	Latitude:	32° 43' 0 059 N
From:	Lat/Long	Easting:	591,330 94 usft	Longitude:	104° 2' 10 968 W
Position Uncertainty:	0 0 usft	Slot Radius:	13-3/16"	Grid Convergence:	0 16 °

Well	East Turkey Track Federal Com #5H, Directional (Weatherford)					
Well Position	+N/-S	0 0 usft	Northing:	623,045 67 usft	Latitude:	32° 42' 44 996 N
	+E/-W	0 0 usft	Easting:	591,209 71 usft	Longitude:	104° 2' 12 437 W
Position Uncertainty		0 0 usft	Wellhead Elevation:	usft	Ground Level:	0 0 usft

Wellbore	VH - Job #32K0511418				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	5/8/2011	7 85	60 56	48,895

Design	VH - Job #32K0511418				
Audit Notes:					
Version:	1 0	Phase:	ACTUAL	Tie On Depth:	0 0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0 0	0 0	0 0	271 62	

Survey Program		Date	5/12/2011		
From (usft)	To (usft)	Survey (Wellbore)		Tool Name	Description
100 0	5,960 0	Actual (VH - Job #32K0511418)		Keeper	Keeper Gyro

Measured Depth (usft)	Inclination (°)	Azimuth (°)	True Vertical Depth	North/South (usft)	East/West (usft)	Closure Azimuth (°)	Closure Distance (usft)
0 0	0 00	0 00	0 0	0 0	0 0	0 00	0 0
100 0	0 52	234 31	100 0	-0 3	-0 4	234 31	0 5
200 0	0 57	255 95	200 0	-0 7	-1 2	241 94	1 4
300 0	0 55	229 90	300 0	-1 1	-2 1	242 44	2 3
400 0	0 19	222 68	400 0	-1 5	-2 5	239 34	3 0
500 0	0 19	233 72	500 0	-1 7	-2 8	238 23	3 3
600 0	0 20	135 77	600 0	-2 0	-2 8	235 15	3 4
700 0	0 48	75 34	700 0	-2 0	-2 3	229 12	3 0
800 0	0 44	79 15	800 0	-1 8	-1 5	219 83	2 3
900 0	1 09	82 39	900 0	-1 6	-0 2	186 35	1 6
1,000 0	1 32	75 87	1,000 0	-1 2	1 9	122.30	2 2
1,100 0	1 27	86 23	1,099 9	-0 8	4 1	101 51	4 2

Scientific Drilling International, Inc.

SDI Standard Survey Report



Company: MYCO
Project: Santo Nino
Site: Eddy County, NM
Well: East Turkey Track Federal Com #5H
Wellbore: VH - Job #32K0511418
Design: VH - Job #32K0511418

Local Co-ordinate Reference: Well East Turkey Track Federal Com #5H
TVD Reference: WELL @ 0 0usft (Original Well Elev)
MD Reference: WELL @ 0 0usft (Original Well Elev)
North Reference: Grid
Survey Calculation Method: Minimum Curvature
Database: EDM-Regulatory

Survey							
Measured Depth (usft)	Inclination (°)	Azimuth (°)	True Vertical Depth	North/South (usft)	East/West (usft)	Closure Azimuth (°)	Closure Distance (usft)
1,200 0	1 22	79 49	1,199 9	-0 6	6 3	95 19	6 3
1,300 0	1 03	84 09	1,299 9	-0 3	8 2	91 97	8 2
1,400 0	1 26	81 70	1,399 9	0 0	10 2	90 17	10 2
1,500 0	1 08	74 60	1,499 8	0 4	12 2	88 22	12 2
1,600 0	1 10	83 43	1,599 8	0 7	14 0	86 99	14 1
1,700 0	0 98	96 11	1,699 8	0 8	15 8	87 26	15 9
1,800 0	1 02	89 82	1,799 8	0 7	17 6	87 82	17 6
1,900 0	0 97	88 76	1,899 8	0 7	19 3	87 95	19 3
2,000 0	0 96	86 56	1,999 8	0 8	21 0	87 93	21 0
2,100 0	1 15	82 58	2,099 7	0 9	22 8	87 65	22 9
2,200 0	0 91	85 25	2,199 7	1 1	24 6	87 36	24 6
2,300 0	0 94	86 59	2,299 7	1 2	26 2	87 27	26 3
2,400 0	1 11	91 73	2,399 7	1 3	28 0	87 41	28 0
2,500 0	1 03	90 85	2,499 7	1 2	29 9	87 65	29 9
2,600 0	1 09	99 01	2,599 7	1 1	31 7	88 08	31 7
2,700 0	0 96	93 25	2,699 6	0 9	33 5	88 52	33 5
2,800 0	1 16	91 54	2,799 6	0 8	35 3	88 72	35 4
2,900 0	1 14	96 25	2,899 6	0 7	37 3	88 99	37 4
3,000 0	1 14	90 90	2,999 6	0 5	39 3	89 22	39 3
3,100 0	0 92	96 38	3,099 6	0 4	41 1	89 40	41 1
3,200 0	0 91	90 26	3,199 6	0 3	42 7	89 55	42 7
3,300 0	1 06	98 46	3,299 5	0 2	44 4	89 75	44 4
3,400 0	0 90	78 64	3,399 5	0 2	46 1	89 73	46 1
3,500 0	1 04	86 62	3,499 5	0 4	47 8	89 49	47 8
3,600 0	1 00	79 17	3,599 5	0 6	49 5	89 26	49 6
3,700 0	0 70	91 16	3,699 5	0 8	51 0	89 11	51 0
3,800 0	0 87	83 80	3,799 5	0 9	52 4	89 06	52 4
3,900 0	0 53	93 06	3,899 5	0 9	53 6	89 02	53 6
4,000 0	0 26	96 75	3,999 5	0 9	54 3	89 09	54 3
4,100 0	0 07	40 12	4,099 5	0 9	54 5	89 07	54 6
4,200 0	0 27	290 35	4,199 5	1 0	54 4	88 93	54 4
4,300 0	0 64	309 21	4,299 5	1 5	53 7	88 45	53 7
4,400 0	0 86	325 52	4,399 5	2 4	52 9	87 38	52 9
4,500 0	1 01	327 36	4,499 4	3 8	52 0	85 84	52 1
4,600 0	1 14	334 27	4,599 4	5 4	51 0	83 94	51 3
4,700 0	1 16	336 75	4,699 4	7 2	50 2	81 79	50 7
4,800 0	1 01	341 13	4,799 4	9 0	49 5	79 69	50 3
4,900 0	0 74	344 80	4,899 4	10 5	49 1	77 96	50 2
5,000 0	0 59	329 59	4,999 4	11 5	48 6	76 66	50 0
5,100 0	0 68	343 19	5,099 4	12 5	48 2	75 41	49 8
5,200 0	0 79	2 57	5,199 4	13 8	48 1	73 98	50 0
5,300 0	0 84	5 79	5,299 3	15 2	48 2	72 47	50 5
5,400 0	0 89	353 34	5,399 3	16 7	48 2	70 85	51 0
5,500 0	0 92	340 69	5,499 3	18 3	47 8	69 10	51 2

Scientific Drilling International, Inc.
SDI Standard Survey Report



Company:	MYCO	Local Co-ordinate Reference:	Well East Turkey Track Federal Com #5H
Project:	Santo Nino	TVD Reference:	WELL @ 0 0usft (Original Well Elev)
Site:	Eddy County, NM	MD Reference:	WELL @ 0 0usft (Original Well Elev)
Well:	East Turkey Track Federal Com #5H	North Reference:	Grid
Wellbore:	VH - Job #32K0511418	Survey Calculation Method:	Minimum Curvature
Design:	VH - Job #32K0511418	Database:	EDM-Regulatory


Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	True Vertical Depth	North/South (usft)	East/West (usft)	Closure Azimuth (°)	Closure Distance (usft)
5,600 0	1 30	314 06	5,599 3	19 8	46 7	67 04	50 7
5,700 0	1 22	310 22	5,699 3	21 3	45 1	64 75	49 9
5,800 0	1 10	326 72	5,799 3	22 8	43 8	62 52	49 3
5,900 0	1 32	348 90	5,899 2	24 7	43 0	60 14	49 6
5,960 0	1 44	335 69	5,959 2	26 1	42 6	58 52	49 9




Magnetic Field
Strength 48895 2snT
Dip Angle 60 56°
Date 5/8/2011
Model IGRF2010

+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
0.0	0.0	623045.67	591209.71	32° 42' 44.996 N	104° 2' 12.437 W	



PROJECT DETAILS: Santo Nino
Geodetic System: US State Plane 1927 (Exact solution)
Datum: NAD 1927 (NADCON CONUS)
Ellipsoid: Clarke 1866
Zone: New Mexico East 3001
System Datum: Mean Sea Level

SITE DETAILS: Eddy County, NM
Site Centre Latitude: 32° 43' 0.059 N
Longitude: 104° 2' 10.968 W
Positional Uncertainty: 0.0
Convergence: 0.16
Local North Grid



3" BALL VALVES - ISOLATED & SEALED DURING SALES
FILL LINES

SECONDARY CONTAINMENT

EQUALIZE
SALES

- ① - S/N 4074
Tank # 284
- ② - S/N 4381
Tank # 285
- ③ - S/N 3622
Tank # 286
- ④ - S/N 4073
Tank # 287
- ⑤ - S/N 4430
Tank # 288

- ⑥ - S/N 3282-06
- ⑦ - S/N 3321-05

PUMP UNIT

WELL

FLOW LINE

MYCO INDUSTRIES, INC.
EAST TURKEY TRACK FED.COM. 5-6H

COMMON TANK BATTERY

T185 - R29E - SEC 26

EDDY COUNTY, NM

API: 30-015-38415 #5H

API: 30-015-38416 #6H

GAS SALES

DCP