

Submit To Appropriate District Office Two Copies District I 1625 N French Dr, Hobbs, NM 88240 District II 811 S First St, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised August 1, 2011
		1. WELL API NO. 30-015-29605
		2. Type of Lease <input type="checkbox"/> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> FED/INDIAN
		3. State Oil & Gas Lease No NM 89057
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
4. Reason for filing. <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19 15.17.13.K NMAC)		5. Lease Name or Unit Agreement Name ROSS RANCH 10 FED 6. Well Number: <div style="text-align: right; font-size: 1.2em;">SWD-1298</div>
7. Type of Completion: <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER Convert to SWD		
8. Name of Operator Devon Energy Production Company, LP		9. OGRID 6137
10. Address of Operator 20 North Broadway, Oklahoma City, OK 73102		11. Pool name or Wildcat Wildcat Brushy Canyon
12. Location	Unit Ltr	Section
Surface:	H	10
BH:	H	10
Township		Range
26S		31E
Feet from the		N/S Line
1980		N
Feet from the		E/W Line
1980		E
County		Eddy
13. Date Spudded 5-25-1997		
14. Date T D Reached 6-05-1997		
15. Date Rig Released 6-12-1997		
16. Date Completed (Ready to Produce) 12-3-1997 Converted to SWD 10-13-2011		
17. Elevations (DF and RKB, RT, GR, etc) 3228' KB; 3216' GL		
18. Total Measured Depth of Well 8400		19. Plug Back Measured Depth 5467
20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Yes
22. Producing Interval(s), of this completion - Top, Bottom, Name SWD Injection Interval; Cherry Canyon 5118-5367		
23 CASING RECORD (Report all strings set in well)		
CASING SIZE	WEIGHT LB /FT	DEPTH SET
11-3/4"	42	687
8-5/8"	32	4015
5-1/2"	17	8400
HOLE SIZE		CEMENTING RECORD
14-3/4"		550 sx
11"		950 sx
7-7/8"		1600 sx
AMOUNT PULLED		
24. LINER RECORD SIZE TOP BOTTOM SACKS CEMENT SCREEN		
25. TUBING RECORD SIZE DEPTH SET PACKER SET		
2-7/8" 5068 5069		
26. Perforation record (interval, size, and number) 10-5-2011 RU WIRE LINE PERFORATE CHERRY CANYON AS FOLLOWS: 5118' - 5126' -- 8', 5146' - 5198' -- 52', 5226' - 5240' -- 14', 5292' - 5320' -- 28', 5254' - 5367' -- 13'		
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 5118-5367 PUMP 7387 GALS 7-1/2% HCL ACID, PUMP 10 BBLS ACID AHEAD DROPPING 10 - 1.3' SPG BALL SEALER EVERY 10 BBLS ACID.		
28. PRODUCTION		
Date First Production Injection- 2-29-2012		Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod or Shut-in) Active-SWD
Date of Test	Hours Tested	Choke Size
Prod'n For Test Period	Oil - Bbl	Gas - MCF
Water - Bbl	Gas - Oil Ratio	
Flow Tubing Press	Casing Pressure	Calculated 24-Hour Rate
Oil - Bbl	Gas - MCF	Water - Bbl
Oil Gravity - API - (Corr.)		
29. Disposition of Gas (Sold, used for fuel, vented, etc)		30. Test Witnessed By
31. List Attachments Wellbore Schemat, M I T.		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.		
33. If an on-site burial was used at the well, report the exact location of the on-site burial:		
Latitude		Longitude
		NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Derek Berg Printed Name Derek Berg Title Operations Technician Date 3-9-2012
E-mail Address derek.berg@dnr.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: Ross Ranch 10 Fed 1		Field: Wildcat Brushy Canyon	
Location: 1980' FNL & 660' FEL; Sec 10, T26S, R31E		County: Eddy	State: NM
Elevation: 3228' KB; 3216' GL		Spud Date: 5/25/97	Compl Date: 6/20/97 (orig. cml)
API#: 30-015-29605	Prepared by: Derek Berg	Date: 03/07/12	Rev:

