Submit 1 Copy To Appropriate District Office	State of New Mexico		Form C-103
District I - (575) 393-6161			October 13, 2009 WELL API NO.
1625 N French Dr , Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	1625 N French Dr., Hobbs, NM 88240		30-015-05126
811 S First St., Artesia, NM 88210	Artesia, NM 88210 OIL CONSERVATION DIVISION		5. Indicate Type of Lease
<u>District III</u> – (505) 334-6178			STATE   FEE   FED
1000 Rio Brazos Rd , Aztec, NM 87410 <u>District IV</u> (505) 476-3460			6. State Oil & Gas Lease No.
1220 S St Francis Dr , Santa Fe, NM 87505			
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			8
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			H E West B
1. Type of Well: Oil Well Gas Well Other INJECTION			8. Well Number: 020
2. Name of Operator			9. OGRID Number 269324
LINN OPERATING, INC.			
3. Address of Operator			10. Pool name or Wildcat
600 TRAVIS, SUITE 5100, HOUSTON, TEXAS 77002			GRAYBURG JACKSON;SR-Q-G-SA
4. Well Location			
Unit Letter O; 660 feet from the S line and 1980 feet from the E line			
Section 10 Township 17S Range 31E NMPM EDDY County			
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
3906' GL			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:  PERFORM REMEDIAL WORK ☑ PLUG AND ABANDON ☐ REMEDIAL WORK ☐ ALTERING CASING ☐			
TEMPORARILY ABANDON  CHANGE PLANS  COMMENCE DRILLING OPNS. P AND A			
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMENT	
DOWNHOLE COMMINGLE	MOETH EE GOIM E	O, CONTO, OEMENT	
<del></del>			_
OTHER:		OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of			
proposed completion or recompletion.			
proposed completion of recompletion.			
LINN proposes to MIRU and POH w/ tbg & pkr to locate and repair the problem and RTI.			
			DECEIVED
			RECEIVED
			APR <b>5</b> 2012
<u>,</u>			
Spud Date:	Rig Release Date	۵۰	NIJOCD ARTESIA
Space Date.	Kig Kelease Dan	c	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
Valle ha			
SIGNATURE TITLE: REGULATORY SPECIALIST III DATE APRIL 5, 2012			
Type or print name TERRY B. CALLAHAN E-mail address: tcallahan@linnenergy.com PHONE: 281-840-4272			
For State Use Only			
APPROVED BY: RUMPS / NGS TITLE COMPLIANCE OFFICER DATE 4/16/12			
Conditions of Approval (if any):			•

## **DEVON ENERGY CORPORATION** WELLBORE SCHEMATIC WELL NAME HE WEST B #20 FIELD: GRAYBURG-JACKSON. LOCATION: 660'FSL & 1980'FEL, SEC 10-T17S-R31E COUNTY: EDDY STĂTE::NM SPUD DATE: 02/09/59 COMP DATE: 04/03/59 ELEVATION: GL=3906'; KB=UNK PREPARED BY: C.H. CARLETON DATE: 10/30/97 API#: 30-015-05126 **DEPTH** SIZE WEIGHT **GRADE** THREAD HOLE SIZE 0' - 797' 10 3/4" 32.75# H-40 ST&C 12 1/2" CASING: J-55 CASING: 0 - 3635 5 1/2 14# ST&C 9.7/8" 11.34# CASING: 3175' - 3966' 4" J-55 4 3/4" TUBING: 2 3/8" 4.7# .J-55 EUE 8rd 0' - 3090' TUBING: CURRENT **PROPOSED** OPERATOR: DEVON ENERGY CORPORATION(NEVADA) 10 3/4" CASING @ 797' W/100 SXS. TOC @ 500'(calculated) **DETAIL OF PERFORATIONS** LOCO HILLS: 3353', 55', 59', 61', 62', 63', 64" METEX: 3398', 3400', 02', 04', 07', 08', 09', 23', 24', 35', 38', 40' 'L.GRAYBURG: 3454', 55', 56', 67', 69', 87', 89', 90' PREMIER: 3505', 09', 11', 13', 14', 16', 19', 21', 27', 29', 34', 35', 37', 43', 45', 46', 48', 50', 52', 54' VACUUM: 3603', 04', 06', 07', 08', 10', 18', 19', 24', 31', 34' **LOVINGTON:** 3677', 80', 82', 84', 85', 86', 88', 90', 3715', 16', 20', 21' U.JACKSON: 3734', 36', 76', 84', 3814', 16' M.JACKSON: 3829', 32', 33', 37', 38', 39', 58', 59', 65', 70', 77', 82', 86', 3906', 07', 14', 15', 24', 30', 33', 34', 36', 37' GUIBERSON ER-6; PACKER @ 3090" 5 1/2" CASING @ 3635' W/100 SXS: TOC @ 3450'(calculated) PERFORATIONS: 3353'- 3784' (OPEN) - 74 HOLES PERFORATIONS: 3353'- 3937' (OA) - 99 HOLES CIBP @ 3800' PBTD @ 3966" 4" LINER @ 3175'- 3966' W/55 SXS. TD @ 3971

The same of the sa