

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	7. Lease Name or Unit Agreement Name <u>State 19</u>
2. Name of Operator <u>OXY USA Inc.</u>	8. Well Number <u>2</u>
3. Address of Operator <u>P.O. Box 50250 Midland, TX 79710</u>	9. OGRID Number <u>16696</u>
4. Well Location Unit Letter <u>L</u> : <u>1980</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>West</u> line Section <u>19</u> Township <u>20S</u> Range <u>27E</u> NMPM County <u>Eddy</u>	10. Pool name or Wildcat <u>McMillan Wolfcamp, SW</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3285' GR</u>	


12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
OTHER: <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Forms. www.emnrd.state.nm.us/oed.



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 5/21/12

Type or print name _____ E-mail address: david_stewart@oxy.com PHONE: 432-685-5717
For State Use Only

APPROVED BY: David H. Anderson TITLE _____ DATE 5/23/2012
Conditions of Approval (if any):

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OCD Web Page under
Forms. www.emnrd.state.nm.us/oed.

State 19 #2

- 4/24/12 MIRU PU, LD PR, start to POOH w/ rod & pump
- 4/25/12 Cont POOH w/ rods & pump. NDWH, NU BOP, POOH w/ tbg.
- 4/26/12 RIH w/ WL & tag @ 8025', POOH. RIH & set CIBP @ 8025', POOH. RIH & tag CIBP @ 8025', circ hole w/ 10# MLF.
- 4/26/12 M&P 25sx CL C cmt, Calc TOC-7664', PUH to 7614', spot 25sx CL C cmt, POOH, WOC.
- 4/30/12 RIH & tag cmt @ 7430', PUH to 5582', circ hole w/ 10# MLF, spot 35sx CL C cmt w/ 2% CaCl₂, PUH, WOC. RIH & tag cmt @ 5276', OK'd by Phil Hawkins-NMOCD, PUH to 3047', spot 25sx CL C cmt w/ 2% CaCl₂, PUH, WOC.
- 5/1/12 RIH & tag cmt @ 2562', PUH to 1162', spot 30sx CL C cmt w/ 3% CaCl₂, POOH, WOC. RIH & tag cmt @ 700', POOH, SI, confirm wellbore info.
- 5/2/12 WO info & orders from OXY & NMOCD, NDBOP, NUWH, RD
- 5/3/12 MIRU, NDWH, NUBOP, RIH w/ 3-7/8" bit 6 - 3-1/8" DC & tbg & tag @ 658', RU swivel, DO cmt to 700', circ clean
- 5/4/12 Start drlg cmt @ 700' to 881', circ clean.
- 5/7/12 Drlg cmt from 881' to 1162', fell out, RIH & tag cmt @ 2564'.
- 5/8/12 Drlg cmt @ 2564' to 2971', circ clean.
- 5/9/12 Drlg cmt @ 2971'-3090', fell out, circ clean, POOH. RIH & tag cmt @ 5002', drlg cmt to 5300', circ
- 5/10/12 Drlg cmt @ 5300'-5632' fell out, circ clean, RD swivel.
- 5/11/12 POOH w/ DC & tbg, RU WL, RIH w/ CBL, TOC @ 5140', POOH w/ WL, RIH to 5607'
- 5/14/12 WO rig mechanic & weather to clear.
- 5/15/12 RIH to 5607', circ hole w/ 10# MLF, spot 30sx CL C cmt w/ 2% CaCl₂, PUH, WOC. RIH w/ WL & tag cmt @ 5120'. PUH & perf @ 3050', POOH w/ WL. RIH & set pkr @ 30', EIR @ 2BPM w/ full returns up 4-1/2" X 7". Contact Phil Hawkins-NMOCD, rec appr to circ cmt to surf. Rel pkr, POOH, NDBOP, NUWH.
- 5/16/12 WO cmt, NU 4-1/2" csg head, EIR w/ full returns, circ 435sx CL C cmt to surf. RDPU.

OXY USA Inc. - Current
State 19 #2
API No. 30-015-32612

435sx cmt @ 3050'-Surface

30sx @ 5607-5120' Tagged

35sx @ 5582-5607' Tagged

25sx @ 7614-7430' Tagged

CIBP @ 8025' w/ 25sx-Calc TOC-7664'

100sx @ 8144-7804'

90sx @ 8201-8144'

50sx @ 10700-10233'

