

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30- 015 - 30295
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. UA 956
7. Lease Name or Unit Agreement Name Oxy Zephyr State
8. Well Number 1
9. OGRID Number 192463
10. Pool name or Wildcat Black River Atoka, Wenta

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other	
2. Name of Operator OXY USA WTP Limited Partnership	
3. Address of Operator P.O. Box 50250 Midland, TX 79710	
4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>east</u> line Section <u>32</u> Township <u>23S</u> Range <u>26E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3429' GR</u>	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:  
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐


SUBSEQUENT REPORT OF:  
REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☒  
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached



Approved for plugging of well bore only.  
Liability under bond is retained pending receipt  
of C-103 (Subsequent Report of Well Plugging)  
which may be found at OCD Web Page under  
Forms, www.emnrd.state.nm.us/oed.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 7/9/12

Type or print name \_\_\_\_\_ E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY David Stewart TITLE \_\_\_\_\_ DATE 7/16/2012  
Conditions of Approval (if any):

Approved for plugging of well bore only.  
Liability under bond is retained pending receipt  
of C-103 (Subsequent Report of Well Plugging)  
which may be found at OCD Web Page under  
Forms, www.emnrd.state.nm.us/oed.

OXY Zephyr State #1 - 30-015-30295

- 6/26/12 MIRU PU, BD TBG/CSG, dig out cellar to surf head, NDWH, NU BOP, Work tbg, rel on/off tool, equalize tbg & csg, latch on to pkr mandrell, work to release, start to POOH.
- 6/27/12 Continue to POOH w/ tbg & pkr.
- 6/28/12 Start to RIH w/ CIBP
- 6/29/12 Continue to RIH w/ CIBP & set @ 10550'.
- 7/2/12 RIH & tag CIBP @ 10550', cir hole w/ 10# MLF, spot 30sx CI H cmt, Calc TOC 10279'. PUH to 8651', load hole w/ 10# MLF, spot 25sx CI C cmt, PUH, WOC. RIH & tag cmt @ 8430', PUH to 7035', spot 25sx CL H cmt, PUH, WOC.
- 7/3/12 RIH & tag cmt @ 6797', POOH. RIH & set pkr @ 5007', RIH w/ WL & perf @ 5410', POOH w/ WL. EIR @ 1.75BPM @ 900#, sqz 45sx CL C cmt w/ 2% CaCl<sub>2</sub>, WOC. Rel pkr, PUH & set pkr @ 3485'.
- 7/4/12 RIH w/ WL & tag cmt @ 5160', PUH & perf @ 3880', RDWL, EIR @ 2BPM w/ full returns up 5-1/2" X 8-5/8", sqz 45sx CL C cmt w/ 2% CaCl<sub>2</sub>, WOC, Rel pkr & PUH to 1838'. RIH w/ WL & tag cmt @ 3656', PUH & perf @ 2350', RDWL. EIR @ 2BPM w/ full returns up 5-1/2" X 8-5/8", sqz 50sx CI C cmt w/ 2% CaCl<sub>2</sub>, WOC, Rel pkr, PUH to 1362'. RIH w/ WL & tag cmt @ 2164', PUH & perf @ 1775', RDWL. EIR @ 2BPM w/ full returns up 5-1/2" X 8-5/8", sqz 45sx CI C cmt w/ 2% CaCl<sub>2</sub>, WOC.
- 7/5/12 Rel pkr, PUH & set pkr @ 30', RIH w/ WL & tag cmt @ 1570', PUH & perf @ 482', unable to EIR, pressure to 1400#. RIH w/ WL & reperf @ 482', EIR @ 2BPM w/ full returns up 5-1/2" X 8-5/8", circ 135sx CL C cmt to surf. POOH w/ pkr, NDBOP, top off csg, RDPU.