District I 1625 N. French Dr., Hoobs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Río Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 July 21, 2008
For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Form C-144 CLEZ

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)


Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface wa environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's re-	ter, ground water or the ules, regulations or ordinances.	
1 2 H 0' 1 C TAL 20070 H 003080		
Operator.	0.2	
	<u> </u>	
Facility or well name: GISSLEY B * 86 API Number: 36. 015. 40530 OCD Permit Number: 213257		
	NAD: □1927 □ 1983	
Surface Owner: 🔀 Federal 🗌 State 🔲 Private 🔲 Tribal Trust or Indian Allotment		
Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A		
Above Ground Steel Tanks or M Haul-off Bins	DECEIVE	
1	PEVENE	
Signs: Subsection C of 19.15.17.11 NMAC	APR 24 2012	
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers		
Signed in compliance with 19.15.3.103 NMAC	NMOCD ARTES	
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: **Swaste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: Disposal Facility Permit Number: Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC		
6. Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): Edic W Sear Title: Agent		
Signature: Date: 4\23\ 2=12		
e-mail address: Sear 94 @ Janes net Telephone: 576 - 392.	2236	

OCD Approval: Permit Application (including closure plan) [Closure Plan (only)		
OCD Representative Signature:	Approval Date: 8012	
Title: DIST IP Supervisor	OCD Permit Number: 213357	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.		
Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) \(\sigma\) No		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		
10. Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.		
Name (Print):	Title:	
Signature:		
e-mail address:	Telephone:	

Form C-144 CLEZ



BURNETT OIL CO., INC. PROPOSED DRILL SITE LAYOUT


235

. Q

·

.

.



OPERATIONAL & MAINTENANCE:

Drilling fluid coming out of Wellborc will go
through flowline across shale shaker. Solids will
drop into roll-off bins. Drilling fluid will be
pumped into containers with baffles as drown
above. Baffles slow fluid relocity to allow
solids to fall down through 6 air actuated
velves into roll-off containers. Clear water
goes out back to drilling fluid steepits
while are hauled to disposal. Leftover
liquid will be hauled to disposal.

DURNETT OIL CO. Jac. Operation and Maintenance

Closed Loop equipment will be inspected daily by each tour and any necessary maintenance performed Any leak in system will be repaired and/or contained immediately

OCD notified within 48 hours

Remediation process started

Closure Plan

During drilling operations all liquids, drilling fluids and cuttings will be hauled off via CRI (Controlled Recovery Incorporated Permit R-9166).