Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD.	Artesia
------	---------

FORM APPROVED OMB NO 1004-0135 Expires, July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.		NMLC028731B	
		6 If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on reverse side.		7 If Unit or CA/Agreement, Name and/or No.	
1. Type of Well		8. Well Name and No DODD FEDERAL UNIT 192H 901 H	
☑ Oıl Well 🔲 Gas Well 🔲 Other	DODD FEDERAL UNIT 19 2H - 101 11		
2 Name of Operator Contact KACIE CONNALLY COG OPERATING LLC E-Mail: kconnally@concho.com		9 API Well No. 30-015-40343	
3a Address 550 W. TEXAS, SUITE 100 MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-221-0336	10 Field and Pool, or Exploratory DODD;GLORIETA-UPPER YESO	
4 Location of Well (Footage, Sec., T. R., M., or Survey Description)		11 County or Parish, and State	
Sec 10 T17S R29E NENE 1115FNL 15FEL		EDDY COUNTY, NM	
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			

TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent	☐ Acidıze	☐ Deepen	Production (Start/Resume)	☐ Water Shut-Off
Notice of Intent	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	· 🗖 Well Integrity
☐ Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete	⊶ ⊡ Other
☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	☐ Temporarily Abandon	•
	Convert to Injection	☐ Plug Back **	■ Water Disposal	

Describe Proposed or Completed Operation (clearly state all petinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) determined that the site is ready for final inspection.)

COG respectfully requests permission to construct a frac pond in Section 11 of T17S R29E for the Dodd Federal Unit lease and the Submarine Federal Com lease.

The frac pond is indicated on the attached plat from the South of the Dodd Federal Unit 10 2H well location. They survey and approved area will be 400'x400' in size.

Onsite has been preformed with John Fast.

Accepted for records

NMOCD clishon



	01 1
14 I hereby certify that the foregoing is true and correct Electronic Submission #144169 verifie For COG OPERATING L	d by the BLM Well Information System .C, sent to the Carlsbad :
Name (Printed/Typed) KACIE CONNALLY	Title PERMITTING TECH
Signature (Electronic Submission)	Date 07/31/2012
THIS SPACE FOR FEDERA	L OR STATE OFFICE USE
Approved By	Title Date 8 / 7/1-
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon	Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

SECTION 11, TOWNSHIP 17 SOUTH, RANGE 29 EAST, N.M.P.M. EDDY COUNTY 3 2 1/2" STL. ROD 10/ 11 **USA** 2" STL. SURFACE LINE CALICHE LEASE ROAD N89°59'32"E 400.0 SUBMARINE 10 FED COM UNIT #4H WELLO SUBMARINE 11 FED COM UNIT #4H WELL DODD 11 FED. COM UNIT #4H WELL DODD 10 FED. COM N89*50'21"E BERM 299 3' (TIE) WELL PAD S89°59'32"W CENTER 400.0 1/4 COR. TOPSOIL GLO "1914" B.C.

LEGEND

- DENOTES FOUND CORNER AS NOTED
- DENOTES SET SPIKE NAIL

NOTE

BEARINGS SHOWN HEREON ARE MERCATOR GRID AND CONFORM TO THE NEW MEXICO COORDINATE SYSTEM "NEW MEXICO EAST ZONE" NORTH AMERICAN DATUM 1983. DISTANCES ARE SURFACE VALUES.

I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR No. I, RONALD J. EIDSON, NEW MEXICO PROFESSIONAL SURVEYOR NO.
3239, DO HEREBY CERTIFY THAT THIS, SURVEY PLAT AND THE ACTUAL
SURVEY ON THE GROUND URON MHICH THAT BASED WERE PERFORMED
BY ME OR UNDER MYSTORICE SUPERMS ON THAT I AM RESPONSIBLE
FOR THIS SURVEY; SHAT THE SURVEY MEDS THE MINIMUM
STANDARDS FOR SERVETING WINEY MEXICO AND THAT IT IS TRUE AND CORRECT TO THE

RONALD J. EIDSOI

DATE

SINCE 1946 IOHN WEST SURVEYING COMPANY

412 N. DAL PASO HOBBS, N.M 88240 (575) 393-3117 www.jwsc.biz

DESCRIPTION:

STOCKPILE

A PROPOSED FRAC POND SITUATED IN THE NORTHWEST QUARTER OF SECTION 11, TOWNSHIP 17 SOUTH, RANGE 29 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE SOUTHWEST CORNER OF THE PROPOSED FRAC POND WHICH LIES NOO'09'39"W 125.4 FEET AND N89"50'21"E 299.3 FEET FROM THE WEST QUARTER CORNER OF SAID SECTION; THEN NOO'00'28"W 400.0 FEET; THEN N89"59'32"E 400.0 FEET; THEN S00'00'28"E 400.0 FEET; THEN S89'59'32"W 400.0 FEET TO THE POINT OF BEGINNING, CONTAINING 3.67 ACRES MORE OR LESS.

400 Feet BBBBB Scale: 1*=200

OG OPERATING, LLC

SURVEY FOR A PROPOSED FRAC POND SITUATED IN THE NW/4 OF SECTION 11, TOWNSHIP 17 SOUTH, RANGE 29 EAST, N.M.P.M. EDDY COUNTY, NEW MEXICO

Survey Date: 7/24/1	2	CAD Date: 7/30/12		Drawn By: DSS	
W.O. No.: 12111318	Rev: .		Rel. W.O.:		Sheet 1 of 1

BLM LEASE NUMBER: NMLC 028731B COMPANY NAME: COG ASSOCIATED WELL NO. & NAME: Dodd Federal Unit 10 #2H

FRAC POND CONDITIONS OF APPROVAL

A copy of the Sundry Notice and attachments, including stipulations, survey plat and diagram, will be on location during construction. BLM personnel may request to see a copy of your permit during construction to ensure compliance with all conditions of approval.

Holder agrees to comply with the following conditions of approval to the satisfaction of the Authorized Officer:

- 1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this permit.
- 2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated.
- 3. Required Standard Conditions of Approval:
 - Contact the Supervisory Environmental Protection Specialist, Jim Amos, at 575-234-5909 at least 24 hours prior to starting construction.
 - The frac pond will only be authorized to contain freshwater and testing of water quality is required. Additives are not allowed without consent of the authorized officer.
 - If at any time the water in the frac pond becomes polluted with salts or other contaminants, use of the frac pond will cease and desist, and all liquids will be removed from the frac pond and disposed of properly.
 - Confine all construction and maintenance activity to the authorized area.
 - Temporary pipelines flowing from the frac pond to the target well will be laid along existing roadways unless an exception has been granted by the authorized officer.
 - Mineral materials extracted during construction of the frac pond will be stored on-location and/or used for constructing the frac pond.
 - The frac pond will be lined.
 - The operator shall stockpile topsoil approximately 25 feet outside the bermed perimeter of the pond in a low profile manner, reasonably protected from wind and water erosion

- Topsoil shall not be used for constructing the frac pond. The topsoil will be used for final reclamation purposes only.
- The frac pond shall be fenced on all sides.
- Install earthen erosion-control structures as are suitable for the specific terrain and soil conditions.
- The plastic lining will be removed prior to final abandonment
- Reclamation efforts will commence immediately after the frac pond is no longer needed for the purpose of completing wells.
- Within 3 months of completion of frac operations on associated wells, all earthwork and final reclamation must be completed. This includes reclaiming and/or removal of:

Any roads approved for use with the pond

Surface water lines

Tanks, pumps, fencing etc.

• Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

Requirements for Operations and Final Reclamation:

- 4. If, during any phase of the construction, operation, maintenance, or termination of the frac pond, any pollutant should be released from the contaminated frac pond, the control and total removal, disposal, and cleaning up of such pollutant, wherever found, shall be the responsibility of holder, regardless of fault.
- 5. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.
- 6. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized

Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

- 7. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.
- 8. After all disturbed areas have been satisfactorily contoured and prepared for seeding the location needs to be revegetated with the seed mixture provided. Seeding may need to be repeated until revegetation is successful. Operators shall contact Jim Amos, Supervisor, Environmental Protection (575)234-5909, **prior** to beginning surface reclamation operations.
- 9. Seeding is required: Use the following seed mix.

Seed Mixture for LPC Sand/Shinnery Sites

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)* per acre. There shall be <u>no</u> primary or secondary noxious weeds in the seed mixture. Seed will be tested and the viability testing of seed will be done in accordance with State law(s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed* per acre:

Species	<u>lb/acre</u>		
Plains Bristlegrass	511	os/A	
Sand Bluestem	5lbs/A		
Little Bluestem	3lbs/A		
Big Bluestem	611	os/A	
Plains Coreopsis	2lbs/A		
Sand Dropseed	1lbs/A		

*Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed

- 10. The topsoil to be stripped is approximately 6 inches in depth.
- 11. Special Stipulations:

Area of disturbance for frac pond shall not exceed 320 x 320 feet.

- 12. Upon failure of holder to control, dispose of, or clean up such discharge, or to repair all damages resulting there-from, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.
- 13. Timing Limitation Stipulation / Condition of Approval for lesser prairie-chicken:
 Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 feet from the source of the noise.