Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OM B No 1004-0137 Expires March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS		5 Lease Serial No. SL NM02447, BHL NM02447
SUNDRY NOTICES AND R Do not use this form for proposals abandoned well. Use Form 3160 - 3	to drill or to re-enter a	6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE- Other in:	structions on reverse sid	7 If Unit or CA/Agreement, Name and/or No. Big Eddy Unit 68294X
l Type of Well ☐ ☐ ☐ Gas Well ☐ ☐ Other		8. Well Name and No.
2. Name of Operator BOPCO, L. P.		Big Eddy Unit #252H 9. API Well No.
3a Address P. O. Box 2760, Midland, TX 79702	3b. Phone No. (include area ca 432-683-2277	10. Field and Pool, or Exploratory Area
-4Location of Well-(Footage, Sec., T., R., M., or Survey Description Surface: SESE, UL P, 620' FSL, 10' FEL, Lat N32.611283 Bottom Hole: 330' FSL, 660' FEL, Sec 2, T20S, R31E, La	, Long W103.830814	WC Williams Sink (Bone Spring) 11. County or Parish, State Sec 35, T19S, R31E
12. CHECK APPROPRIATE BOX(ES) TO TYPE OF SUBMISSION	O INDICATE NATURE OF	
Acidize	Fracture Treat New Construction Plug and Abandon T	Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Shut-Off Well Integrity Variance for flowline hose.
following completion of the involved operations. If the operative testing has been completed Final Abandonment Notices shall determined that the site is ready for final inspection.) BOPCO, L.P. requests a variance to utilize a 10", 230 from the rotating head to the flowline manifold. Utilize safety issues associated with welding on the flowline or rated to 230 psi WP. This hose matches the rated wo	on results in a multiple completion or be filed only after all requirements, in psi WP hose for the flowline lin- ting this hose will quicken nipple uring BOP NU. The hose itself in rking pressure of the flowline sy	-
The pressure test certification from the hose manufacture documentation available for the hose.	turer is attached along with a pi	octure of the hose. This is the only pressure test
Accepted for record NMOCD	RECEIV SEP 1 0 2 NMOCD ART	2012
	L GOD AN	/s/ JD Whitlock Jr
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Charles Warne	Title Drilling	BUREAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE
Signature Charles Warne	Date 8-1	10-12
THIS SPACE FOR	R FEDERAL OR STATE	E OFFICE USE
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this noticertify that the applicant holds legal or equitable title to those right		

which would entitle the applicant to conduct operations thereon

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

METAL HOSE PROS, INC.

08/01/2012 PRESSURE CERTIFICATE SERIES 700 METAL HOSE

TO: BULLDOG SPECIALTIES FROM: METAL HOSE PROS, INC.

10"X11FT W/CS 150# FIX FLG & CS 150# FLT FLG

- 1. WORKING PRESSURE FOR 10" 230 @ 70 DEGREES
- 2. BURST PRESSURE FOR 10" 918 @ 70 DEGREES

HOSE HYDROSTATICLY TESTED @200 PSI FOR LEAKS

