

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS **OCD Artesia**

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

5. Lease Serial No.

NM-81952

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No

8. Well Name and No

Llama ALL Federal Com #9H

9. API Well No.

30-015-37185/9

10. Field and Pool, or Exploratory Area

Brushy Canyon

11. County or Parish, State

Eddy, New Mexico

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Yates Petroleum Corporation

3a. Address

105 South Fourth Street, Artesia, NM 88210

3b. Phone No. (include area code)

(575) 748-1471

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Surface: 330' FSL & 430' FWL,

BHL: 2180' FSL & 430' FWL,

Section 7, T22S-R31E, Unit Letter (Surface M) (BHL L)

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☒ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Subsequent Report	☒ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity
☐ Final Abandonment Notice	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☐ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Accepted for record

NMOCD

Yates Petroleum Corporation respectfully requests permission to change the Production hole size to 8 1/2" from 7973' - 14631' and chang the Production Casing to 5 1/2" 17# P-110 LT&C from 0'-7220' Length = 7220' and 5 1/2" 17# P-110 BT&C from 7220-14631 Length = 7411'

Also, Union 223 will be the rig drilling this well and has a Flex Hose between the well head and the choke manifold.

The manufacturer's certification and specs are attached.

Thank-You,

Operator performed work prior to approval.

RECEIVED

SEP 14 2012

NMOCD ARTESIA

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Troy Peterson

Title

Well Planner

Signature

Date

ACCEPTED FOR RECORD

June 14, 2012

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office


SEP 12 2012

WESLEY W. INGRAM

PETROLEUM ENGINEER

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)



Midwest Hose
& Specialty, Inc.

INTERNAL HYDROSTATIC TEST REPORT			
Customer: FORT WORTH TEXAS		Customer P.O. Number: 130224	
HOSE SPECIFICATIONS			
Type: Rotary / Vibrator Hose RED E /API10K		Hose Length: 50 FEET	
I.D. 3.0 INCHES		O.D. 4.80 INCHES	
WORKING PRESSURE 5,000 PSI	TEST PRESSURE 5,000 PSI		BURST PRESSURE N/A PSI
COUPLINGS			
Part Number E3.0X64WB E3.0X64WB	Stem Lot Number 1Q11LOT1 1Q11LOT1	Ferrule Lot Number 1Q11LOT1 1Q11LOT1	
Type of Coupling: Swage-It		Die Size: 5.25 INCHES	
PROCEDURE			
<i>Hose assembly pressure tested with water at ambient temperature.</i>			
TIME HELD AT TEST PRESSURE 5 3/4 MIN.		ACTUAL BURST PRESSURE: N/A PSI	
Hose Assembly Serial Number: 141521		Hose Serial Number: 7584	
Comments:			
Date: 3/5/2012	Tested:	Approved: <i>[Signature]</i>	



Midwest Hose
& Specialty, Inc.

Internal Hydrostatic Test Graph

March 5, 2012

Customer: Fw Texas


Pick Ticket #: 141521

Hose Specifications:

<u>Hose Type</u>	<u>Length</u>
Red E	50'
<u>I.D.</u>	<u>O.D.</u>
5"	4 4/5"
<u>Working Pressure</u>	<u>Burst Pressure</u>
10950 PSI	Standard Safety Multiplier Applies

Verification

<u>Type of Fitting</u>	<u>Coupling Method</u>
4 1/16 5K	Swage
<u>Die Size</u>	<u>Final O.D.</u>
5.25	5 1/4"
<u>Hose Serial #</u>	<u>Hose Assembly Serial #</u>
7584	141521




Comments: Hose assembly pressure tested with water at ambient temperature

Tested By: Donnie McLemore

Approved By: Brent Burnett

Donnie McLemore

Brent Burnett



Midwest Hose
& Specialty, Inc.

INTERNAL HYDROSTATIC TEST REPORT

Customer:		Customer P.O. Number:	
FORT WORTH		130224	
HOSE SPECIFICATIONS			
Type:	Rotary / Vibrator Hose RED BOP / API 7K	Hose Length: 35 FEET	
I.D.	2 INCHES	O.D.	2.80/2.60 INCHES
WORKING PRESSURE	TEST PRESSURE	BURST PRESSURE	
5,000 PSI	5,000 PSI	N/A PSI	
COUPLINGS			
Part Number	Stem Lot Number	Ferrule Lot Number	
6WB32-32F1502 632-BW	NA NA	NA NA	
Type of Coupling:	Die Size:		
Swage-It	74 / 64		
PROCEDURE			
<i>Hose assembly pressure tested with water at ambient temperature.</i>			
TIME HELD AT TEST PRESSURE		ACTUAL BURST PRESSURE:	
1 MIN.		N/A PSI	
Hose Assembly Serial Number:		Hose Serial Number:	
141522		NA	
Comments:			
Date:	Tested:	Approved:	
3/13/2012	Eric M. Gentry	Don Edwards	



Midwest Hose
& Specialty, Inc.

Internal Hydrostatic Test Graph

March 13, 2012

Customer: Fort Worth


Pick Ticket #: 141522

Hose Specifications

Hose Type	Length
Red Bop	35'
I.D.	O.D.
2"	2.60" / 2.60"
Working Pressure	Burst Pressure
5000 PSI	Standard Safety Multiplier Applies

Verification

Type of Fitting	Coupling Method
2"1502/21/8 SK	Swage
Die Size	Final O.D.
74/64	2.055"/2.125
Hose Serial #	Hose Assembly Serial #
NA	141522



Test Pressure
5000 PSI

Time Held at Test Pressure
1 Minutes

Actual Burst Pressure

Peak Pressure
5507 PSI

Comments: Hose assembly pressure tested with water at ambient temperature.

Tested By: Eric McConnell

Approved By: Kim Thomas