Form 3160-5 (April 2004)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Artesia

FORM APPROVED OM B No 1004-0137 Expues March 31, 2007

5.	Lease Senal	No

NME1219 SUNDRY NOTICES AND REPORTS ON WELLS 6 If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160 - 3 (APD) for such proposals. 7 If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE- Other instructions on reverse side. Type of Well Gas Well Other 8. Well Name and No. Old Ranch Conyon T. Federal #6 2. Name of Operator OXY USA WTP LP 192463 API Well No. 30-015-32294 3a. Address 3b. Phone No. (include area code) P.O. Box 50250 Midland, TX 79710 432-685-5717 10. Field and Pool, or Exploratory Area 4. Location of Well (Foolage, Sec., T., R., M., or Survey Description) Indian Basin W. Penn US RAYE 11. County or Parish, State 5-2071 FIDL 30FEL SENE(H) SEC 7 T225 NM Eddy B- 1913 FINL 699 FEL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NÓTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Deepen Production (Start/Resume) Water Shut-Off Notice of Intent Alter Casing Fracture Treat Reclamation Well Integrity Casing Repair New Construction Recomplete Subsequent Report Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results manual interval and interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) TD-8365' PBTD-8273' Perfs-7824-8166 9-5/8" 36# csg @ 1792' w/ 975sx, 12-1/4" hole, TOC-Surf-Circ 7" 23# csg @ 8365' w/ 1350sx, DVT @ 7669',4040'; TOC-Surf-Circ 1. RIH & set CIBP @ 7775', M&P 35sx cmt to 7619' WOC-Tag DCT 02 2012 2. M&P 40sx cmt @ 6995-6825' WOC-Tag 3 M&P 40sx cmt @ 6552-6386' WOC-Tag SEE ATTAICHTED GEO PARTESIA 4. M&P 35sx cmt @ 4110-3970' WOC-Tag 5 M&P 30sx cmt @ 3307-3174' WOC-Tag CONDITIONS OF APPROVAL M&P 30sx cmt @ 2337-2212' WOC-Tag 7. M&P 30sx cmt @ 1850-1730' WOC-Tag 8. M&P 60sx cmt @ 250' to Surface RECLAMATION PROCEDURE 10# MLF between plugs ATTACHED I hereby certify that the foregoing is true and correct Name (Printed/Typed) David Stewart Title Regulatory Advisor Signature Date THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved by Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease Office which would entitle the applicant to conduct operations thereon Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitions or fraudulent statements or representations as to anymatter within its jurisdiction

(Instructions on page 2)

Pt 10/3/2012

Accepted for record

OXY USA WTP LP - Proposed Old Ranch Canyon 7 Federal #6 API No. 30-015-32294

60sx @ 250'-Surface

30sx @ 1850-1730' WOC-Tag

30sx @ 2337-2212' WOC-Tag


30sx @ 3307-3174' WOC-Tag

35sx @ 4110-3970' WOC-Tag

40sx @ 6552-6386' WOC-Tag

40sx @ 6995-6825' WOC-Tag

CIBP @ 7775' w/ 35sx to 7619' WOC-Tag



12-1/4" hole @ 1797' '9-5/8" csg @ 1797' w/ 975sx-TOC-Surf-Circ

8-3/4" hole @ 8365' 7" csg @ 8365' w/ 1350sx-TOC-Surf-Circ DVT @ 4040', 7669'

Perfs @ 7824-8166'

12-1/4" hole @ 1797' 9-5/8" csg @ 1797' w/ 975sx-TOC-Surf-Circ 8-3/4" hole @ 8365' 7" csg @ 8365' w/ 1350sx-TOC-Surf-Circ DVT @ 4040', 7669' Perfs @ 7824-8166' TD-8365'