Form 3160-5 (April 2004)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

**OCD Artesia** 

5	Lease Scrial No.
1 1	LEANS ACHAILING

FORM APPROVED OM B No. 1004-0137 Expires: March 31, 2007

141 12 2 2 2 2	N	M	සුදු	73	_
----------------	---	---	------	----	---

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

6 If Indian, Allottee or Tribe Name

abandoned w	ell. Use Form 3160-3 (APD) for st	uch proposals.	
SUBMIT IN TR	IPLICATE- Other instructions or	7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well Oil Well	Gas Well¹ ∡Other Sw)		8. Well Name and No.
2. Name of Operator OXY USA W	TP LP	192463	Jones Camon 4 Federal #6 9. API Well No.
3a. Address P.O. Box 50250 Midland, TX		o. (include area code) 1717	30-OLS - 36548  10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec.,	T , R., M., or Survey Description)		SWO - Devonian  11. County or Parish, State
2200 FNL 2150	FEL SWNE(G) Sec 4	-TAZS RZYE	Eddy WM
12. CHECK AI	PPROPRIATE BOX(ES) TO INDICATE	NATURE OF NÓTICE, I	REPORT, OR OTHER DATA
TYPE OF SUBMISSION	,	TYPE OF ACTION	
Notice of Intent  Subsequent Report  Final Abandonment Notice	Acidize Deepen  Alter Casing Fracture To  Casing Repair New Cons  Change Plans Plug and A  Convert to Injection Plug Back	truction Recomplete	Well Integrity Other Lbandon
If the proposal is to deepen dire Attach the Bond under which t following completion of the in-	ectionally or recomplete horizontally, give subsurfa the work will be performed or provide the Bond No volved operations. If the operation results in a mult mal Abandonment Notices shall be filed only after a y for final inspection.)	nce locations and measured and to be on file with BLM/BIA. Requi- tiple completion or recompletion	any proposed work and approximate duration thereof. The vertical depths of all pertinent markers and zones. The subsequent reports shall be filed within 30 days In a new interval, a Form 3160-4 shall be filed once That matter and the operator has
RECEIVED SEP 2 7 2012	13-3/8" 54.5# csg @ 1600' w, 9-5/8" 47# csg @ 10990', DVT 1. RIH & set CIBP @ 10900', M&P 4 2. M&P 90sx cmt @ 9790-9570' W 3. M&P 80sx cmt @ 7990-7 <del>810'</del> W 4. M&P 75sx cmt @ 7052-6882' W	Γ@ 6967' w/ 4625sx, 12 45sx cmt to 10800' 'OC-Tag 'OC-Tag <b>Τως 76</b>	30 (wolfcamp)
NMOCD ARTESIA	5. M&P 70sx cmt @ 5055-4905' W 6. M&P 60sx cmt @ 2835-2705' W 7. M&P 50sx cmt @ 1658-1542' W	/OC-Tag /OC-Tag /OC-Tag	RECLAMATION PROCEDURE ATTACHED
14. Thereby certify that the force	8. M&P 120sx cmt @ 250' to Surfa 10# MLF between plugs	ce	SEE ATTACHED FOR  CONDITIONS OF APPROVAL
Name (Printed/Typed)  David Stewart	Pormo 19 m no come portions	Title Regulatory Advisor	
Signature .		Date 8/16/18	2
	THIS SPACE FOR FEDERAL		
Approved by	us De Omis	Title SEF	15 Date 9-25-12
	attached. Approval of this notice does not warrand or equitable title to those rights in the subject less conduct operations thereon.		)
Title 18 U.S.C. Section 1001 and Title States any false, lictutious or fraudule	e 43 U.S.C. Section 1212, make it a crime for any ent statements or representations as to any matte	person knowingly and willfull within its jurrsdiction.	y to make to any department or agency of the United
/T( )			

(Instructions on page 2) AT 10/1/2012

**Accepted** for record NMOCD

OXY USA WTP LP - Proposed Jones Canyon 4 Federal #6 API No. 30-015-30948

120sx @ 250'-Surface

\_17-1/2" hole @ 1600' 13-3/8" csg @ 1600' w/ 960sx-TOC-Surf-Circ

50sx @ 1658-1542' WOC-Tag

60sx @ 2835-2705' WOC-Tag


70sx @ 5055-4905' WOC-Tag

75sx @ 7052-6882' WOC-Tag

80sx @ 7990-7810' WOC-Tag

90sx @ 9790-9570' WOC-Tag

**CIBP** @ 10900' w/ 45sx
Perm Mod D Pkr @ 10947' w/ tbg sub to 10973'



12-1/4" hole @ 10990' 9-5/8" csg @ 10990' DVT @ 6967' w/ 4625sx-TOC-Surf-Circ

8-1/2" OH @ 10990-12000'

OXY USA WTP LP - Current Jones Canyon 4 Federal #6 API No. 30-015-30948

TD-12000'

> 12-1/4" hole @ 10990' 9-5/8" csg @ 10990' DVT @ 6967' w/ 4625sx-TOC-Surf-Circ

8-1/2" OH @ 10990-12000'

Perm Mod D Pkr @ 10947' w/ tbg sub to 10973'