

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail address: mikes@ypc.com
Address: 105. South 4th street, Artesia, N.M. 88210
Facility or well name: Wager 'AWG' State Com #3 API #: 30-005-63297 U/L or Qtr/Qtr J Sec 34 T 9s R 26e
County: Chaves Latitude 33.4871100 Longitude 104.2824800 NAD: 1927 ☐ 1983 ☒
Surface Owner: Federal State ☒ Private Indian ☐

RECEIVED

JUN 08 2005

OCD-ARTESIA

Pit
Type: Drilling ☒ Production ☐ Disposal ☐
Work over ☐ Emergency ☐
Lined ☒ Unlined ☐
Liner type: Synthetic ☐ Thickness 12 mil Clay ☐
Pit Volume 6850 bbl

Below-grade tank
Volume: bbl Type of fluid:
Construction material:
Double-walled, with leak detection? Yes ☐ If not, explain why not.

RECEIVED

FEB 01 2005

OCD-ARTESIA

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) X (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)X
	Ranking Score (Total Points)	10 points

- If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility NA. (3) Attach a general description of remedial action taken including remediation start date and end date.
(4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: Registration for encapsulation trench. The drilling pit contents will be mixed to stiffen the pit contents. Encapsulation trench will be excavated and lined with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil. Synthetic liner will then be placed over the pit contents with a min. of a 3' over lap of the underlying trench areas. The encapsulation trenches will then be backfilled back to grade using a min. of 3' of clean soil and like material. A one call & 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin.

PIT CLOSURE FINAL

Pit Closure actions to begin by NA. Ending date NA

DATE 6/6/2005

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date: 1/24/2005

Printed Name/Title: DAN DUDMAN REG. DIVISION Signature: [Signature] ENV. DIV.

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title: [Signature]

Signature: [Signature]

Date: FEB 2 2005

5/5/05 will make one call.

Accepted for record - NMOCD

JUN 10 2005

MARTIN YATES, III
1912 - 1985
FRANK W. YATES
1936 - 1985



105 SOUTH FOURTH STREET
ARTESIA, NEW MEXICO 88210-2118
TELEPHONE (505) 748-1471

S. P. YATES
CHAIRMAN OF THE BOARD
JOHN A. YATES
PRESIDENT
PEYTON YATES
EXECUTIVE VICE PRESIDENT
RANDY G. PATTERSON
SECRETARY
DENNIS G. KINSEY
TREASURER

I certify that on 6/1/2005, tests were conducted on soil samples from the

30-005-63297 U.T. 34.9s-26e Wager AWG State Com. #3

Following are results of those tests.

1' grab Middle D.P. - 78 ppm.
EPA Method 9074, TPH 1' grab NW corner - 11 ppm.

1' grab Middle D.P. - 76 ppm.
EPA Method 9253, 1' grab NW corner - 70 ppm.

1' grab Middle D.P. - 0 ppm.
PID Meter, BTEX, 1' grab NW corner - 0 ppm

All testing was done at Yates Petroleum Corp., or on location.

A handwritten signature in black ink, appearing to read 'Daniel W. Dolan'.

Daniel W. Dolan CWC
Environmental Regulatory Agent