DISTRICT 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

Printed Name/Title

State of New Mexico **Energy Minerals and Natural** Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004

JUN 0 9 2005

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank \(\subseteq\) Closure of a pit or below-grade tank \(\subseteq\) X Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypc.com Address: 105 South 4th Street, Artesia, NM 88210 Facility or well name: Eubanks BEN Com 1 API #: 30 005 63686 U/L or Qtr/Qtr O Sec 22 T 9S R 24E Latitude <u>33.51497</u> Longitude <u>104.48921</u> NAD: 1927 1983 X RECEIVEL Surface Owner: Federal ____ State ___ Private _X Indian ____ Below-grade tank JUN 0 3 2005 Type: Drilling X Production Disposal Volume: ____bbl Type of fluid: _____ GOD: ARTESIA Work over ___ Emergency ___ Construction material: Lined X Unlined ___ Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic ___ Thickness _12_mil Clay ___ Pit Volume 12,000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) XXXX Yes (20 points) XXXX Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) XXXX 20 Points Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite X If offsite, name of facility: N/A (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surface ______ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. The drilling pit contents will be excavated and hauled to an OCD approved soil waste facility. The excavated area will then be backfilled to grade using a minimum of 3' of clean soil and like material. A one call and a 48 hour notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit X, or an (attached) alternative OCD approved plan . Date: 06/01/2005 Printed Name/Title __Dan Dolan / Regulatory Agent Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the on aminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Signature Signature Approval:


New Mexico Office of the State Engineer Well Reports and Downloads

Township: 09S	Range: 24E	Sections: 2	2		
NAD27 X:	Y:	Zone:	Searc	h Radius:	
County:	Basin:	12. 12.1	Number:	Suffix:	1 101 660 10
Owner Name: (First)	(Las	st) ② All		n-Domestic () Domestic
Well / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form WATERS Menu Help					

AVERAGE DEPTH OF WATER REPORT 06/01/2005


Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again



Topography by photogrammetric methods from aerial photographs taken 1961. Field checked 1962

Polyconic projection. 10,000-foot grid ticks based on New Mexico coordinate system, east zone. 1000-meter Jniversal Transverse Mercator grid ticks, zone 13, shown n blue. 1927 North American Datum. To place on the predicted North American Datum 1983 move the projection ines 6 meters south and 48 meters east as shown by dashed corner ticks



Time and deathed times indicate colonted fence lines

FOR CALE DV II C O