District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

1220 South St. Francis Dr. office

| Is pit or below-grade ta | irade Tank Registration or Closure unk covered by a "general plan"? Yes X No tor below-grade tank Closure of a pit or below-grade |] tank X | | | | |
|--|--|---|--|--|--|--|
| Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mai Address: 105 South 4th Street, Artesia, N.M. 88210 Facility or well name: Salt Creek ACD Federal 3 API #: 30-005-62951 U/L county: Chaves Latitude 33.60415 Longitude | il address: <u>mikes@ypc.com</u> or Qtr/Qtr <u>L</u> Sec <u>21 T 8S</u> R <u>22E</u> | | | | | |
| Surface Owner: Federal X State Private Indian | | RECEIVED | | | | |
| Pit Type: Drilling Production Disposal Work overX Emergency Lined _X Unlined Liner type: Synthetic _X Thickness _12 mil Clay | Below-grade tank Volume:bbl Type of fluid: | | | | | |
| Pit Volume 12,000 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more | (20 points) (10 points) (0 points) XXXX | | | | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | Yes No | (20 points) (0 points) XXXX | | | | |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more | (20 points) (10 points) (0 points) XXXX | | | | |
| | Ranking Score (Total Points) | 0 POINTS | | | | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relacurying in place) onsite X offsite. If offsite, name of facility NA (4) Groundwater encountered: No Yes If yes, show depth below ground some soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for encapsulation trench. The drilling | . (3) Attach a general description of remedial action tal surfaceft. and attach sample results. | ken including remediation start date and end date. | | | | |
| with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents work a min. of a 3' over lap of the underlying trench areas. The encaps one call & 48 hour notice will be provided to the Oil Conservation Division before | vill then be emplaced into the encapsulation trench. A 20 n sulation trenches will then be backfilled back to grade using | nil. Synthetic liner will then be placed over the pit | | | | |
| Pit Closure actions to begin by NA. Ending date NA | | | | | | |
| I hereby certify that the information above is true and complete to the best of modern/will be constructed or closed according to NMOCD guidelines , a general series and series according to NMOCD guidelines , a general series accordi | Signature Signature Signa | proved plan | | | | |
| Approval: Printed Name Title | Signature | Date JUN 3 0 2005 | | | | |

New Mexico Office of the State Engineer Well Reports and Downloads Salt Creek ACD Federal 3 Township: 08S Range: 22E Sections: Search Radius: NAD27 X: Y: Zone: County: Basin: Number: Suffix: Owner Name: (First) (Last) O Non-Domestic O Domestic All

Water Column Report

WATERS Menu

Avg Depth to Water Report

Help

AVERAGE DEPTH OF WATER REPORT 06/22/2005

Clear Form

Well / Surface Data Report

| | | | | | | | (nebcir | Maret III | reet) |
|-----|-----|---------|------|---|---|-------|---------|-----------|-------|
| Bsn | Tws | Rng Sec | Zone | X | Y | Wells | Min | Max | Avg |
| RA | 08S | 22E 03 | | | | 1 | 450 | 450 | 450 |
| RA | 08S | 22E 31 | | | | 1 | 440 | 440 | 440 |

Record Count: 2

