1625 N. French Dr., Hobbs, NM 88240 District 41. 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

June 1, 2004 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

office

Form C-144

1220 South St. Francis Dr. Santa Fe, NM 87505

ls pit or below-grade tan	rade Tank Registration or Closum nk covered by a "general plan"? Yes X or below-grade tank Closure of a pit or below	No 🗌	
Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail ac Address: 105 South 4 th Street, Artesia, N.M. 88210 Facility or well name: Smernoff NL State #7 API #: 30-005-63420 U/L or Qu County: Chaves Latitude 33.90315 Longitude 10 Surface Owner: Federal State X Private Indian	r/Qtr_ <u>F_</u> Sec_2_T_ <u>5S</u> R <u>24E</u>		RECEIVED
Pit Type: Drilling X Production ☐ Disposal ☐ Work over ☐ Emergency ☐ Lined X Unlined ☐ Liner type: Synthetic ☐ Thickness 12 mil Clay ☐ Pit Volume 12,000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak-detection? Yes		MAR 1 5 2005
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) XXXX	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)XXXX	JUL 0 6 2005
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points (0 points)) XXXX	COU-MHIESIA
	Ranking Score (Total Points)	0 POINTS	
this is a pit closure: (1) Attach a diagram of the facility showing the pit's related by the	. (3) Attach a general description of remedial a urfaceft. and attach sample result ents will be mixed to stiffen the pit contents. Enca emplaced into the encapsulation trench. A 20 mi enches will then be backfilled back to grade.	action taken including remedias. apsulation trench will be excault. Synthetic liner will then be	vated and lined with a 12 placed over the pit contents Like material. A one call &
Pit Closure actions to begin by NA. Ending date NA	DA'	TE Closed pre	April 2004.
I hereby certify that the information above is true and complete to the best of my been/will be constructed or closed according to NMOCD guidelines , a g	knowledge and belief. I further certify that the coeral permit K, or an (attached) alternative (e above-described pit or bel OCD-approved plan □.	ow-grade tank has

Printed Name/Title Man Volis is the District Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

MAR 17 2005