<u>District 1</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

1220 South St. Francis Dr. Santa Fe, NM 87505 office

Is pit or below-grade tar	rade Tank Registration or Closure nk covered by a "general plan"? Yes X No or below-grade tank Closure of a pit or below-grade	tank X		
Operator: Yates Petroleum Corporation Telephone: _505-748-4500 e-mai Address: _105 South 4 th Street, _Artesia, N.M. 88210 Facility or well name: _Faxon BFS State Com 1 _API #: 30-005-63717 _U/L or (County:Chaves Latitude33,56694 Longitude _1 Surface Owner: Federal State _X _Private Indian	Qtr/Qtr_ <u>C_</u> Sec_ <u>2_T_9S</u> R_ <u>26E</u>	·		
Pit Type: Drilling X Production Disposal Work over Emergency Lined X Unlined Liner type: Synthetic X Thickness 12 mil Clay Pit Volume 12,000 bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) RECEIVED (10 points) JUL 0 7 2005 (0 points) XXXX		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX		
	Ranking Score (Total Points)	0 POINTS		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relaburying in place) onsite X offsite If offsite, name of facility NA (4) Groundwater encountered: No Yes If yes, show depth below ground so that soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for encapsulation trench. The drilling with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit contents we contents with a min. of a 3' over lap of the underlying trench areas. The encaps one call & 48 hour notice will be provided to the Oil Conservation Division before Pit Closure actions to begin by NA. Ending date NA	. (3) Attach a general description of remedial action ta surfaceft. and attach sample results. g pit contents will be mixed to stiffen the pit contents. End ill then be emplaced into the encapsulation trench. A 20 mulation trenches will then be backfilled back to grade using	ken including remediation start date and end date. capsulation trench will be excavated and lined nil. Synthetic liner will then be placed over the pit		
Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of i	Signature	t or tank contaminate ground water or otherwise		
Approval: Printed Name/Title	Signature	DaJUL 7 2005		

New Mexico Office of the State Engineer Well Reports and Downloads Jayor BFS State Com							
Township: 09S	Range: 26E	Sections:					
NAD27 X:	Y:	Zone:		Search Radius:			
County: B	asin:		Number	: Suffix	x:		
Owner Name: (First)	(La	st) ② All	(Non-Domestic	ODomestic		
Well / Sur	face Data Report Wate Clear Form	er Column Rep	ort	o Water Report			

AVERAGE DEPTH OF WATER REPORT 07/05/2005

							(nebru	Macer III	ree c)
Bsn	Tws	Rng Sec	Zone	x	Y	Wells	Min	Max	Avg
RA	09S	26E 12				1	99	99	99

Record Count: 1

