District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 **District IV** 1220 S. St. Francis Dr., Santa Fe, NM 87505

Operator: Marbob Energy Corporation

Address: PO Box 227, Artesia, NM 88211-0227 Facility or well name: Double Trouble Federal Com #1

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration of

Is pit or below-grade tank covered by a "general plan"? Y
Type of action: Registration of a pit or below-grade tank
Closure of a pit

API#: 30-015-33931

Telephone: 505-748-3303

office	RECEIVED			
	JUL 2 6 2005			
<u>1 or Closur</u>				
"? Yes ⊠ No [a pit or below-grad				
03 e-mail address: land2@marbob.com				
U/L or Qtr/Qtr	IENE Sec 3 T 21S R 25E			
983 🔲 Surface Ow	ner Federal 🛭 State 🗌 Private 🗌 Indian 🗍			
d:				
on? Yes If not, explain why not.				
	(20 points)			
feet	(10 points)			
	(0 points) 10 points			
	(20 points)			
	(0 points) 0 points			
	(20 points)			
000 feet	(10 points)			
	(0 points) 0 points			
	10 points			
tanks. (2) Indicate disposal location:				
on of remedial action taken including remediation start date and end				
and attach sample results. (5) Attach soil sample results and a				
	bove-described pit or below-grade tank has D-approved plan □.			
ture (} / 	enua			
	he pit or tank contaminate ground water or other federal, state, or local laws and/or			
ease submit a plan that can be				

County: Eddy	LatitudeLongitude	NAD: 1927 🗌 1983 🗍 Surface Ov	wner Federal ⊠ State ☐ Private ☐ Indian ☐	
Pit Type: Drilling ☑ Production ☐ Disposal ☐ Workover ☐ Emergency ☐ Lined ☑ Unlined ☐ Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volume bbl Depth to ground water (vertical distance from bottom of pit to seasonal high		Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		100 feet or more Yes No Less than 200 feet	(0 points) 10 points (20 points) 0 points (20 points) 0 points	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		200 feet or more, but less than 1000 feet [1000 feet or more] Ranking Score (Total Points)	(10 points) (0 points) 10 points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite from If offsite, name of facility from Structure from If yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, show depth below ground surface from If yes, yes, yes, yes, yes, yes, yes, yes,				
Printed Name/Title: Gerald Herrera Signature Signature Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contexts of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Approval: Date: Printed Name/Title USGS information shows this area to be water sensitive. Signature Please submit a plan that can be approved for a sensitive area or schedule a meeting where other water data can be reviewed.				

Marbob Energy Corporation Attachment to OCD Form C-144


Pit or Below-Grade Tank Registration or Closure

Pit Closure

Double Trouble Federal Com #1

940' FNL & 791' FEL Section 3 - T21S - R25E Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

Fluids will be disposed at an approved disposal facility.

- (3) General description of remedial action:
 - a. Stir drill cuttings to stiffen.
 - b. Dig disposal pit in shallow side of pit.
 - c. Line pits with 12 mil plastic.
 - d. Transfer drill cuttings into lined pit.
 - e. Cap with 20 mil liner
 - e. Cover with 3' of cover dirt.
 - f. Re-seed to BLM requirements.
- (4) Groundwater encountered:

No

(5) Soil sample:

N/A