

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
March 12, 2004  
For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

RECEIVED

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

AUG 11 2005

OCD-ARTESIA

Operator: **Marbob Energy Corporation**

Telephone: **505-748-3303**

e-mail address: **land2@marbob.com**

Address: **PO Box 227, Artesia, NM 88211-0227**

Facility or well name: **Rio Siete Federal #1**

API #: **30-015-33662**

U/L or Qtr/Qtr **SESW** Sec **1** T **21S** R **24E**

County: **Eddy**

Latitude \_\_\_\_\_

Longitude \_\_\_\_\_

NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

**Pit**

Type: Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type: Synthetic ☒ Thickness **12** mil Clay ☐ Volume

\_\_\_\_\_ bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid: \_\_\_\_\_

Construction material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If not, explain why not.

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

100 feet or more

( 0 points)

**0 points**

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

( 0 points)

**0 points**

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

( 0 points)

**0 points**

**Ranking Score (Total Points)**

**0 points**

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_ (3) Attach a general description of remedial action taken including remediation start date and end

date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a

diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date: **August 10, 2005**

Printed Name/Title: **Gerald Herrera**

Signature G. Herrera

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: **AUG 25 2005**

Printed Name/Title Mike Bratton

Signature Mike Bratton

Marbob Energy Corporation  
Attachment to OCD Form C-144

Pit or Below-Grade Tank Registration or Closure

Pit Closure


**Rio Siete Federal #1**

1050' FSL & 1320' FEL

Section 1 - T21S - R24E

Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

*Fluids will be disposed at an approved disposal facility.*

(3) General description of remedial action:

- a. Stir in caliche from pad for pad reduction and to stiffen cuttings*
- b. Dig disposal pit in shallow side of pit*
- c. Line pit with 12 mil plastic*
- d. Transfer drill cuttings into lined pit*
- e. Cap with 20 mil liner*
- e. Cover with 3' of cover dirt*
- f. Re-seed to BLM requirements*


(4) Groundwater encountered:

*No*

(5) Soil sample:

*N/A*

# LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL:  
SEVEN RIVERS, N.M. - 10'

SEC. 1 TWP. 21-S RGE. 24-E

SURVEY N.M.P.M.

COUNTY EDDY

DESCRIPTION 1050' FSL & 1320' FEL

ELEVATION 3626'

OPERATOR PECOS PRODUCTION COMPANY

LEASE RIO SIETE FEDERAL

U.S.G.S. TOPOGRAPHIC MAP  
SEVEN RIVERS, N.M.




Exhibit #3  
Pecos Production Company  
Rio Siete Federal No. 1  
1050' FSL & 1320' FEL  
Sec. 1, T-21-S, R-24-E  
Eddy Co. NM