<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ 21-Jul-08

For closed-loop systems that only use above ground steel tanks or haul off bins and purpose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

<u>(th</u>	at only use above ground steel tan	ıks or haul-off bir	s and propose	to implement	waste removal f	or closure)		
	Type of action	: 🗸	Permit		Closure			
	one application (Form C-144 CLEZ) pe							
	lly use above ground steel tanks or ha val of this request does not relieve the		•					
	oval relieve the operator of its respons		-	•		. •		
Operator	Apache Corporat			OGRID# _		373		
dress: 303 Veterans Airpark Lane, Ste 3000, Midland, TX 79705								
acility or Well Name:	Empire Abo Unit "J" #231							
API Number:	30-015-21626		OCD Permit N	umber:	213715)		
J/L or Qtr/Qtr	G Section 6	Township	18s	Range _	28E \co	unty: Eddy		
enter of Proposed Desig	n: Latitude		Longitude			NAD: 19	27 🗌 1983	
urface Owner:	Federal State	Private	Tribal Tru	ist or Indian A	llotment			
' ' ' ' '	: Subsection H of 19.15.17.11 NM			:		f: 1 N	[] Dg A	
Operation: Drilling a Drilling		• •	wnich require pr	or approval of	a permit or notice	of intent)	✓ P&A	
					DEM	CIVICE		
igns: Subsection C of 19.15	.17.11 NMAC				INEC	EIVED		
	providing Operator's name, site locatio	n, and emergency t	elephone numbe	ers	JAN 1	L 4 2013		
Signed in compliance w	rith 19.15.3.103 NMAC				1	r # 2010		
•			· · · · · · · · · · · · · · · · · · ·		NMOCD	ARTESIA		
•	Application Attachment Checklist: Sulphing items must be attached to the			hack mark in th				
ttached.	owing hems must be dituened to the	application. Fleuse	: maicute, by a ci	ieck iiiuik iii (ii	e box, that the doc	uments are	İ	
Design Plan - ba	sed upon the appropriate requirement	s of 19.15.17.11 N	MAC					
	Maintenance Plan - based upon the app							
	ease complete Box 5) - based upon the		ements of Subsec	tion C of 19.15	.17.9 NMAC and 19	9.15.17.13 NMAC		
	, , , , , , , , , , , , , , , , , , , ,	PI Number: PI Number:						
Treviously Approved C	perating and iviaintenance riaii	Findriber.			·			
Mosto Bornoval Clasves For	Clased Inco Systems That Hilling Abo	on annual Stand To	aka aa Hawl aff D	i O-b. (10.1	F 17 13 D NINAAC)			
	Closed-loop Systems That Utilize Abo the facility or facilities for the disposa				•	than two		
acilities are required.			•	,	•			
isposal Facility Name:	Sundance Servic		- '	sal Facility Peri		NM-01-0		
isposal Facility Name:	Controlled Recover ed-loop system operations and associa	<u> </u>	_	osal Facility Peri		NM-01-0		
	ovide the information below)	No No	on or in areas tri	at wiii not be u	sed for future serv	ice and operations?		
_								
	which will not be used for future service or Design Specifications based upon t		uiromonts of Sub	caction H of 10	15 17 12 NIMAC			
	based upon the appropriate requireme				.13.17.13 NIVIAC			
	n - based upon the appropriate require							
•								
perator Application Cer	tification:							
hereby certify that the infor	mation submitted with this application	is true, accurate a	nd complete to th	e best of my kr	nowledge and belie	ıf		
Name (Print)	∕Suinn Burkş		Title:	•		on Foreman		
Signature:		(les	- Date:			/2013		
e-mail address:	guinn.burks@apachec	1	_ Telephone			56-9143		
	9 abasilea	- ; p						

7.								
OCD Approval:	ermit Application (including closure pla	an) Closure Plan (d	only)	. /				
OCD Representative Signat	ure: ADOde		Approval Date:	1/15/13				
Title: $\int_{\Gamma} \int_{\Gamma} \int_{$	25 pewin		OCD Permit Number:	213775				
8.		, 						
Instructions: Operators are re The closure report is required	rithin 60 days of closure completic quired to obtain an approved closure to be submitted to the division within proved closure plan has been obtaine	plan prior to implementing any c 60 days of the completion of the	losure activities and submit closure activities. Please do been completed.					
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please identify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.								
Disposal Facility Name:		Disp	Disposal facility Permit Number:					
Disposal Facility Name:		Disp	Disposal facility Permit Number:					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?								
Yes (If yes), plea	se demonstrate compliance to the iten	ns below)	No					
Required for impacted areas which will not be used for future service and operations:								
Site Reclamation (Photo Documentation)								
Soil Backfilling and Cover Installation								
Re-vegetation A	pplication Rates and Seeding Techniqu	e						
10.	1							
Operator Closure Certificat	tion:							
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge								
and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.								
Name (Print)	Guinn Burks	Title:	Recla	amation Foreman				
Signature:		Date:						
e-mail address:	guinn.burks@apacheco	rp.com Telephone:		432-556-9143				
		· · · · · · · · · · · · · · · · · · ·						



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc.

(877) 505-4274

Sundance Incorporated

(575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection.

Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline

(800) 874-3262

NMOCD District Office

In the event of oil reaching water, include the following notification;

Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

Guinn Burks

Reclamation Foreman

<u>Guinn Burks</u>

Apache Corporation