

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 July 17, 2008														
<div style="border: 2px solid black; padding: 5px; display: inline-block;"> RECEIVED JAN 16 2013 WOOD ARTESIA </div>																		
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)				5. Lease Name or Unit Agreement Name KAISER B 18B 6. Well Number: #13														
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER																		
8. Name of Operator: LIME ROCK RESOURCES II-A, L.P.				9. OGRID: 277558														
10. Address of Operator: c/o Mike Pippin LLC, 3104 N. Sullivan, Farmington, NM 87401				11. Pool name or Wildcat: Red Lake, Glorieta-Yeso (51120)														
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	B	18	18-S	27-E		1080	North	1650	East	Eddy								
BH:																		
13. Date Spudded 12/21/12	14. Date T.D. Reached 10/30/12	15. Date Drilling Rig Released 1/1/13		16. Date Completed (Ready to Produce) 1/14/13		17. Elevations (DF and RKB, RT, GR, etc.): 3287' GR												
18. Total Measured Depth of Well 4310'		19. Plug Back Measured Depth 4259'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run Induction, Density/Neutron												
22. Producing Interval(s), of this completion - Top, Bottom, Name 2657'-2964'-Upper Yeso, 3030'-3370'-Upper Yeso, 3430'-3770'-Middle Yeso, 3830'-4163' - Lower Yeso										NSL-6721								
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
8-5/8"		24# J-55		422'		12-1/4"		100sx Thix & 350sx C		0'								
5-1/2"		17# J-55		5306' 4306'		7-7/8"		100 Thix, 280 35/65		0'								
								Poz C, & 625 C										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET										
						2-7/8"	4221'											
26. Perforation record (interval, size, and number) Upper Yeso: 2657'-2964', 40-0.42" hole Upper Yeso: 3030'-3370', 42-0.42" holes Middle Yeso: 3430'-3770', 47-0.42" holes Lower Yeso: 3830'-4163', 46-0.42" holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>2657'-2964'</td> <td>2478 gals 7.5% HCL; fraced w/73,307# 16/30 & 23,629# 16/30 Siber prop sand in X-linked gel</td> </tr> <tr> <td>3030'-3370'</td> <td>2000 gals 7.5% HCL; fraced w/81,160# 16/30 & 15,779# 16/30 Siber prop sand in X-linked gel</td> </tr> <tr> <td>3430'-3770'</td> <td>2000 gals 7.5% HCL; fraced w/80,254# 16/30 & 16,209# 16/30 siber prop sand in X-linked gel</td> </tr> </table>					DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	2657'-2964'	2478 gals 7.5% HCL; fraced w/73,307# 16/30 & 23,629# 16/30 Siber prop sand in X-linked gel	3030'-3370'	2000 gals 7.5% HCL; fraced w/81,160# 16/30 & 15,779# 16/30 Siber prop sand in X-linked gel	3430'-3770'	2000 gals 7.5% HCL; fraced w/80,254# 16/30 & 16,209# 16/30 siber prop sand in X-linked gel
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
2657'-2964'	2478 gals 7.5% HCL; fraced w/73,307# 16/30 & 23,629# 16/30 Siber prop sand in X-linked gel																	
3030'-3370'	2000 gals 7.5% HCL; fraced w/81,160# 16/30 & 15,779# 16/30 Siber prop sand in X-linked gel																	
3430'-3770'	2000 gals 7.5% HCL; fraced w/80,254# 16/30 & 16,209# 16/30 siber prop sand in X-linked gel																	
28. PRODUCTION						3830'-4163' 2000 gals 7.5% HCL, fraced w/79,435# 16/30 & 17,419# 16/30 siber prop sand in X-linked gel												
Date First Production READY		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping				Well Status (Prod. or Shut-in) Pumping												
Date of Test Within 30 days	Hours Tested	Choke Size	Prod'n For Test Period:	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio											
Flow Tubing Press.	Casing Pressure	Calculated 24- Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) To Be Sold						30. Test Witnessed By: Jerry Smith												
31. List Attachments																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.																		
33. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude				Longitude				NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief																		
Signature <i>Mike Pippin</i>			Printed Name Mike Pippin		Title: Petroleum Engineer			Date: 1/15/13										
E-mail Address: mike@pippinllc.com																		

jm

KAISER B 18B #13 - New Well

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

OIL OR GAS SANDS OR ZONES

No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
			- On File -