




January 23, 2013



New Mexico Energy, Minerals and Natural Resources Department
Attn: Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505


Attn: Jackie Lathan

Re: Burnett Oil Company, Inc.
Jackson B # 053
Cedar Lake Glorieta Yeso
Eddy County, New Mexico
API# 30-015-40942

Enclosed please find the original and one (1) copy of the revised survey performed on the reference well by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.. Other information that may be required by your office is as follows:

<u>Name & Title</u>	<u>Drainhole No.</u>	<u>Survey Depths</u>	<u>Dates Performed</u>	<u>Type Survey</u>
Jerry Gilcrease	Original Hole	644 ft. to 6,052 ft.	1-13-13 to 1-19-13	MWD Survey

A certified plat on which the bottom-hole location is oriented to both surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.


Brandon Estes

Enclosures
CC:


Burnett Oil Company, Inc.
Attn: Leslie Garvis
801 Cherry Street Unit 9
Fort Worth, Texas 76102-6881

NMEMaNRD\Burnett Oil Company\Jackson B # 053\C134009

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.
P.O. Box 1250
Montgomery, TX 77356
Office (936) 582-7296 * Fax (936)-582-7297



January 23, 2013



Survey Certification Report

STATE OF TEXAS

COUNTY OF Montgomery

I, Todd Estes, certify that I am employed by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C., and that I did on the day(s) of January 13, 2013 thru January 19, 2013, conduct or supervise the taking of a SEDS MWD Survey from a depth of 644 feet to 6,052 feet; that I am authorized and qualified to make this report; that this survey was conducted at the request of Burnett Oil Company, Inc., for the Jackson B # 053 well, API # 30-015-40942 in Eddy County, New Mexico; and that I have reviewed this report and find that it conforms to the principles as set forth by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.


Todd Estes

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.
P.O. Box 1250
Montgomery, TX 77356
Office (936) 582-7296 * Fax (936)-582-7297

30-015-40942 JACKSON B #053 [2391]**General Well Information****Status:** New (Not Drilled or Completed)**History****Comments****Operator**

Company: [3080] BURNETT OIL CO INC
Address: Burnett Plaza, Suite 1500 801 Cherry St., Unit 9
Fort Worth, TX 76102
Country: U.S.A.
Main Phone: 817-332-5108

Central Contact Person**Artesia Contacts****Pits****Casing****Well Completions****[96831] CEDAR LAKE; GLORIETA-YESO****Status:** New, Not Drilled**Last Produced:****Financial Assurance****Compliance**

Note that Financial Assurance and Inactive Well Compliance are documented in separate reports ([Inactive Well Report](#), [Financial Assurance Report](#)).

Also note that some compliance issues are addressed at the operator level so not listed under each well.

Complaints, Incidents and Spills

No Incidents Found

Please note that incidents that impact ground water are recorded along with "facilities" which may not be wells, so although the initial report may be recorded here as a spill, information related to the abatement plans, remediation plans and ground water impact information are not yet part of this application.

Orders

No Orders Found

Production / Injection[Show All Production](#) [Export to Excel](#)

Earliest Production in OCD Records:					Last				
Time Frame	Production				Injection				
	Oil(BBLS)	Gas(MCF)	Water (BBLS)	Days P/I	Water (BBLS)	Co2(MCF)	Gas(MCF)	Other	Pressure
Grand Total:	0	0	0	0	0	0	0	0	0

Transporters



Job Number: C134009
 Company: Burnett Oil Company Inc.
 Lease/Well: Jackson B # 53
 Location: Eddy County
 Rig Name: United # 5
 RKB: N/A
 G.L. or M.S.L.: N/A

State/Country: New Mexico / USA
 Declination: 7.39° Corrected to Grid
 Grid: 7.39°
 File name: C:\WINSERVE\DOCS\C134009.SVY
 Date/Time: 22-Jan-13 / 14:11
 Curve Name: MWD SERVICES RAN ON 1-22-13

Stryker Energy Directional Services, LLC.

WINSERVE SURVEY CALCULATIONS
 Minimum Curvature Method
 Vertical Section Plane 113.65
 Vertical Section Referenced to Wellhead
 Rectangular Coordinates Referenced to Wellhead

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE		Dogleg Severity Deg/100
Distance FT	Direction Deg								
Tie-In Data Provided by Customer									
644.00	1.20	122.20	644.00	.00	.00	.00	.00	.00	.00
894.00	1.30	118.50	893.94	-2.75	4.71	5.41	5.45	120.28	.05
1145.00	1.40	113.70	1144.87	-5.34	10.02	11.32	11.35	118.06	.06
1397.00	1.70	113.60	1396.78	-8.07	16.26	18.13	18.16	116.40	.12
1649.00	1.70	121.70	1648.67	-11.53	22.87	25.57	25.61	116.77	.10
1901.00	1.60	127.70	1900.56	-15.65	28.83	32.69	32.80	118.49	.08
2153.00	1.50	132.90	2152.47	-20.05	34.03	39.21	39.50	120.50	.07
2405.00	1.40	128.90	2404.39	-24.22	38.84	45.30	45.78	121.95	.06
2657.00	1.10	119.00	2656.33	-27.33	43.35	50.68	51.25	122.23	.15
2909.00	.90	113.60	2908.29	-29.30	47.28	55.06	55.62	121.78	.09
2970.00	.70	114.60	2969.29	-29.64	48.06	55.92	56.47	121.66	.33
3065.00	1.40	100.40	3064.27	-30.09	49.73	57.63	58.13	121.18	.78
3159.00	1.70	100.00	3158.24	-30.54	52.23	60.10	60.51	120.32	.32
3254.00	1.80	100.30	3253.19	-31.05	55.09	62.92	63.24	119.41	.11
3348.00	1.90	103.80	3347.14	-31.69	58.05	65.89	66.14	118.63	.16
3443.00	2.10	106.60	3442.08	-32.56	61.25	69.17	69.37	118.00	.23
3537.00	2.20	106.00	3536.02	-33.55	64.64	72.67	72.83	117.43	.11
3632.00	2.30	107.60	3630.94	-34.63	68.21	76.37	76.49	116.92	.12
3726.00	2.50	109.10	3724.86	-35.87	71.94	80.29	80.39	116.50	.22
3821.00	2.70	109.80	3819.76	-37.31	76.00	84.59	84.67	116.14	.21
3915.00	2.90	111.70	3913.65	-38.94	80.30	89.17	89.24	115.87	.23
4009.00	3.00	113.90	4007.53	-40.81	84.76	94.01	94.07	115.71	.16
4103.00	3.10	110.90	4101.39	-42.72	89.38	99.01	99.06	115.54	.20

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
4197.00	3.20	110.50	4195.25	-44.54	94.21	104.17	104.21	115.30	.11
4292.00	3.30	110.20	4290.10	-46.41	99.26	109.54	109.58	115.06	.11
4379.00	3.40	107.90	4376.95	-48.07	104.07	114.61	114.63	114.79	.19
4472.00	3.40	110.30	4469.79	-49.88	109.28	120.11	120.12	114.53	.15
4567.00	3.40	112.00	4564.62	-51.91	114.53	125.73	125.74	114.38	.11
4668.00	4.20	101.40	4665.40	-53.76	120.93	132.34	132.34	113.97	1.05
4763.00	4.50	103.50	4760.12	-55.32	127.97	139.41	139.41	113.38	.36
4857.00	4.90	106.40	4853.81	-57.31	135.40	147.02	147.03	112.94	.49
4951.00	5.50	112.40	4947.42	-60.16	143.42	155.51	155.53	112.76	.86
5046.00	5.80	113.90	5041.96	-63.84	152.02	164.86	164.88	112.78	.35
5140.00	6.20	112.30	5135.45	-67.69	161.06	174.69	174.70	112.80	.46
5235.00	6.30	109.60	5229.88	-71.39	170.71	185.01	185.04	112.69	.33
5327.00	6.50	110.40	5321.31	-74.90	180.35	195.25	195.28	112.55	.24
5423.00	6.10	109.60	5416.73	-78.50	190.25	205.76	205.81	112.42	.43
5518.00	6.50	110.00	5511.15	-82.04	200.06	216.16	216.22	112.30	.42
5612.00	6.20	104.20	5604.58	-85.10	209.98	226.48	226.57	112.06	.75
5706.00	6.50	104.80	5698.00	-87.70	220.04	236.74	236.88	111.73	.33
5801.00	6.20	104.40	5792.42	-90.35	230.21	247.12	247.31	111.43	.32
5864.00	6.50	104.90	5855.03	-92.12	236.95	254.00	254.23	111.24	.48
5927.00	6.30	103.70	5917.64	-93.85	243.75	260.93	261.20	111.06	.38
5989.00	5.70	100.50	5979.30	-95.22	250.09	267.28	267.60	110.84	1.11
6052.00	5.50	101.10	6042.00	-96.37	256.13	273.27	273.66	110.62	.33
Projection									
6096.00	5.50	101.10	6085.80	-97.18	260.26	277.39	277.82	110.48	.00

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240
Phone (875) 263-6161 Fax: (875) 263-0720

DISTRICT II
611 S. First St., Artesia, NM 88210
Phone (875) 748-1283 Fax: (875) 748-0720

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone (505) 334-6170 Fax: (505) 334-6170

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011

Submit one copy to appropriate
District Office

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-015-40942	Pool Code 96831	Pool Name CEDAR LAKE GLORIETA YESO	
Property Code 2391	Property Name JACKSON B		Well Number 53
OGRID No. 03080	Operator Name BURNETT OIL COMPANY, INC.		Elevation 3744'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn.	Feet from the	North/South line	Feet from the	East/West line	County
M	1	17 S	30 E		440	SOUTH	740	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn.	Feet from the	North/South line	Feet from the	East/West line	County
M	1	17 S	30 E		330	SOUTH	990	WEST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
40			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

SURFACE LOCATION Lat - N 32.857371711° Long - W 103.931055717° NMSPC - N 675858.393 E 623530.049 (NAD-27) Bottom Hole Location Stryker Energy Directional Services, L.L.C. Original Hole - MWD Survey @6,052' MD, 273.66° Displacement 110.62° Azimuth API # 30-015-40942 PROPOSED BOTTOM HOLE LOCATION Lat - N 32.857067537° Long - W 103.930241328° NMSPC - N 675748.685 E 623780.553 (NAD-27)	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or released mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a unitary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Leslie M. Garvis</i> Date: 9/26/12 Printed Name: Leslie M. Garvis Email Address: lgarvis@burnettoil.com SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. Date Surveyed: 9/26/12 Signature & Seal of Professional Surveyor: <i>Gary L. Jones</i> Certificate No.: Gary L. Jones 7977 BASIN SURVEYS 27212
--	---