




December 20, 2012



New Mexico Energy, Minerals and Natural Resources Department
Attn: Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505


Attn: Jackie Lathan

Re: Burnett Oil Company, Inc.
Gissler -B- #85
Loco Hills Glorieta Yeso
Eddy County, New Mexico
API# 30-015-40726

Enclosed please find the original and one (1) copy of the revised survey performed on the reference well by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.. Other information that may be required by your office is as follows:

<u>Name & Title</u>	<u>Drainhole No.</u>	<u>Survey Depths</u>	<u>Dates Performed</u>	<u>Type Survey</u>
Jerry Gilcrease	Original Hole	554 ft. to 6,074 ft.	11-17-12 to 11-22-12	MWD Survey

A certified plat on which the bottom-hole location is oriented to both surface location and to the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.


Brandon Estes

Enclosures

CC:

Burnett Oil Company, Inc.
Attn: Leslie Garvis
801 Cherry Street Unit 9
Fort Worth, Texas 76102-6881


NMEMaNRD\Burnett Oil Company\Gissler B # 85\S12-168

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

P.O. Box 1250

Montgomery, TX 77356

Office (936) 582-7296 * Fax (936)-582-7297



December 20, 2012

Survey Certification Report

STATE OF TEXAS

COUNTY OF Montgomery

I, Todd Estes, certify that I am employed by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C., and that I did on the day(s) of November 17, 2012 thru November 22, 2012, conduct or supervise the taking of a SEDS MWD Survey from a depth of 554 feet to 6,074 feet; that I am authorized and qualified to make this report; that this survey was conducted at the request of Burnett Oil Company, Inc., for the Gissler -B- #85 well, API # 30-015-40726 in Eddy County, New Mexico; and that I have reviewed this report and find that it conforms to the principles as set forth by STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

Todd Estes

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

STRYKER ENERGY DIRECTIONAL SERVICES, L.L.C.

P.O. Box 1250

Montgomery, TX 77356

Office (936) 582-7296 * Fax (936)-582-7297

30-015-40726 GISSLER B #085 [2389]

General Well Information Status: New (Not Drilled or Completed)

Well Type: Oil
Work Type: New
Direction:
Lease Type: Federal
Surface Location: B-11-17S-30E-1105 FNL 2590 FEL
Lat/Long: 32.8532434362271 -103.942599753996
GL Elevation: 3739
Sing/Mult Compl: Single
Potash Waiver:

Proposed Formation and/or Notes

GLOR-YESO

Depths

Proposed: 6136
Measured: 0
Plugback Measured:

Formation Tops

Formation	Top	Method Obtained	Producing
-----------	-----	-----------------	-----------

Event Dates

Initial APD Approval: 9/12/2012
Most Recent APD Approval: 9/12/2012
APD Cancellation:
APD Extension Approval:
Spud: 12/31/9999
Approved Temporary Abandonment:
Shut In Waiting For Pipeline:
Plug and Abandoned Intent Received:
Well Plugged:
Site Release:
Last Inspection:

Current APD Expiration: 9/12/2014

Expiration:

Plugged, Not Released Expiration:
Intention To Plug:
Last MIT:

History

Effective Date	Property	Operator	C-101 Work Type	Well Type	Apd Cancelled	Plug Date
9/12/2012	[2389] GISSLER B	[3080] BURNETT OIL CO INC	N	Oil		

Comments

Date/Time	User Id	Comment
-----------	---------	---------

Operator

Company: [3080] BURNETT OIL CO INC
Address: Burnett Plaza, Suite 1500 801 Cherry St., Unit 9
Fort Worth, TX 76102
Country: U.S.A.
Main Phone: 817-332-5108



Job Number: S12-168

Company: Coker Energy Services

Lease/Well: Burnett Oil & Gas - Gissler B-85

Location: Eddy County

Rig Name: United # 29

RKB: N/A

G.L. or M.S.L.: N/A

State/Country: New Mexico / USA

Declination: 7.42° Corrected To Grid

Grid: 7.42°

File name: C:\WINSERVE\DOCS\12-168.SVY

Date/Time: 03-Dec-12 10:30

Curve Name: MWD SERVICES RAN ON 11-16-12

Stryker Energy Directional Services, LLC.

WINSERVE SURVEY CALCULATIONS Minimum Curvature Method Vertical Section Plane 286.03 Vertical Section Referenced to Wellhead Rectangular Coordinates Referenced to Wellhead

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	CLOSURE Distance FT	Direction Deg	Dogleg Severity Deg/100
Tie-In Data Provided by Customer									
554.00	1.20	146.40	553.88	.00	.00	.00	.00	.00	.00
809.00	1.10	144.70	808.83	-4.22	2.89	-3.95	5.12	145.59	.04
1066.00	1.30	91.10	1065.78	-6.29	7.23	-8.69	9.59	131.02	.43
1322.00	1.70	80.20	1321.69	-5.70	13.88	-14.91	15.00	112.33	.19
1578.00	1.60	80.30	1577.59	-4.45	21.14	-21.55	21.61	101.89	.04
1829.00	1.30	87.50	1828.51	-3.74	27.44	-27.41	27.69	97.76	.14
2085.00	1.00	101.30	2084.45	-4.05	32.53	-32.39	32.78	97.09	.16
2341.00	.80	111.50	2340.42	-5.14	36.39	-36.39	36.75	98.04	.10
2598.00	1.10	114.60	2597.39	-6.83	40.30	-40.62	40.87	99.61	.12
2854.00	1.00	107.20	2853.34	-8.51	44.67	-45.28	45.47	100.79	.07
2927.00	.80	112.70	2926.33	-8.89	45.75	-46.42	46.60	101.00	.30
2995.00	.50	128.40	2994.33	-9.26	46.42	-47.17	47.33	101.28	.51
3027.00	.40	156.80	3026.33	-9.45	46.57	-47.37	47.52	101.47	.75
3059.00	.40	149.50	3058.33	-9.65	46.67	-47.52	47.66	101.68	.16
3123.00	.50	259.60	3122.33	-9.89	46.51	-47.43	47.55	102.01	1.16
3218.00	1.60	286.90	3217.31	-9.58	44.83	-45.74	45.84	102.06	1.24
3281.00	2.20	286.40	3280.28	-8.98	42.83	-43.65	43.76	101.85	.95
3373.00	3.60	292.90	3372.16	-7.36	38.48	-39.01	39.17	100.83	1.56
3467.00	4.60	293.90	3465.91	-4.69	32.31	-32.35	32.65	98.25	1.07
3562.00	5.80	288.00	3560.52	-1.66	24.26	-23.78	24.32	93.91	1.38
3657.00	6.70	289.80	3654.96	1.70	14.48	-13.45	14.58	83.30	.97
3783.00	8.00	285.50	3779.92	6.53	-.88	2.65	6.59	352.31	1.12
3878.00	8.70	288.30	3873.91	10.56	-14.07	16.44	17.59	306.87	.85

Measured Depth FT	Incl Angle Deg	Drift Direction Deg	True Vertical Depth	N-S FT	E-W FT	Vertical Section FT	C L O S U R E		Dogleg Severity Deg/100
							Distance FT	Direction Deg	
3972.00	9.80	286.60	3966.69	15.07	-28.49	31.55	32.23	297.88	1.21
4065.00	10.60	286.00	4058.22	19.69	-44.30	48.01	48.48	293.97	.87
4157.00	11.60	285.40	4148.50	24.48	-61.35	65.73	66.06	291.75	1.09
4218.00	11.70	284.80	4208.24	27.69	-73.24	78.04	78.30	290.71	.26
4313.00	11.50	284.30	4301.30	32.49	-91.73	97.14	97.32	289.50	.24
4407.00	11.50	281.60	4393.41	36.69	-109.99	115.85	115.95	288.45	.57
4502.00	12.50	281.80	4486.34	40.70	-129.33	135.54	135.58	287.47	1.05
4566.00	12.60	279.00	4548.81	43.20	-143.01	149.38	149.39	286.81	.96
4661.00	12.10	276.10	4641.61	45.88	-163.14	169.47	169.47	285.71	.84
4762.00	12.70	278.70	4740.25	48.69	-184.64	190.91	190.95	284.77	.81
4825.00	11.80	282.00	4801.82	51.07	-197.79	204.20	204.28	284.48	1.81
4920.00	11.50	284.40	4894.86	55.45	-216.46	223.36	223.45	284.37	.60
5015.00	11.30	287.40	4987.99	60.59	-234.52	242.13	242.22	284.49	.66
5046.00	11.60	287.80	5018.37	62.45	-240.38	248.28	248.36	284.56	1.00
5078.00	11.00	287.10	5049.75	64.33	-246.36	254.55	254.62	284.63	1.92
5141.00	9.60	288.70	5111.73	67.78	-257.09	265.81	265.87	284.77	2.27
5173.00	9.70	287.50	5143.28	69.45	-262.18	271.17	271.23	284.84	.70
5236.00	8.40	287.90	5205.50	72.46	-271.63	281.07	281.12	284.94	2.07
5268.00	8.50	288.40	5237.15	73.92	-276.09	285.77	285.82	284.99	.39
5331.00	7.50	286.60	5299.54	76.57	-284.45	294.53	294.58	285.07	1.64
5394.00	7.30	288.50	5362.01	79.01	-292.19	302.65	302.68	285.13	.50
5458.00	6.40	288.10	5425.55	81.41	-299.43	310.27	310.30	285.21	1.41
5552.00	6.40	286.10	5518.97	84.49	-309.45	320.75	320.77	285.27	.24
5647.00	7.50	289.50	5613.27	88.03	-320.38	332.23	332.25	285.36	1.24
5710.00	8.20	291.40	5675.68	91.04	-328.44	340.81	340.82	285.49	1.18
5773.00	8.40	286.40	5738.02	93.98	-337.04	349.88	349.89	285.58	1.19
5836.00	8.00	284.30	5800.37	96.36	-345.70	358.87	358.88	285.58	.79
5931.00	8.50	285.30	5894.39	99.85	-358.88	372.49	372.51	285.55	.55
6026.00	8.50	288.80	5988.35	103.96	-372.30	386.53	386.54	285.60	.54
6074.00	8.50	291.70	6035.82	106.42	-378.95	393.60	393.61	285.69	.89

Projection									
6122.00	8.50	291.70	6083.29	109.04	-385.54	400.66	400.66	285.79	.00

DISTRICT I

1625 N. French Dr., Hobbs, NM 88240
Phone (505) 333-8181 Fax: (505) 333-0720

DISTRICT II

811 S. First St., Artesia, NM 88210
Phone (505) 748-1803 Fax: (505) 748-0720

DISTRICT III

1000 Rio Bravo Rd., Aztec, NM 87410
Phone (505) 334-0170 Fax: (505) 334-0170

DISTRICT IV

1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

RECEIVED

MAR 07 2013

Form C-102

Revised August 1, 2011

Submit one copy to appropriate
District Office

MOCD ARTESIA

WELL LOCATION AND ACREAGE DEDICATION PLAT

□ AMENDED REPORT

API Number		Pool Code	Pool Name
		96718	LOCO HILLS GLORIETA YESO
Property Code	Property Name		Well Number
2389	GISSLER "B"		85
OGRIID No.	Operator Name		Elevation
03080	BURNETT OIL COMPANY, INC.		3739'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	11	17 S	30 E		1105	NORTH	2590	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	11	17 S	30 E		990	NORTH	2310	WEST	EDDY

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
40			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

PROPOSED BOTTOM HOLE LOCATION Lat - N 32.853427761° Long - W 103.943142844° NMSPC - N 674409.619 E 619825.652 (NAD-27) Penetration Point SURFACE LOCATION Lat - N 32.853122104° Long - W 103.941699805° NMSPC - N 674299.830 E 620205.792 (NAD-27) Bottom Hole Location Stryker Energy Directional Services, L.L.C. Original Hole - MWD Survey @6,074' MD, 393.61' Displacement 285.69° Azimuth API # 30-015-40726 Federal Lease: NMNM 2748	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location, or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature: <i>Leslie M. Garvis</i> Date: 7/12/12 Printed Name: Leslie M. Garvis Email Address: lgarvis@burnettoil.com SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my belief. Date Surveyed: 7/12/12 Signature & Seal of Professional Surveyor: <i>[Signature]</i> Certificate No. Gary L. Jones 7977 BASIN SURVEYS 26501
--	--