

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-21501
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator COG OPERATING LLC		6. State Oil & Gas Lease No. K-4474
3. Address of Operator 600 W. ILLINOIS AVE., MIDLAND, TEXAS 79701		7. Lease Name or Unit Agreement Name: LIVINGSTON RIDGE UNIT 308072
4. Well Location Unit Letter L : 1980 feet from the SOUTH line and 990 feet from the WEST line Section 36 Township 21S Range 30E NMPM County EDDY		8. Well Number 001Y
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3238.7 - GR		9. OGRID Number 229137
		10. Pool name or Wildcat CABIN LAKE; MORROW Atoka 73640

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

RECEIVED

MAR 26 2013

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) Pump 25 SXS Cement on Blank Plug @ 13,283'
- 1) SET 7" CIBP @ 12,800'; PUMP 25 SXS.CMT. @ 12,800'-12,700'; CIRC. WELL W/ PXA MUD.
 - 2) PUMP 50 SXS.CMT. @ 10,820'-10,620' (T/WC); 3) PUMP 50 SXS.CMT. @ 7,668'-7,498' (9-5/8"SHOE,T/B.S.); TAG.
 - 4) PUMP 40 SXS.CMT. @ 5,950'-5,800' (MID-PLUG); 5) CUT X PULL 7" CSG. @ +/-3,700'.
 - 6) PUMP 150 SXS.CMT. @ 3,800'-3,490' (T/DLWR., 7"CSG.STUB, 13-3/8"CSG.SHOE, 9-5/8"INR.TOP); WOC X TAG.
 - 7) PUMP 120 SXS.CMT. @ 2,460'-2,340' (13-3/8"CSG.PART); WOC X TAG CMT. PLUG.
 - 8) PUMP 100 SXS.CMT. @ 360'-260' (20"CSG.SHOE); WOC X TAG CMT. PLUG.
 - 9) CIRC. TO SURF. 60 SXS.CMT. @ 63'-3'.
 - 10) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CSGS. X INSTALL DRY HOLE MARKER.

Approval Granted providing work
is complete by June 26, 2013

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David A. Eyler TITLE AGENT DATE 03/25/13

DEYLER@MILAGRO-RES.COM

Type or print name DAVID A. EYLER E-mail address: DEYLER@MILAGRO-RES.COM PHONE 432.687.3033

For State Use Only

APPROVED BY Dr. P. Spewison TITLE Dr. P. Spewison DATE 3/26/13

Conditions of Approval (if any):


★ SEE ATTACHED COA'S

**COG Operating LLC
(MARBOB)**

Lease & Well #
3001521501

Livingston Ridge #1Y

Eddy Co., NM
Sec 16 T26S R28E 1980 FNL & 1980 FEL



13-3/8" csg parted @ 2401'

13 3/8" 72, 48, 54.5# 3698' w/ 3580 sx, circ

7" tieback sleeve & 7" 23# P110 cmt w/ 220 sx. TOC est. 5800'

9 5/8" 40, J55 & N80 Liner 3542-7588', cmt w/1210 sx

Atoka Perfs 12870-74' & 12928-35'

Pkr w/ blanking plug in profile nipple

Morrow Perfs 13318-22', 13388-92', 13585-92', 13635-45', 13652-70', 13706-10'

7 " 29 & 32# 7379-13780' w/ 1320 sx

To Deep For Atoka

COG Operating LLC (MARBOB)

Lease & Well #
3001521501

Livingston Ridge #1Y

Eddy Co., NM

Sec 16 T26S R28E 1980 FNL & 1980 FEL

