Form 3160-5	UNITED STATE			FORM APPROVED	
	EPARTMENT OF THE I	NTERIOR	IVER	OMB No. 1004-0137 xpires: March 31, 2007	
	REAU OF LAND MAN	AGEMENT APR 0	2012 - 5. Uease Serial No. NM - 8606 & NM -	103877	
SUNDRY Do not use this	NOTICES AND REPO	o drill or to re-enter at	6.11f Indian, Allottee	or Tribe Name	
abandoned well.	Use Form 3160-3 (A	o drill of to re-enter a PD) for such proposa			
	MIT IN TRIPLICATE – Other	instructions on page 2.	7. If Unit of CA/Agr	eement, Name and/or No.	
I. Type of Well ↓ Oil Well ↓ Gas	Well Other		8, Well Name and N Please see below	0.	
2. Name of Operator Fasken Oil and Ranch, Ltd.			9. API Well No. Please see below		
		3b. Phone No. (include area co		10. Field and Pool or Exploratory Area	
432		432-687-1777	Please see below		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Please see below.			Eddy, NM	11. Country or Parish, State Eddy, NM	
12. CHE	ECK THE APPROPRIATE BO	X(ES) TO INDICATE NATUR	E OF NOTICE, REPORT OR OTI	IER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off	
-	Alter Casing	Fracture Treat	Reclamation	Well Integrity ✓ _{Other} Request to Flare	
Subsequent Report	Change Plans	Plug and Abandon	Temporarily Abandon	Casinghead Gas & C	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal	Well Gas	
Fasken Oil and Ranch, Ltd. reque Pipeline to repair anomalies inden 2013 and if no delays are encount	ntified during the smart pig ar tered it is expected to resum	nalysis conducted last fall. The operations on March 4, 201	ne Pipeline will be shut down be 3. Please see attached letter f	ginning at 7:00 AM on February rom DCP.	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360	nalysis conducted last fall. The operations on March 4, 201	ne Pipeline will be shut down be 3. Please see attached letter f	ginning at 7:00 AM on February rom DCP.	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 per day. No. 30-015-31545, NM - 360	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1	ne Pipeline will be shut down be 3. Please see attached letter f 980' FNL & 1980' FWL, Catclar	iginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AF	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 f per day. No. 30-015-31545, NM - 360 per day. PI No. 30-015-33234, NM - 3	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1	ne Pipeline will be shut down be 3. Please see attached letter f 980' FNL & 1980' FWL, Catclar 1980' FSL & 1980' FWL, Catclar	iginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AF This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 f per day. No. 30-015-31545, NM - 360 f per day. PI No. 30-015-33234, NM - 3 0 mcf per day.	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R	ne Pipeline will be shut down be 3. Please see attached letter f 1980' FNL & 1980' FWL, Catclar 1980' FSL & 1980' FWL, Catclar 26E, 1500' FNL & 1980' FEL, C	rginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Po	
Pipeline to repair anomalies inden	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 f per day. No. 30-015-31545, NM - 360 f per day. PI No. 30-015-33234, NM - 3 0 mcf per day.	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28	he Pipeline will be shut down be 3. Please see attached letter f 980' FNL & 1980' FWL, Catclar 1980' FSL & 1980' FWL, Catclar 26E, 1500' FNL & 1980' FEL, C E, 2100' FSL & 1980' FEL, Burt	nginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Po on Flat; Morrow (Pro Gas) Pool -	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AF This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 f per day. No. 30-015-31545, NM - 360 f per day. PI No. 30-015-33234, NM - 3 0 mcf per day. I No. 30-015-32278, NM - 10 0 mcf per day.	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28	A Copied for the set of the set o	nginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Po on Flat; Morrow (Pro Gas) Pool -	
 Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AF This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API This well will flare an estimated 40 14. Thereby certify that the foregoing is Name (Printed/Typed) 	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 f per day. No. 30-015-31545, NM - 360 f per day. PI No. 30-015-33234, NM - 3 0 mcf per day. I No. 30-015-32278, NM - 10 0 mcf per day.	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28	ne Pipeline will be shut down be 3. Please see attached letter f 1980' FNL & 1980' FWL, Catclad 1980' FSL & 1980' FWL, Catclad 26E, 1500' FNL & 1980' FEL, C E, 2100' FSL & 1980' FEL, Burt Accessed for MACCESSED Ory Analyst	rginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - Ti w Draw; Delaware, East Pool - Ti atclaw Draw; Delaware, East Po on Flat; Morrow (Pro Gas) Pool -	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AF This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API This well will flare an estimated 40 I4. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) Kim Tyson	ntified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 per day. No. 30-015-31545, NM - 360 per day. PI No. 30-015-33234, NM - 3 0 mcf per day. I No. 30-015-32278, NM - 10 0 mcf per day.	Talysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28 Title Regulat	ne Pipeline will be shut down be 3. Please see attached letter f 1980' FNL & 1980' FWL, Catclav 1980' FSL & 1980' FWL, Catclav 26E, 1500' FNL & 1980' FEL, C E, 2100' FSL & 1980' FEL, Burt Accepted for NMOC ory Analyst 013	nginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Po on Flat; Morrow (Pro Gas) Pool -	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 23 - API I akeshore "10" Federal No. 5 - AF This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API This well will flare an estimated 40 IV. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) Kim Tyson	THIS SPACE THIS SPACE	ralysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 16, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28 Title Regulat Date . 02/28/2 FOR FEDERAL OR ST	ne Pipeline will be shut down be 3. Please see attached letter f 1980' FNL & 1980' FWL, Catclav 1980' FSL & 1980' FWL, Catclav 26E, 1500' FNL & 1980' FEL, C E, 2100' FSL & 1980' FEL, Burt Accepted for NMOC ory Analyst 013	nginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Po on Flat; Morrow (Pro Gas) Pool -	
Pipeline to repair anomalies inden 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 23 - API I Lakeshore "10" Federal No. 5 - AF This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API This well will flare an estimated 40 Slingshot "35" Federal No. 1 - API This well will flare an estimated 40 I4. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) Kim Tyson	tified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 per day. No. 30-015-31545, NM - 360 per day. PI No. 30-015-33234, NM - 3 0 mcf per day. I No. 30-015-32278, NM - 10 0 mcf per day. s true and correct. THIS SPACE /s/ Jerry Blakley red. Approval of this notice does e title to those rights in the subject	ralysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28 Title Regulat Date . 02/28/2 FOR FEDERAL OR ST	ne Pipeline will be shut down be 3. Please see attached letter f 1980' FNL & 1980' FWL, Catclav 1980' FSL & 1980' FWL, Catclav 26E, 1500' FNL & 1980' FEL, C E, 2100' FSL & 1980' FEL, Burt Accepted for NMOC ory Analyst 013	nginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Po on Flat; Morrow (Pro Gas) Pool	
 Pipeline to repair anomalies inden 2013 and if no delays are encount 2013 and if no delays are encount Avalon "10" Federal No. 22 - API I well will flare an estimated 20 mcf Avalon "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 23 - API I well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AFI This well will flare an estimated 10 mcf Lakeshore "10" Federal No. 5 - AFI This well will flare an estimated 10 Slingshot "35" Federal No. 1 - API This well will flare an estimated 40 14. Thereby certify that the foregoing is Name (<i>Printed/Typed</i>) Kim Tyson Signature Jum Jum Conditions of approval, if any, are attach the applicant holds legal or equitable 	tified during the smart pig ar tered it is expected to resum No. 30-015-31653, NM - 360 per day. No. 30-015-31545, NM - 360 per day. PI No. 30-015-33234, NM - 3 0 mcf per day. I No. 30-015-32278, NM - 10 0 mcf per day. s true and correct. THIS SPACE Strue and correct.	alysis conducted last fall. The operations on March 4, 201 6, F, Sec. 10, T21S, R26E, 1 6, K, Sec. 10, T21S, R26E, 1 606, Lot 5, Sec. 10, T21S, R 3877, J, Sec. 35, T20S, R28 Title Regulat Date . 02/28/2 FOR FEDERAL OR ST	ne Pipeline will be shut down be 3. Please see attached letter f 1980' FNL & 1980' FWL, Catclan 1980' FSL & 1980' FWL, Catclan 26E, 1500' FNL & 1980' FEL, C E, 2100' FSL & 1980' FEL, Burt ACCORDIC for MMOC ory Analyst 013 TATE OFFICE USE	nginning at 7:00 AM on February rom DCP. w Draw; Delaware, East Pool - T w Draw; Delaware, East Pool - T atclaw Draw; Delaware, East Pool on Flat; Morrow (Pro Gas) Pool record <i>ReDade 4/3/13</i> Date 3/ 30/2013	



DCP Midstream 10 Desta Drive Suite 400-West Midland, Texas79705 (432) 620-4160 (fax)

February 18, 2013

GAS PRODUCERS TO DCP MIDSTREAM'S D-10 PIPELINE - EDDY CO.,NM

Ascheduled shutdown of DCP Midstream's("DCP") D-10 Pipeline will take place on February 25,2013. The D-10 Pipeline will be taken out of service temporarily to repair anomalies identified during the smart pig analysis conducted last fall.

Producers will beresponsible for shutting in the gas production for their wells, particular to the attached listof meters by 7:00AM on Monday, February 25, 2013. Assuming no delays are encountered, your well(s) are expected to be allowed to resume production on Monday, March 4, 2013. Producers **MUST** contact the supervisor listed below before resuming gas production into DCP's system.

ALL PRODUCTION FROM THE ATTACHED METERS MUST BE SHUT IN. DCP WILL BE UNABLE TO FLARE OR VENT GAS. ANY FLARING BY PRODUCERS MUST TAKE PLACE UPSTREAM OF DCP METERS.

All gas deliveries recorded during the shutdown period by any purchase meter requested to be shut-in, will be deducted from the total deliveries recorded in the gas settlement statements.

DCP apologizes for the inconveniencebut the D-10 Pipeline shutdown is necessary to perform the necessary repairs.

Questions regarding this shutdown should be directed to the contact at the number listed above.

Sincerely,

David A. Griesinger Managing Director – SE New Mexico

CRB/DAG:yd

Attachment

3/30/2013 Rejected

Only one case or agreement number per sundry can be reported per volume of Gas Flared. Prior approval is required before flaring Gas. Submit NOI to flare gas on 3160-5 with estimated volumes and then after approval and flaring file subsequent report matching NOI, give monthly volumes. One subsequent per sundry. JDB