	indunia trimente e		1,00 militar			_
Submit I Copy To App Office	oropriate District.		e of New M			Forn
District 1 - (575) 393-6 1625 N. French Dr., Ho		Energy, Minerals and Natural Resources		WELL APLNO	Revised Augu	
District II - (575) 748	1283	OIL CONS	FRVATION	I DIVISION		·
811.S. First St., Artesia District III - (505) 334-	5 NM-88210 -6178		outh St. Fra		5. Indicate Type	
1000 Rio Brazos Rd., A	ztec, NM 87410		ta Fe, NM 8	2 9 Y Y I Y	STATE	
<u>District IV</u> - (505) 476 1220 S. St. Francis Dr., 87505		nøc.	la re, inivi o	7505	6. State Oil & C	las Lease No.
······································	SUNDRY NOTICI	ES AND REPORT	S'ON WELLS	3 ,	7. Lease Name	or Unit Agreement
(DO NOT ÚSE THÌS E DIFFERENT RESERV PROPOSALS.)	ORM FOR PROPOSA OIR. USE "APPLICA"	LS TO DRILL OR TO FION FOR PERMIT"	DEEPEN OR PL (FORM C-101) F	UG BACK TO A OR SUCH	D State 74 Batte	
1. Type of Well: (Oil'Well 🔽 -G	as Well 🔲 Othe	r	. ,	8. Well Number	•
2. Name of Operat	tor				9. OGRID Num	ber
Apache Corporation				:	873	
3. Address of Ope					10. Pool name o	or Wildcat
303 Veterans Airpa	rk.Lane, Suite 3000	Midland, TX 79	/05-		Yeso	•
4. Well Location	K					_
Unit Lette		feet from		line and		om the
Section 3		Townshi		ange 28E	NMPM	County Eddy
đ (1		H. Elevation (She	w whether DR	, RKB, RT, GR, et	c.) ·	
					Room	
	12 Check An	propriate Box (o Indicate N	lature of Notice	, Report or Othe	r Dafa
	T2. Check Ap	propriate Dox	o mineaje r		, repar of othe	i Dana
	DTICE OF INT			SU	BSEQUENT RI	
PERFORM REME		PLUG AND ABAN		REMEDIAL WO		ALTERING CAS
TEMPORARILY A		CHANGE PLANS				P AND A
		MULTIPLE COMP		CASING/CEME	NT JOB	
DOWNHOLE COM						
OTHER: Flare Gas	S]	2	\checkmark	OTHER:		
13. Describe pr	roposed or complet	ed operations. (C	learly state all	pertinent details, a	nd give pertinent da	tes, including estin
of starting a	any proposed work). SEE RULE 19.	15.7.14 NMA	C. For Multiple C	ompletions: Attach	wellbore diagram
proposed co	ompletion or recon	pletion.				•
Apache is request	ing permission to te	mporarily flare the	D State 74 Ba	attery. The API# fo	r each well are as fo	llows:
00 04E 04400	30-015-4					
30-015-31426	-30-015-4					
30-015-30977	30-015-4	a second and the				
30-015-30977 30-015-31389 30-015-38468	30-015-4 30-015-4					
30-015-30977 30-015-31389 30-015-38468 30-015-39267	30-015-4 30-015-4	10236				
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924	30-015-4 30-015-4 30-015-4	10236 10237		1		
30-015-30977 30-015-31389 30-015-38468 30-015-39267	30-015-4 30-015-4	10236 10237 10238		1 = 1 		
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239				
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145 30-015-40441	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239				
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145 30-015-40441	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239				
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145 30-015-40441	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136	Rig Release D	ate:		
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145 30-015-40441 30-015-40231	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136	Rig Release D	ate:		
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145 30-015-40441 30-015-40231	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136	Rig Release D	ate:		
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-39924 30-015-40145 30-015-40441 30-015-40231	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136		:	ge and belief.	
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-40145 30-015-40441 30-015-40231	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136		:	ge and belief.	
30-015-30977 30-015-31389 30-015-39267 30-015-39267 30-015-39924 30-015-40145 30-015-40145 30-015-40441 30-015-40231 Spud Date:	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136	nplete to the b	est of my knowled	-	
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-40145 30-015-40145 30-015-40441 30-015-40231	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136		est of my knowled	-	ATE_05/21/2013.
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-40145 30-015-40145 30-015-40441 30-015-40231 Spud Date:	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4	10236 10237 10238 10239 10136	nplete to the b	est of my knowled	D	
30-015-30977 30-015-31389 30-015-31389 30-015-39267 30-015-39267 30-015-39924 30-015-40145 30-015-40145 30-015-40231 Spuid Date:	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 Fatima Vasquez	10236 10237 10238 10239 10136	nplete to the b	est of my knowled	D	ATE_05/21/2013. HONE: <u>(432) 8</u> 18-
30-015-30977 30-015-31389 30-015-38468 30-015-39267 30-015-39924 30-015-40145 30-015-40145 30-015-40441 30-015-40231 Spud Date:	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 Fatima Vasquez	10236 10237 10238 10239 10136	nplete to the b TITLE_Regul E-mail addres:	est of my knowled	Dipachecorp.com	HONE: <u>(432) 8</u> 18-
30-015-30977 30-015-31389 30-015-39267 30-015-39267 30-015-39924 30-015-40145 30-015-40144 30-015-40441 30-015-40231 Spud Date:	30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 30-015-4 Fátima Vasquez	10236 10237 10238 10239 10136	nplete to the b	est of my knowled	Dipachecorp.com	

.

•

District 1 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Ažtee, NM 87410. District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-129 Revised August 1, 2011

Submit one copy to appropriate District Office

NFO Permit No.

(For Division Use Only)

APPLICATION FOR EXCEPTION TO NO-FLARE RULE 19.15.18.12 i 1

See Rule 19.15.18.12 NMAC and Rule 19.15.7.37 NM	AC)
--	-----

Α.	Applicant Apache Corporation		,					
	whose address is							
	hereby requests an exception to Rule 19.15.1	0	days or until					
	, Yr,	for the following described tank battery (or						
	Name of Lease D State 74 Battery	Name of Pool						
	Location of Battery: Unit Letter	Section 35 Township 17S Range						
	Number of wells producing into battery	. 18						
В.	Based upon oil production of)barrels per day, the estimated *	volume					
	of gas to be flared is	MCF; Value	_per day.					
Ç.	Name and location of nearest gas gathering facility: DCP Artesia							
D,	DistanceEstimated cost of connection							
E.	This exception is requested for the following reasons: Frontier Gas has shut Apache out							
	of their gas line as a secondary selling point. Our primary buyer is DCP. We							
	need a way of relief if DCP slam valve shuts, which would be to flare.							
	•							
ning yan kanan yang yang katalan kanan	i,	an a	na constantina da con					
	hat the rules and regulations of the Oil Conservation	OIL CONSERVATION DIVISION						
	een complied with and that the information given above lete to the best of my knowledge and belief.	Approved Until Aug 30th - 3	013					
Signature	2	By Made						
Printed Name & Title	Fatima Vasquez - Regulatory Tech I	Title Dist I Spew 155	١					
E-mail Addre	Fatima Vasquez@apachecorp.com ss	Date May 24 - 2013						
Date 05/21/	2013 Telephone No. (432) 818-1015	an a	an a					

* Gas-Oil ratio test may be required to verify estimated gas volume.

D SEE A HAched COA'S

NEW MEXICO OIL CONSERVATION DIVISION DISTRICT 2 OFFICE 811 SOUTH FIRST STREET ARTESIA, NM 88210 (575)748-1283

CONDITIONS OF APPROVAL for FLARING or VENTING GAS

- 1. Venting gas is absolutely not allowed.
- 2. Prior to flaring gas, C-129 must be filed & approved. Blanket approval cannot be given for this operation.
- **3.** Flared volumes of gas are to be metered & reported.
- 4. Flares WILL be manned at all times. Brush should be cut down to 1 or 2 inches around flare stack at least a radial distance of 2 times the height of the flare stack.
- 5. Flares WILL NOT be left unattended.
- No flaring operations to be conducted during red-flag days. <u>http://www.gacc.nifc.gov/swcc</u> (go to "Predictive Services" on SWCC website) to check for red flag warnings.
- 7. Follow safe practices for flaring guidelines.
- 8. Permit may be rescinded at any time by NMOCD.
- **9.** If well is able to be connected to a gas gathering system, it will be done so as soon as possible.
- 10. <u>Flaring of gas is prohibited</u>. The State Forester grants an exception to the prohibition on open fires for the flaring of natural gas when the following conditions are met. Unless flaring is needed for safety purposes, flaring pursuant to this exception shall not be done on days that are "red flag days" as determined by the National Weather Service or on days when the sustained wind is in excess of 25 miles per hour in the area.
- 11.1. The day is not a "red flag day" as determined by the National Weather Service and the sustained wind is not in excess of 25 miles per hour in the area.

- 12.2. The local fire department and county dispatch are notified at least 24 hours in advance of anticipated releases that will result in flaring. If flaring is done by an automated system then the schedule of flaring shall be provided to the local fire department and county dispatch. The area is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of one and one half times the height of the stack.
- 13.3. At least one adult is on site with communications equipment adequate to reach county dispatch and the local fire department in the event of a fire. The individual should also be equipped with a shovel and a water backpack pump or other equipment to deliver water to suppress a fire.
- 14.4. If flaring is to take place at an unmanned facility, then the area around the flare stack is mowed and maintained at a length not to exceed 4 inches and all other flammable products or debris shall be cleared in the area for a distance of three times the height of the stack.

Your initials here ARDade 11 May 24-2013

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez Governor

John Bemis Cabinet Secretary

Brett F. Woods, Ph.D. Deputy Cabinet Secretary Jami Bailey Division Director Oil Conservation Division



March 19, 2013

FOR IMMEDIATE RELEASE Contact: Jim Winchester (505)231-8800 E-Mail: jim.winchester@state.nm.us

Notice to Oil and Gas Facilities and Operators Flaring Gas in New Mexico

SANTA FE, NM – The Oil Conservation Division (OCD) encourages all oil and gas facilities with flare stacks and well operators that are flaring gas to upgrade their *Fire Awareness Programs* this year. New Mexico State Forestry reports that 460 fires have burned 25,475 acres on state and private land in calendar year 2012.

Forecasts remain dismal this spring with fewer chances for normal precipitation, particularly in southwestern New Mexico and southeastern Arizona. Temperatures could also be higher than normal.

Open flames and gas flares should be monitored carefully and oil and gas operators should create a defensible space to help prevent wildfires. Defensible Space is the area around a structure where combustible vegetation that can spread fire has been cleared, reduced or replaced. This space acts as a barrier between a structure and an advancing wildfire.

During the course of the upcoming fire season, it may become necessary for New Mexico State Forestry to issue fire restriction on State and private land. Log on to <u>www.nmforestry.com</u> for updates or call your local district office.

New Mexico State Forestry offers the following guidelines for establishing effective defensible space:

- Create a "Lean, Clean and Green" firebreak area by removing flammable vegetation and growth within 30 feet of each structure. Single trees and shrubs may be retained if they are well spaced, pruned and placed so they avoid the spread of fire. Maintain an irrigation system for
- any vegetation near structures.
- Keep grass and weeds mowed.
- Prune lower tree limbs to at least 6 feet up to 15 feet (or lower 1/3 of branches on smaller trees).
- Remove vegetation and debris around propane tanks.

For the latest fire weather information please visit USDA Forest Service website: <u>http://activefiremaps.fs.fed.us/current.php</u>

####

The Energy, Minerals and Natural Resources Department provides resource protection and renewable energy resource development services to the public and other state agencies.